

INTRODUCTION to the Archbold Biological Station Plant List

2006 Edition Carl W. Weekley Heather H. Lindon Eric S. Menges

Introduction

This edition of the Archbold Biological Station Plant List represents an advance over the previous version (Menges et al. 2000) in two ways. First, it brings the nomenclature into agreement with Wunderlin and Hansen (2003), the only state-wide taxonomic treatment of the flora of Florida. Second, in its digital version the ABS Plant List is now part of an integrated BIOTA database that includes label data on ~4000 specimens in the ABS Herbarium. The Plant List includes 593 vascular plants known to spontaneously occur at Archbold; it does not include cultivated (mostly exotic) plants on the Main Grounds or plants introduced on Red Hill that may persist but do not appear to be spreading.

The first list of Archbold's plants was assembled by Sam P. Vander Kloet (Vander Kloet 1986). The second major list created a tabular organization and added information on life history, distribution, and nomenclature (Menges and Salzman 1992). The first digital list (Menges et al. 2000) added a few new records and information on endangerment status and updated nomenclature to Wunderlin (1998).

This edition of the Archbold Biological Station Plant List is formatted for both digital and hardcopy versions. The digital version is available on our website. A hardcopy version is available by request from the Plant Ecology Lab. ABS Plants, the searchable BIOTA database that integrates the Plant List and Plant Ecology Lab herbarium label data, is under development on the ABS website under Plant Ecology Lab.

Explanation of Fields

The Plant List is organized alphabetically by family within four higher groupings: Ferns and Fern Allies; Gymnosperms; Angiosperms—Monocots; and Angiosperms—Dicots.

Family

Family names follow Wunderlin and Hansen (2003). Where Wunderlin and Hansen subsumes families recognized by other authorities, we include those family names in brackets ([]) next to the Wunderlin and Hansen family name and subsumed family names are also included within brackets in the Index to Families.

Scientific Name and Author

Nomenclature for scientific names follows Wunderlin and Hansen (2003) with the following exceptions: *Pinus elliottii* var. *densa* Little and Dorman (south Florida slash pine), *Conradina brevifolia* Shinners (short-leaved rosemary), *Paronychia chartacea* subsp. *chartacea* L.C. Anderson (papery whitlow-wort), and *Cardamine debilis* D. Don (bitter cress).

Subspecies Description

Subspecies names follow Wunderlin and Hansen (2003) with the following exceptions: for 16 species it is unclear from existing records which subspecific taxa are represented at Archbold. These species are listed with an asterisk (*) following the species name.

Synonymy

Synonyms are provided following Wunderlin and Hansen (2003). Additional synonyms may be found in Small (1933) and Kartesz (1994a, 1994b).

Common Names

Common names generally follow Wunderlin and Hansen (2003), except where more widely accepted common names are available.

Life History

Information on life span (annual, biennial or perennial), growth form (herb, subshrub, shrub, tree, etc.) and breeding systems was gathered from a variety of sources including Small (1933), Long and Lakela (1971), Godfrey and Wooten (1979, 1981), Clewell (1985), Wunderlin et al. (1985), Wunderlin et al. (1988), Christman and Judd (1990), Hall (1993), Taylor (1998), Tobe et al. (1998), Wunderlin (1998) and U.S. Fish and Wildlife Service (1999) as well as our own observations.

Flowering Time

These phenological observations are specific to Archbold, and mainly follow Vander Kloet (1986) with modifications by the authors. Some out-of-season flowering may also occur in central Florida. For non-flowering taxa (e.g., ferns and pines), this field provides information on times of spore- or cone-production.

Distribution

Worldwide distributions are given from a variety of sources including Small (1933), Christman and Judd (1990), and other sources. State names are abbreviated with two-letter postal codes. Federal-listing status, based on U.S. Fish and Wildlife Service (1999), is coded as Endangered (FE) or Threatened (FT). State-listing status, based on Coile and Garland (2003), is coded as Endangered (SE) or Threatened (ST).

Habitat at ABS

ABS habitat information is undated and/or modified from previous plant lists, following the classification of Abrahamson et al. (1984). Abundance estimates are qualitative and follow in part from Vander Kloet (1986).

Distribution at ABS

This field indicates in which ABS tracts the species is known to occur. The accompanying map shows ABS tract designations.

How to Suggest Changes in the Plant List

If you find errors or omissions in the plant list, please let us know by contacting [Eric Menges](#)

Acknowledgements

We thank Jeremy Ash, Tracy Hmielowski, Steph Neimeister, Marcia Rickey, and Katie Stuble for their help in updating this edition of the ABS Plant List. Contributions by Ginny Salzman, Marcia Hestand, and Sam Vander Kloet to earlier plant lists were invaluable. Botanists who contributed to the ABS herbarium over the years have helped document this list indirectly. Over 70% of the ~4000 specimens in the Plant Ecology Lab Herbarium were collected by Leonard Brass. Others who made significant contributions to the Herbarium include Sam P. Vander Kloet, Ann Johnson, and Alan Herndon.

Literature Cited

- Abrahamson, W. G., A. F. Johnson, J. N. Layne, and P. A. Peroni. 1984. Vegetation of the Archbold Biological Station: an example of the southern Lake Wales Ridge. *Florida Scientist* 47:209-250.
- Christman, S. P. , and W. S. Judd. 1990. Notes on plants endemic to Florida scrub. *Florida Scientist* 53:52-73.

- Clewell, A. F. 1985. Guide to the vascular plants of the Florida Panhandle. University Presses of Florida, Tallahassee, Florida, USA.
- Coile, N. C. and M. Garland 2003. Notes on Florida's endangered and threatened plants. Fourth Edition. Florida Department of Agriculture and Consumer Services, Division of Plant Industry, Gainesville, Florida, USA.
- Godfrey, R. K., and J. W. Wooten. 1979. Aquatic and wetland plants of the southeastern United States. Monocotyledons. University of Georgia Press, Athens, Georgia, USA.
- Godfrey, R. K., and J. W. Wooten. 1981. Aquatic and wetland plants of the southeastern United States. Dicotyledons. University of Georgia Press, Athens, Georgia, USA.
- Hall, D. W. 1993. Illustrated plants of Florida and the Coastal Plain. Maupin House Publishing, Gainesville, Florida, USA.
- Kartesz, J. T. 1994a. A synonymized checklist of the vascular flora of the United States, Canada, and Greenland. Volume 1: Checklist. Timber Press, Portland, OR, USA.
- Kartesz, J. T. 1994b. A synonymized checklist of the vascular flora of the United States, Canada, and Greenland. Volume 2: Thesaurus. Timber Press, Portland, OR, USA.
- Long, R.W., and O. Lakela. 1971. A flora of tropical Florida. University of Miami Press, Coral Gables, Florida, USA.
- Menges, E.S. and V.T. Salzman. 1992. Archbold Biological Station Plant List.
- Menges, E.S., C.W. Weekley, R. Yahr, C. Brand, and D. Mundell. 2000. Archbold Biological Station Plant List. Archbold Biological Station Website.
- Small, J. K. 1933. Manual of the southeastern flora. University of North Carolina Press, Chapel Hill, North Carolina, USA.
- Small, J. K. 1933. Manual of the southeastern flora. University of North Carolina Press, Chapel Hill, North Carolina, USA.
- Tobe, J. D., K. C. Burks, R. W. Cantrell, M. E. Sweeley, D. W. Hall, P. Wallace, G. Anglin, G. Nelson, J. R. Cooper, D. Bickner, K. Gilbert, N.
- Aymond, K. Greenwood, and N. Raymond. 1998. Florida wetland plants: an identification manual. Rose Printing Company, Tallahassee, Florida, USA. U.S. Fish and Wildlife Service. 1999. South Florida multi-species recovery plan. U.S. Fish and Wildlife Service, Atlanta, Georgia, USA.
- Vander Kloet, S. P. 1986. Plant list of the Archbold Biological Station. Archbold Biological Station, Lake Placid, Florida, USA.
- Wunderlin, R. P. 1998. Guide to the vascular plants of Florida. University Press of Florida, Gainesville, Florida, USA.
- Wunderlin, R. P. and B. F. Hansen. 2003. Guide to the vascular plants of Florida. Second Edition. University Press of Florida, Gainesville, Florida, USA.
- Wunderlin , R. P., B. F. Hansen, and D. W. Hall. 1985. The vascular plants of central Florida: taxonomic and nomenclatural changes, additional taxa. *Sida* 11:232-244.
- Wunderlin , R. P., B. F. Hansen, and D. W. Hall. 1988. The vascular flora of central Florida;

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
FERNS & FERN ALLIES						
BLECHNACEAE						
<i>Blechnum serrulatum</i> L.C. Rich.	Swamp Fern	Perennial, terrestrial, creeping rhizomes	All year	FL, West Indies, American tropics	Occasional Lake Annie shore, swamps, ditches in pine flatwoods & main grounds	SW, Hufty, Harris, Price, Watters
<i>Woodwardia virginica</i> (L.) Smith (<i>Anchistea virginica</i> (L.) C. Presl.)	Virginia Chain Fern	Perennial, terrestrial	Jan.-Jun.	e US to FL on Coastal Plain, West Indies, Bermuda	Occasional to abundant in swales, along shore of Lake Annie & in seasonal ponds	SW, NW, 18, 19, 30, 31, Hufty, Price, Watters
DENNSTAEDTIACEAE						
<i>Hypolepis repens</i> (L.) Presl	Flakelet Fern	Perennial, terrestrial	Summer-Fall	c & s FL, West Indies, S. America	Rare	Price
<i>Pteridium aquilinum</i> (L.) Kuhn* (<i>Pteris latiuscula</i> Desv., misapplied) (<i>Pteris caudata</i> L.)	Bracken fern	Perennial, rhizomatous	All year	Cosmopolitan, temperate & tropical regions; several geographical varieties	Locally common in scrub, scrubby flatwoods, sandhill & disturbed areas	NE, NW, SW, 7, 18, Hufty, Price
LYCOPODIACEAE						
<i>Lycopodiella alopecuroides</i> (L.) Cranfill (<i>Lycopodium alopecuroides</i> L.)	Foxtail Clubmoss	Perennial, homosporous	Sep.-Nov.	Coastal Plain, FL to MS & NY, S. America	Local in seasonal ponds within bayheads & moist low flatwoods	NW
<i>Lycopodiella appressa</i> (Chapm.) Cranfill (<i>Lycopodium appressum</i> (Chapm.) F.E. Loyd & Underw.)	Southern Clubmoss	Perennial, homosporous	Oct.-Nov.	Coastal Plain & Piedmont, N. England & LA	Local in seasonal ponds within bayheads & moist low flatwoods	NW
<i>Lycopodiella caroliniana</i> (L.) Pic. Serm. (<i>Lycopodium carolinianum</i> L.) (<i>Pseudolycopodiella caroliniana</i> (L.) Holub.)	Slender Clubmoss	Perennial, homosporous	All year	FL, GA, AL, VA	Rare, on moist muck, North shore of Lake Annie	Huft
NEPHROLEPIDACEAE						
<i>Nephrolepis exaltata</i> (L.) Schott	Boston Fern	Perennial, terrestrial or epiphytic	All year	peninsular FL, TX, Mexico, West Indies, pantropical	Common along margins of palmetto scrub, main grounds	SW, Price
OSMUNDACEAE						
<i>Osmunda cinnamomea</i> L.	Cinnamon Fern	Perennial, macrophyllous, heteromorphous	Dec.-Feb.	FL to TX, NM, MN, Newfoundland, West Indies, tropical America, Asia; Status: CE	Common in bayheads & very low pine flatwoods	NE, NW, SW, 7, 18, 30, Hufty, Watters

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
<i>Osmunda regalis</i> (Willd.) A.Gray var. <i>spectabilis</i> (Willd.) A. Gray	Royal Fern	Perennial, macrophyllous, heteromorphous	All year	FL, N. America, West Indies, Mexico, Asia; Status: CE	Common in swamps, occasional in bayheads	SW, NW, Hufty, Price, Harris, Watters
POLYPODIACEAE						
<i>Phlebodium aureum</i> (L.) J. Smith (<i>Polypodium aureum</i> L.)	Golden Polypody	Perennial, epiphytic or Occasional saxicolous or terrestrial, creeping rootstock	All year	s & c FL, West Indies, Mexico, S. America	On Sabal palmetto & Serenoa repens, Main Dr, Lake Annie shore & main grounds	SE, SW, NE, Hufty
<i>Pleopeltis polypodioides</i> (L.) E.G.Andrews & Windham var. <i>michauiiana</i> (Weath.) E.G. Andrews & Windham. (<i>Polypodium polypodioides</i> (L.) Watt. subsp. <i>michauiianum</i> Weath.)	Resurrection Fern	epiphytic	All year	s FL, FL Keys, TX, MO, n to DE West Indies, Mexico, C. & S, America, Africa	Rare epiphyte on oak & hickory in scrubby flatwoods	SW, SE, NE
PTERIDACEAE [including Adiantaceae, Parkeriaceae]						
<i>Ceratopteris pteridoides</i> (Hook.) Hieron.	Water Horn Fern	Annual, rooted emergent aquatic	Jan.-Jul.	FL, West Indies	Locally common in drainage ditches	SW
SALVINIACEAE						
<i>Salvinia minima</i> Baker (<i>Salvinia auriculata</i> Aubl., misapplied) (<i>Salvinia rotundifolia</i> Willd., misapplied)	Water Spangles	Perennial, heterosporous, free-floating aquatic	All year	FL, tropical America, Africa	Locally abundant in stagnant water in Acer swamps & among reeds along lakeshores	Hufty, Price, Harris, Watters
SCHIZAEACEAE						
<i>Lygodium microphyllum</i> (Cav.) R. Br.	Climbing Fern	Perennial, climber	All Year	EXOTIC	Occasional in stumps of Lake Annie, North Shore	Hufty
SELAGINELLACEAE						
<i>Selaginella arenicola</i> Underw. (<i>Selaginella arenicola</i> subsp. <i>acanthonota</i> (Underw.) R.M. Tryon) (<i>Selaginella acanthonota</i> Underw.)	Sand Spike Moss	Perennial, microphyllous, heterosporous	All year	FL, GA, AL, TX	Locally abundant in scrubby flatwoods & rosemary scrub, common on firelanes	All Tracts except Watters & Harris

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
THELYPTERIDACEAE						
<i>Thelypteris interrupta</i> (Willd.) Iwatsuki (<i>Thelypteris goggilodus</i> (Schkuhr) Small) (<i>Thelypteris totta</i> (Thunb.) Schelpe)	Shield Fern	Perennial, colonial, creeping rootstock	All year	peninsular FL, West Indies, Mexico, C. America, S. America, Old World	Abundant understory in gum swamps	Price
<i>Thelypteris kunthii</i> (Desv.) Morton (<i>Thelypteris macrorhizoma</i> E.P. St. John) (<i>Thelypteris normalis</i> (C. Christ.) Moxley) (<i>Thelypteris saxatilis</i> R.P. St. John) (<i>Thelypteris unca</i> R.P. St. John)	Southern Shield Fern	Perennial, terrestrial, decumbent rootstock	All year	FL to SC, Gulf States to TX, West Indies, tropical America	Common in seasonal ponds, drainage ditches & swales	NE, NW, SW, 7, 18, 30
VITTARIACEAE						
<i>Vittaria lineata</i> (L.) J. Smith	Shoestring Fern	Perennial, epiphyte mostly on <i>Sabal palmetto</i>	All year	s & c FL, disjunct in GA; Mexico to West Indies to Paraguay	Rare epiphyte on <i>Serenoa repens</i>	NW, SW
GYMNOSPERMS						
PINACEAE						
<i>Pinus clausa</i> (Chapm. ex Engelm.) Vasey ex Sarg. (<i>Pinus clausa</i> var. <i>immuginata</i> D. B. Ward.)	Sand Pine	Perennial, evergreen, monoecious tree, fire-sensitive, serotinous cones	Dec.-Feb.	sw FL to s AL, coastal & interior dunes	Common on sandhills, occasional in flatwoods & seasonal pond margins	All except Watters & Harris
<i>Pinus elliottii</i> var. <i>densa</i> Little & K. W. Dorman (<i>Pinus caribaea</i> Morelet, misapplied) (<i>Pinus heterophylla</i> (Elliott) Sudw.)	South Florida Slash Pine	Perennial, evergreen, monoecious tree, fire-resistant	Feb.-Mar.	ENDEMIC to s peninsular FL & FL Keys	Frequent & ubiquitous	All Tracts except Harris
<i>Pinus palustris</i> Mill. (<i>Pinus australis</i> F. Michx.)	Longleaf Pine	Perennial, evergreen, monoecious tree, fire-resistant	Spring	FL to TX, VA	Very rare, sandhills & palmetto-wire grass flatwoods	SE, 6, 19E, 31
ZAMIACEAE						
<i>Zamia pumila</i> L. (<i>Zamia angustifolia</i> Jacq.) (<i>Zamia floridana</i> A. DC.) (<i>Zamia integrifolia</i> L. f.) (<i>Zamia silvicola</i> Small) (<i>Zamia umbrosa</i> Small)	Coontie, Florida Arrowroot	Perennial, shrub, underground stem	Fall-Winter	FL, FL Keys, West Indies	Planted along Main Drive & sparingly escaping	SE, SW

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
ANGIOSPERMS						
MONOCOTS						
AGAVACEAE						
<i>Yucca filamentosa</i> L. (<i>Yucca filamentosa</i> var. <i>smalliana</i> (Fernald) Ahle) (<i>Yucca flaccida</i> Haw.)	Adam's Needle	Perennial, shrub with woody caudex	Mar.-May	Coastal Plain & adjacent provinces, DE to FL & AL	Occasional in turkey oak sandhills, oak scrub, & scrubby flatwoods	SE,SW,7,18,19, 30,31,Huft, Price, MacArthur
ALISMATACEAE						
<i>Sagittaria graminea</i> J.G.Sm.* (<i>Sagittaria chapmanii</i> (J.G. Sm.) C. Mohr.) (<i>Sagittaria cycloptera</i> (J.G. Smith) C. Mohr.)	Coastal Arrowhead	Perennial, monoecious with corms, stoloniferous	Nov.-Mar.	FL, AL, GA, to NC, West Indies	Occasional along seasonal pond margins, lake shore & wet swales	SW, 18,19, Hufty,Price
<i>Sagittaria isoetiformis</i> J.G. Smith	Arrowhead	Perennial, monoecious with corms, stoloniferous	Summer	s FL, GA	Occasional SE shore of Lake Annie	Price
<i>Sagittaria lancifolia</i> L. subsp. <i>lancifolia</i>	Giant Arrowhead	Perennial, monoecious with corms, stoloniferous	Spring-Fall	US, Mexico, C. America, West Indies	Ditches	Watters
AMARYLLIDACEAE						
<i>Crinum americanum</i> L.	String-lily	Perennial, bulbous	Summer	Coastal Plain, GA & FL, w to s TX	Common in marsh	Watters
<i>Zephyranthes simpsonii</i> Chapm. (<i>Atamasco simpsonii</i> (Chapm.) Greene)	Rain-lily	Perennial, bulbous	Apr.	c & s FL; Status: ST	Rare along wet road shoulders	NW, 19
ARACEAE [including Lemnaceae]						
<i>Lemna valdiviana</i> Phil.	Duckweed	Perennial, free-floating aquatic	All year	Widespread in western hemisphere	Common in slow moving water	Huft, Price
<i>Peltandra virginica</i> (L.) Schott & Endl.	Green Arum	Perennial, monoecious, limnocryptophyte	Apr.-May	Nova Scotia & QU, s to FL & LA; w to Ontario, MI, MO & TX	Common in very wet swales & Acer swamps	18,30, Hufty, Price, Harris
ARECACEAE						
<i>Sabal etonia</i> Swingle ex Nash	Scrub Palmetto	Perennial, shrub, protandrous, flowers	May-Jun.	ENDEMICH to peninsular FL;	Common in scrubby flatwoods, turkey oak sandhills, scrubby flatwoods & oak scrub	All Tracts except Harris, Watters
<i>Sabal palmetto</i> (Walter) Lodd. ex Schultes (<i>Sabal jamesoniana</i> Small)	Cabbage Palm	Perennial, tree	Spring-Summer	Coastal Plain, FL to NC, West Indies	Occasional, sparingly escaping along Hill Drive, occasional in bayheads	SE,NE,NW. Along ditches, Hufty

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
<i>Serenoa repens</i> (Bartr.) Small	Saw Palmetto	Perennial, shrub, clonal with large, persistent rhizomes	Jan.-Mar.	Coastal Plain, SC to FL	Common except absent from some bayheads, swales, seasonal ponds	All Tracts except Harris
BROMELIACEAE						
<i>Tillandsia balbisiana</i> J.A. & J.H. Schult.	Cuttlefish	Perennial, acaulescent, rootless, epiphyte	All year	FL, Mexico to Panama, West Indies, & n S. America; Status: ST	Occasional to locally abundant, epiphytic mostly on oaks	SE, Hufty
<i>Tillandsia fasciculata</i> Mez var. <i>densispica</i> Mez	Clustered Wild Pine	Perennial, acaulescent, rootless, epiphyte	All year	FL, C. America, West Indies, n S. America; Status: SE	Common epiphyte on pines & large oaks, Main Drive near plaza	SW,NW, Price
<i>Tillandsia recurvata</i> (L.) L. (<i>Diaphoranthema recurvata</i> (L.) Beer)	Ball-moss	Perennial, caulescent, rupicolous, epiphyte	May-Jun.	s US, Mexico to C. America, West Indies, Argentina & Chile	Abundant epiphyte on trees & scrub	All Tracts
<i>Tillandsia setacea</i> Swartz (<i>Tillandsia tenuifolia</i> L., misapplied)	Southern Needle Leaf	Tufted epiphyte	May-Jun.	FL, West Indies, C. & S. America	Locally common epiphyte in scrubby flatwoods	NW,NE,SE,SW, 30, Hufty
<i>Tillandsia usneoides</i> (L.) L. (<i>Dendropogon usneoides</i> (L.) Raf.)	Spanish Moss	Perennial, rootless, branching, pendent, epiphyte	Feb.-May	VA & TN to FL & TX, West Indies, tropical & subtropical America	Common epiphyte in various habitats on trees & shrubs	All Tracts
<i>Tillandsia utriculata</i> L.	Giant Air Plant	Perennial, acaulescent Ligni & rupicolous	Feb.-May	FL & Mexico to West Indies, C. & S. America; Status: SE	Occasional epiphyte on large trees	NE,SE,NW,SW, 19, Hufty, Price
BURMANNIACEAE						
<i>Apteris aphylla</i> (Nutt.) Barnhart ex Small	Nodding Nixie	Perennial herb	Dec.-Jan.	FL to TX, West Indies	Rare in bayheads	7
<i>Burmannia biflora</i> L.	Burmannia	Annual	Jan.	Coastal Plain, VA to FL & TX, SA	Occasional, wet swales	18
<i>Burmannia capitata</i> (Walter) Mart.	Southern Burmannia	Annual	Nov.-Jan.	Coastal Plain, VA to FL & TX, West Indies, S. America	Locally abundant, margins of seasonal ponds & swales	31
COMMELINACEAE						
<i>Callisia ornata</i> (Small) G. C. Tucker (<i>Cuthbertia ornata</i> Small)	Roseling	Perennial	Feb.-Mar.	ENDEMNIC to peninsular FL	Rare, scrubby flatwoods, flatwoods & rosemary scrub	SE,SW,18,19, 30,31
<i>Commelina diffusa</i> Burm. f.* (<i>Commelina longicaulis</i> Jacq.) (<i>Commelina gigas</i> Small)	Common Day-flower	Annual, ruderal	Jan.-Oct.	s US & tropical & warm regions world-wide	Common weed in lawns, rare on muck in flatwoods & swales	SW, 18

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
<i>Commelina erecta</i> L. (<i>Commelina erecta</i> subsp. <i>angustifolia</i> (Michx.) Fernald) (<i>Commelina elegans</i> Kunth) (<i>Commelina angustifolia</i> Michx.)	Day-flower	Perennial	Mar.-Oct.	FL to TX, NJ to NE, AZ, NC, West Indies	Common in turkey oak sandhills, scrub, margins of scrubby flatwoods & firelanes	All Tracts
<i>Tradescantia roseolens</i> Small (<i>Tradescantia longifolia</i> Small)	Spiderwort	Perennial	Sep.-Oct.; Feb.-Mar.	ENDEMIC to peninsular FL	Occasional along firelanes & in scrubby flatwoods	7,18,31,Huft, Price
CYPERACEAE						
<i>Bulbostylis barbata</i> (Rottb.) Clarke (<i>Stenophyllum barbatus</i> (Rottb.) T. Cooke)	Watergrass	Annual	Jul.-Sep.	EXOTIC (Native to Old World)	Common in gardens, sandy roadsides, firelanes & open scrub	SE,SW, 7,18, 18E,19,19E
<i>Bulbostylis ciliatifolia</i> (Ell.) Fern. (<i>Bulbostylis ciliatifolia</i> var. <i>coarctata</i> (Elliott) Kral) (<i>Stenophyllum coarctatus</i> (Elliott) Britton) (<i>Stenophyllum ciliatifolius</i> (Elliott) C. Mohr) (<i>Stenophyllum carteri</i> Britton)	Capillary Hairsedge	Annual or perennial	Mar.-Jul.	Coastal Plain, se VA to FL & TX, Cuba	Abundant along firelanes & in open sand in oak-rosemary scrub	All Tracts
<i>Bulbostylis stenophylla</i> (Ell.) Clarke (<i>Stenophyllum stenophyllum</i> (Elliott) Britton)	Sandy Field Hairsedge	Annual	Jul.-Oct.	Coastal Plain, NC to s FL, FL panhandle, Cuba	Abundant garden weed	SW
<i>Bulbostylis warei</i> (Torr.) Clarke (<i>Stenophyllum warei</i> (Torr.) Britton)	Ware's Hairsedge	Perennial	Jul.-Sep.	Coastal Plain, se NC to s FL & FL panhandle	Common in scrubby flatwoods & open sand firelanes, occasional in open oak scrub	6,7,18, Price, MacArthur
<i>Carex alata</i> Torr.	Broadwing Sedge	Perennial, cespitose	Mar.-May	MA, NY, PA, s to c peninsular FL, w to TX, IN, MI	Occasional on ditch banks, pond margins	SW, 18
<i>Carex longii</i> Mack. (<i>Carex alboluteascens</i> Schwein., misapplied) (<i>Carex straminea</i> Willd. Ex Schkuhr, misapplied)	Long's Sedge	Perennial, cespitose	Spring-Summer	Nova Scotia to IN, MI & Saskatchewan, s to c FL, w to se TX, tropical America	Occasional in muck, main grounds	SW
<i>Cladium jamaicense</i> Crantz (<i>Cladium mariscus</i> subsp. <i>jamaicense</i> (Crantz) Kük.) (<i>Mariscus jamaicensis</i> (Crantz) Britton ex Small)	Sawgrass	Perennial, stoloniferous, paludal	Summer-Fall	Coastal Plain, VA to FL & TX, West Indies, Mexico, tropical America		Price
<i>Cyperus compressus</i> L.	Poorland Flatsedge	Annual or short-lived perennial, cespitose	Jul.-Oct.	Coastal Plain & Piedmont, DE to s FL, TX, se MO,	Occasional weed of gardens & firelanes	SW, 7,18,19

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
<i>Cyperus croceus</i> Vahl (<i>Cyperus retrorsus</i> subsp. <i>robustus</i> (Boeck.) Kük.) (<i>Cyperus multiflorus</i> (Britton) Small) (<i>Cyperus globulosus</i> Aubl. misapplied)	Baldwin's Flatsedge	Perennial	Jul.-Sep.	NJ to s FL, w to TX, OK & MO, tropical America	Common weed of disturbed areas such as gardens, firelanes & lakeshores	SE, 7, Hufty
<i>Cyperus distinctus</i> Steud.	Swamp Flatsedge	Perennial, short-rhizomatous	May-Jul.	Coastal Plain se SC to s FL & w into Apalachicola	Occasional in ditches & swales & low flatwoods	SW, 18, Hufty
<i>Cyperus erythrorhizos</i> Muhl. (<i>Cyperus halei</i> Torr.ex Britton)	Redroot Flatsedge	Annual, tufted, colonizer	May-Jun.	MA to Ontario, WI, SD, s to s FL, TX, w to CA, OR, WA & UT	Occasional in muck of seasonal ponds & ditches	SW, Hufty
<i>Cyperus filiculmis</i> Vahl (<i>Cyperus martindalei</i> Britton)	Wiry Flatsedge	Perennial	Apr.-Jul.	NH, Ontario, to MN, TX & FL	Occasional in disturbed sand in turkey oak sandhills	SE
<i>Cyperus haspan</i> L.	Haspan Flatsedge	Perennial, sulliginous	May-Aug.	se VA to s FL, w to TX, TN, pantropical	Common in muck of seasonal ponds	SW, 18
<i>Cyperus lecontei</i> Torr.	Leconte's Flatsedge	Perennial, rhizomatous, colonial	Apr.-Oct.	Coastal Plain, se NC to s FL, w to LA	Locally abundant along low muck firelanes	7,18,30,31, Hufty, Price
<i>Cyperus ligularis</i> L.	Large Cyperus	Perennial	May-Aug.	c & s FL, tropical America, Africa	Rare, in swales & along drainage ditches	SW, 18
<i>Cyperus odoratus</i> L. (<i>Cyperus odoratus</i> subsp. <i>engelmannii</i> (Steud.) S.D. Jones et al.) (<i>Torulinium confertum</i> Desv. ex Ham.) (<i>Cyperus speciosus</i> Vahl) (<i>Cyperus longispicatus</i> Norton) (<i>Cyperus ferrugineus</i> Boeck.) (<i>Cyperus ferox</i> Rich.) (<i>Cyperus engelmannii</i> Steud.)	Fragrant Flatsedge	Annual	Apr.-Jun.	MA to MN, generally s to FL, TX, w to CA, tropical America	Occasional in ditches, marshes & swales	SW, 18
<i>Cyperus polystachyos</i> Rottb. (<i>Cyperus polystachyos</i> var. <i>texensis</i> (Torr.) Fernald) (<i>Cyperus careyi</i> Britton ex Small) (<i>Cyperus filicinus</i> Vahl, misapplied) (<i>Cyperus microdonthus</i> Torr.) (<i>Cyperus paniculatus</i> Rottb.)	Panicled Cyperus	Perennial, cespitose	Spring-Fall	MA to s FL, w to TX, n to MO, pantropical	Sandy beach along lakeshore	Price

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
<i>Cyperus retrorsus</i> Chapm. (<i>Cyperus retrorsus</i> subsp. <i>deeringianus</i> (Britton & Small ex Small) Fernald & Griscom) (<i>Cyperus boldgettii</i> Torr.) (<i>Cyperus deeringianus</i> Britton & Small ex Small) (<i>Cyperus litoreus</i> (C.B. Clarke) Britton ex Small) (<i>Cyperus nashii</i> Britton ex Small) (<i>Cyperus ovularis</i> (Michx.) Torr. var. <i>cylindricus</i> (Elliott) Torr.) (<i>Cyperus pollardii</i> Britton ex Small) (<i>Cyperus winkleri</i> Britton & Small ex Small)	Pinebarren Flatsedge	Perennial	May-Aug.	Chiefly Coastal Plain, NY to s. FL, w to TX, c TN	Common in wet depressions of low flatwoods & adjacent firelanes	SE,SW, 7, 18, 19 Price, MacArthur
<i>Cyperus rotundus</i> L.	Nut-grass	Perennial, rhizomatous, tuberous colonial	Apr.-May	EXOTIC (Native to Eurasia), NY to s FL, w to TX, warm regions	Common garden weed	SE
<i>Cyperus surinamensis</i> Rottb.	tropical Flatsedge	Perennial, taphophyte	All year	Coastal Plain, SC to s FL, w to TX, tropical America, West Indies	Ditches near marsh	Watters
<i>Eleocharis baldwinii</i> (Torr.) Chapm. (<i>Eleocharis capillacea</i> Kunth, misapplied)	Roadgrass	Perennial, stoloniferous	Jan.-May	Coastal Plain, NC to FL, w to LA	Common, margins of seasonal ponds in flatwoods & lakeshores	NW,SW, 18,19,30, Hufty, Price
<i>Eleocharis elongata</i> Chapm.	Slim Spike Rush	Perennial, helophyte	Mar.-Apr.	FL, adjacent GA & AL, Jamaica	Common in swales, along lakeshores	7,18, Hufty
<i>Eleocharis geniculata</i> (L.) Roem. & Schult. (<i>Eleocharis capitata</i> R. Br.) (<i>Eleocharis caribaea</i> (Rottb.) S.F. Blake)	Canada Spike Rush	Annual	Feb.-Mar.	SC to FL, w to CA, n to Great Lakes Basin, pantropical	Common in drainage ditches	SW
<i>Eleocharis microcarpa</i> Torr. (<i>Eleocharis brittonii</i> Svenson ex Small) (<i>Eleocharis torreyana</i> Boeck)	Smal Fruit Spike Rush	Annual	Feb.-Mar.	Coastal Plain, MA to FL & TX, TN & IN, West Indies	Common in drainage ditches	SW
<i>Eleocharis minima</i> Kunth (<i>Eleocharis bicolor</i> Chapm.) (<i>Eleocharis uncialis</i> Chapm. ex Small)	Small Spike Rush	Perennial, stoloniferous	All year	Rare, GA, FL to TX & CA, Mexico, tropical America	Common in seasonal ponds	19
<i>Eleocharis nana</i> Kunth	Hairlike Spike Rush	Annual	Mar.-May	c pen FL, Cuba, S. America	Common, margins of seasonal ponds	7, 18
<i>Eleocharis vivipara</i> Link (<i>Eleocharis prolifera</i> Torr.)	Viviparous Spike Rush	Perennial, rhizomatous	Mar.-May	Coastal Plain, SE VA to FL	Rare, seasonal ponds in low flatwoods	SW, 18
<i>Fimbrystylis caroliniana</i> (Lam.) Fern. (<i>Fimbrystylis harperi</i> Britton ex Small)	Carolina Fimbr	Perennial, rhizomatous	Jul.-Aug.	Coastal Plain, NJ to FL Keys, w in Gulf states to	Common in burnt-over scrubby flatwoods	18, 19

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
<i>Fuirena scirpoidea</i> Michx. (<i>Fuirena longa</i> Chapm.)	Umbrella-sedge	Perennial, rhizomatous	Dec.-May	Coastal Plain, GA, FL to se TX, Cuba	Occasional to locally abundant, margins of seasonal ponds, along lakeshores	SW, 7,18,31, Hufty, Price, MacArthur, Watters
<i>Rhynchospora cephalantha</i> Gray (<i>Rhynchospora axillaris</i> (Lam.) Britton, missapplied) (<i>Rhynchospora cephalantha</i> var. <i>pleiocephala</i> Fernald & Gale)	Bunched Beaksedge	Perennial, cespitose	Feb.-May	Chiefly Coastal Plain, NJ to s FL, w to LA	Common in seasonal ponds	SW, 7,18,19,30, 31, MacArthur, Watters
<i>Rhynchospora fascicularis</i> (Michx.) Vahl (<i>Rhynchospora fascicularis</i> subsp. <i>distans</i> (Michx.) Chapm.) (<i>Rhynchospora distans</i> (Michx.) Vahl)	Fascicled Beaksedge	Perennial, cespitose	Apr.-May	Coastal Plain, se VA to s FL, w to se TX, AK	Common in seasonal ponds	7, 18, Hufty, MacArthur, Watters
<i>Rhynchospora microcephala</i> (Britton) Britton ex Small (<i>Rhynchospora cephalantha</i> var. <i>microcephala</i> (Britton) Kük)	Littlehead Beaksedge	Perennial, cespitose	Summer-Fall	Coastal Plain, NJ to c peninsular FL, w to MS, Cuba	Wet sand along lakeshore	Price
<i>Rhynchospora fernaldi</i> Gale	Threadleaf Beaksedge	Perennial, cespitose	Summer-Fall	s GA to c peninsular FL, w to s AL	Common along firelanes	18
<i>Rhynchospora filifolia</i> Gray (<i>Rhynchospora fuscoidea</i> C.B. Clarke, misapplied)	Beak-rush	Perennial, cespitose, colonizer	May	NJ to s c FL, w to e TX, Cuba	Locally common in seasonal ponds	7, 18
<i>Rhynchospora intermedia</i> (Chapm.) Britton	Pine Barren Beaksedge	Perennial	Spring-Summer	Coastal Plain, NC to FL, w to se TX, Cuba, C. America	Occasional in swales	6
<i>Rhynchospora inundata</i> (Oakes) Fern. (<i>Rhynchospora careyana</i> Fernald)	Narrow Fruit Horned Beaksedge	Perennial, colonizer, stoloniferous	Jun.-Sep.	e MA to s & w FL	Occasional, seasonal ponds	18, Watters
<i>Rhynchospora megalocarpa</i> Gray (<i>Rhynchospora dodecandra</i> Baldwin ex A. Gray)	Large-seeded Beaksedge	Perennial, cespitose	Mar.-Apr.	NC to c FL	Occasional in flatwoods, oak scrub & scrubby flatwoods	SW,SE,NE,7,18, 19,31,Huft, MacArthur
<i>Rhynchospora microcarpa</i> Baldw. ex Gray (<i>Rhynchospora edisoniana</i> Britton ex Small)	Small-fruited Beaksedge	Perennial, cespitose	Apr.-May	Coastal Plain, NC to s FL, w to TX; Bahamas, Cuba, Puerto Rico, Hispaniola	Occasional in bayheads, seasonal ponds & swales	NW, 7, 18, Hufty
<i>Rhynchospora pusilla</i> Chapm. ex M. A. Curtis (<i>Rhynchospora intermixta</i> C. Wright)	Fairy Beaksedge	Annual, tufted	Spring-Fall	Coastal Plain, N.C. to S. FL, w. to e. TX, WI	Dry pond margins	18, 30

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
<i>Rhynchospora tracyi</i> Britt.	Tracy's Beaksedge	Perennial, colonizing, stoloniferous paludal	May-Jun.	Coastal Plain, SC to FL & MS, West Indies	Common emergent macrophyte, Lake Annie	Huft, Watters
<i>Rhynchospora wrightiana</i> Boeck. (<i>Rhynchospora brachychaeta</i> C. Wright)	Wright's Beaksedge	Perennial, cespitose	Apr.-Jun.	Coastal Plain, se NC to c FL, w to s AL, Cuba, PR	Locally abundant in seasonal ponds	NW, 7, 18
<i>Scirpus cubensis</i> Poepp. & Kunth	Cuban Bulrush	Perennial, free-floating, rooted aquatic	Winter-Spring	FL to TX, tropical America, Africa	On floating vegetation mats	Watters
<i>Scleria ciliata</i> Michx. var. <i>ciliata</i> Michx. (<i>Scleria ciliata</i> subsp. <i>elliottii</i> (Chapm.) Fernald) (<i>Scleria ciliata</i> subsp. <i>glabra</i> (Chapm.) Fairey) (<i>Scleria brittonii</i> Core) (<i>Scleria elliotii</i> Chapm.)	Fringed Nutrush	Perennial, rhizomatous	Jan.-Jun.	se VA to FL & TX	Common in scrubby flatwoods, oak scrub & firelanes	SE,SW, 7,18, MacArthur
<i>Scleria ciliata</i> Michx. var. <i>pauciflora</i> (Muhl. ex Willd.) Kuk. (<i>Scleria pauciflora</i> Muhl. Ex Willd.) (<i>Scleria pauciflora</i> var. <i>caroliniana</i> A. W. Wood)	Fewflower Nutrush	Perennial, rhizomatous	Jan.-Jun.	se VA to FL & TX	Common in scrubby flatwoods, oak scrub & firelanes	SE,SW, 7,18, MacArthur
<i>Scleria reticularis</i> Michx. (<i>Scleria reticularis</i> subsp. <i>pubescens</i> Britton) (<i>Scleria muhlenbergii</i> Steud.) (<i>Scleria setacea</i> Poir, misapplied)	Sessile-spiked Nutrush	Annual	May-Jun.	MA & NY to FL & TX, IN & MO, tropical America	Common in seasonal ponds	SW, Price
<i>Scleria triglomerata</i> Michx.	Tall Nutrush	Perennial, rhizomatous	Spring-Fall	MA to Ontario & WI, s to FL & TX	Occasional along edges of seasonal ponds	18, 18E
<i>Websteria confervoides</i> (Poir) Hooper (<i>Eleocharis confervoides</i> (Poir.) T. Koyama) (<i>Websteria submersa</i> (C. Wright) Britton)	Algal Nutrush	Perennial, submerged aquatic, rooted in mud		FL; tropical America	Locally abundant in deep water	Lake Annie, Hufty
DIOSCOREACEAE						
<i>Dioscorea bulbifera</i> L.	Air-potato	Perennial, dioecious vine, bulbils & tubers	Mar.-Sep.	EXOTIC (Native to tropical Asia & Africa)	Common garden escapee around cottages in main grounds area	SW

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
ERIOCAULACEAE						
<i>Eriocaulon compressum</i> Lam. (<i>Eriocaulon compressum</i> var. <i>harperi</i> Moldenke)	Hat Pins	Perennial, moneocious	Nov.-Mar.	Coastal Plain, NJ to e FL, w to e TX	Common in seasonal ponds, swales & flatwoods	NW,SW, 7,18,19,30,31
<i>Eriocaulon decangulare</i> L. (<i>Eriocaulon decangulare</i> var. <i>latifolium</i> Chapm. Ex Moldenke)	Bachelor's Buttons	Perennial, moneocious		Chiefly Coastal Plain NJ to FL, w to e TX	Rare, in low flatwoods & seasonal ponds	NW, 7, MacArthur, Watters
<i>Lachnocaulon anceps</i> (Walter) Morong (<i>Lachnocaulon floridanum</i> Small) (<i>Lachnocaulon glabrum</i> Körn)	Whitehead Bog-button	Perennial tufted moneocious herb	May-Sep.	Coastal Plain, NJ to FL & e TX	Common in low flatwoods & palmetto wire grass flatwoods	SW,7,18,19, Mac-Arthur
<i>Lachnocaulon beyrichianum</i> Sporl. ex Körn	Southern Bog-button	Perennial, rhizomatous	Summer	Coastal Plain, GA		
<i>Lachnocaulon engleri</i> Ruhl. (<i>Lachnocaulon engleri</i> var. <i>caulescens</i> Moldenke)	Pipewort	Perennial, moneocious, ephemeral, helophyte	Nov.-Jan.	Outer Coastal Plain, FL, s AL	Locally abundant in many seasonal ponds & on verges	7,18,31, Hufty, Price
<i>Lachnocaulon minus</i> (Chapm.) Small (<i>Lachnocaulon eciliatum</i> Small)	Hairy Pipewort	Perennial, moneocious, ephemeral, helophyte	Nov.-Jan.	Coastal Plain, NC to FL, se AL	Common in open palmetto-wire grass flatwoods & low scrubby flatwoods	SW,18,19
<i>Syngonanthus flavidulus</i> (Michx.) Ruhl.	Bantam-buttons	Perennial moneocious herb rosettes	Dec.-Feb.	Chiefly outer Coastal Plain, NC to FL, s AL	Abundant on low sandy roads, swales & wet prairies	NE,NW,SE, 7,18,19,30,31, Hufty, MacArthur
HAEMODORACEAE						
<i>Lachnanthes caroliniana</i> (Lam.) Dandy (<i>Gyrotheca tinctorum</i> (J. F. Gmel) Salisb.)	Carolina Redroot, Blood Root	Perennial rhizomatous herb	May-Aug.	MA, NJ, NC to FL & MS	Common, seasonal ponds & other low muck situations	NW,SW,7,18,19,30, 31, Hufty, Price, MacArthur
HYPONIDACEAE						
<i>Hypoxis juncea</i> J.E. Smith	Yellow-star Grass	Perennial, corm	All year	Coastal Plain, NC to FL	Occasional in scrubby flatwoods, especially in burnt over areas & roadsides	SE,SW,6,7,18,19,30,31, Hufty
IRIDACEAE						
<i>Sisyrinchium nashii</i> Bickn. (<i>Sisyrinchium arenicola</i> E.P. Bicknell) (<i>Sisyrinchium fibrosum</i> E.P. Bicknell) (<i>Sisyrinchium floridanum</i> E.P. Bicknell) (<i>Sisyrinchium fuscum</i> E.P. Bicknell)	Blue-eyed Grass	Perennial, cespitose	Jan.-Mar.	Coastal Plain, FL & AL	Occasional in palmetto-wire grass flatwoods	7,18,31

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
<i>Sisyrinchium xerophyllum</i> Greene (<i>Sisyrinchium solstitiale</i> E.P. Bicknell)	Robust Blue-eyed Grass	Perennial, cespitose	Sep.-Oct.	ENDEMIC to peninsular FL	Common in oak scrub, scrubby flatwoods & palmetto flatwoods	NE,SE,NW,SW,6,7, 18,18E,19,19E,30, 31, Hufty, Price, MacArthur
JUNCACEAE						
<i>Juncus effusus</i> L. (<i>Juncus effusus</i> L. var. <i>solutus</i> (Fern. & Wieg.) Hämet.-Ahti)	Soft Rush	Perennial, rhizomatous, tussocks	Mar.-May	Cosmopolitan	Occasional in muck, edge of north swales	18
<i>Juncus marginatus</i> Rostk. (<i>Juncus aristulatus</i> Michx.) (<i>Juncus biflorus</i> Elliott)	Grass-leaf Rush	Perennial	Summer	Nova Scotia to MI & SD; s to s FL & TX; AZ	Occasional in swales	SW,18
<i>Juncus megacephalus</i> M.A. Curtis	Large-headed Rush	Perennial		Coastal Plain, VA to s FL, to se TX	Occasional in seasonal ponds	30
<i>Juncus repens</i> Michx.	Creeping Rush	Perennial aquatic or terrestrial	Apr.-May	DE to s FL & TX; n to OK & TN, West Indies	Common on pond & lake bottoms & mucky areas in low flatwoods	SW,7,18, Hufty
<i>Juncus scirpoides</i> Lam.	Globe Rush	Perennial clump-forming rhizomes	Apr.-Jul.	s NY to s FL; w to TX, IN, MI, MO & OK	Common, ditches & pond & lake margins	SW,18,31, Hufty, Price
LILIACEAE						
<i>Lilium catesbaei</i> Walter (<i>Lilium catesbaei</i> subsp. <i>asprellum</i> Wherry) (<i>Lilium catesbaei</i> var. <i>longii</i> Fernald)	Catesby's Lily, Pine Lily	Perennial, bulbous	Aug.-Nov.	Coastal Plain, se VA to FL, w to LA; Status: ST	Occasional to common in flatwoods, grassy seasonal ponds especially after a burn	NW,7, 18, 19,30,31
MELANTHIACEAE						
<i>Schoenocaulon dubium</i> (Michx.) Small	Feather-shank	Perennial, scapose herb	Jun.-Jul.	Coastal Plain, FL & GA	Rare in scrubby flatwoods	SW,18
<i>Stenanthium densum</i> (Desr.) Zomlefer & Judd (<i>Tracyanthus angustifolius</i> (Michx.) Small) (<i>Zigadenus densus</i> (Desr.) Fern.) (<i>Zigadenus leimanthoides</i> A. Gray)	Crow-poison	Perennial, semibulbous	Mar.-Apr.	Coastal Plain, se VA to FL, w to e TX	Occasional in swales & dense, grassy seasonal ponds	18
MAYACACEAE						
<i>Mayaca fluviatilis</i> Aubl. (<i>Mayaca aubletii</i> Michx.)	Bog-moss	Perennial, aquatic or shore plant	Jun.-Oct.	Coastal Plain, NC to FL, w to se TX, tropical America	Common in shallow waters of Lake Annie	Huft
ORCHIDACEAE						
<i>Calopogon barbatus</i> (Walter) Ames (<i>Limodorum parviflorum</i> Nash)	Bearded Grass pink	Perennial, terrestrial, scapose, corm	Feb.-Mar.	Coastal Plain, NC to s c peninsular FL, w to LA	Rare, low pine flatwoods	18,19,30,Huft

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
<i>Calopogon multiflorus</i> Lindl. <i>(Limodorum pinetorum</i> Small) <i>(Limodorum multiflorum</i> (Lindl.) C. Mohr)	Multi-flowered Grass-pink	Perennial, terrestrial, scapose, corm	Apr.-May	Coastal Plain, FL to MS; Status: SE	Rare, low open flatwoods	Mit 40
<i>Calopogon pallidus</i> Chapm. (<i>Limodorum pallidum</i> (Chapm.) C. Mohr)	Pale Grass-pink	Perennial, terrestrial, scapose, corm	Apr.-May	Coastal Plain, VA to s FL, w to LA	Rare, borders of seasonal ponds in low pine flatwoods	SW
<i>Calopogon tuberosus</i> (L.) Britton et al. <i>(Calopogon pulchellus</i> var. <i>simpsonii</i> (Small) Ames) (<i>Limodorum tuberosum</i> L.) (<i>Limodorum simpsonii</i> Small) (<i>Calopogon pulchellus</i> R. Br.)	Grass-pink	Perennial, terrestrial, scapose, corm	Apr.-May	s FL to MN, & e TX, Cuba, Bahamas	Rare, low pine flatwoods	SW
<i>Encyclia tampensis</i> (Lindl.) Small (<i>Epidendrum tapense</i> Lindl.)	Butterfly Orchid	Perennial, epiphytic, rhizomatous, pseudobulb	Jun.	ENDEMATIC to FL; Status: CE	Very rare, epiphytic on Lyonia in oak scrub & on Nyssa in swamps	SE, NE, Price
<i>Eulophia alta</i> (L.) Fawc. & Rendle (<i>Platypus altus</i> (L.) Small)	Wild Coco	Perennial, rhizomes, bulbous corm	Aug.-Sep.	s FL, West Indies, s Mex, C. America, S. America,	Common on sandy roadsides	Huft, Price
<i>Habenaria floribunda</i> Lindl. (<i>Habenaria strictissima</i> Rchb. f. var. <i>odontopetala</i> (Rchb.f.) L.O. Williams) (<i>Habenella odontopetala</i> (Rchb. f.) Small) (<i>Habenaria odontopetala</i> Rchb. f.)	Funny Face Orchid	Herb	Dec.-Feb.	s c FL, s Mexico, c America, Cuba, Puerto Rico	Occasional in bayheads & edges of swamps	NW,NE,7,Huft, Price
<i>Habenaria repens</i> Nutt.	Water Spider Orchid	Perennial, free-floating, aquatic or semi-aquatic, stoloniferous	Sep.-Oct.	Coastal Plain, NC to s FL, TX, West Indies, Mexico, C. America, n S. America	Rare along pond margins & lakeshores	Huft, SW, Price, Watters
<i>Platanthera ciliaris</i> (L.) Lindl. (<i>Blephariglottis ciliaris</i> (L.) Rydb.) (<i>Habenaria ciliaris</i> (L.) R. Br.)	Yellow Fringed Orchid	Perennial, terrestrial, tuberous	Jul.-Aug.	Ontario to c peninsular FL, w to s MI; IL, MO, AR, e TX; Status: ST	Occasional in low flatwoods	Huft
<i>Pteroglossaspis ecristata</i> (Fern.) Rolfe (<i>Eulophia ecristata</i> (Fernald) Ames) (<i>Triorchis ecristatus</i> (Fernald) Small)	Uncrested Eulophia	Perennial, caulescent, herb, corm	Sep.-Oct.	peninsular FL, West Indies; Status: SE	Rare, wire grass-palmetto flatwoods	18
<i>Spiranthes praecox</i> (Walter) S. Wats. (<i>Ibidium praecox</i> (Walter) House)	Grass-leaved Ladies'-tresses	Perennial, terrestrial, tuberous herb	Apr.-May	Coastal Plain, NJ to s FL, w to e & se TX	Rare in swales	18,19

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
<i>Zeuxine strateumatica</i> (L.) Schltr.	Lawn orchid	Perennial, terrestrial rhizomatous herb	All year	EXOTIC (Native to tropical Asia): c & s FL	Roadsides and lawns	Main Drive
POACEAE						
<i>Amphicarpum muhlenbergianum</i> (Schult.) Hitch. (<i>Amphicarpum floridanum</i> Chapm.)	Blue Maindencane	Perennial, amphicarpic	Jun.-Sep.	Coastal Plain, SC to s FL, FL panhandle, s AL	Locally common in disturbed scrub	SW, Hufty, Price, Watters
<i>Andropogon brachystachyus</i> Chapm.	Shortspike Bluestem	Perennial, cespitose	Oct.	se GA, ne, n c & peninsular FL, FL panhandle	Abundant in seasonal ponds & swales	NE, NW, SW, 7, 18, 19, 30, 31, Hufty, MacArthur
<i>Andropogon floridanus</i> Scribn.	Florida Bluestem	Perennial, cespitose	Oct.	ENDEMIC to c & s FL	Occasional in oak scrub & scrubby flatwoods	NE,SE,NW,SW,6,7,18E
<i>Andropogon glomeratus</i> (Elliott) C. Mohr*	Bushy Bluestem	Cespitose, perennial	Oct.	FL to s CA, West Indies, Mexico, C. America	Abundant in seasonal ponds & swales of pine flatwoods	SW, 7, 18, 19, 30, 31, Hufty, Price
<i>Andropogon glomeratus</i> (Elliott) C. Mohr var. <i>glaucopsis</i> (Elliott) C. Mohr (<i>Andropogon glaucopsis</i> (Elliott) Nash) (<i>Andropogon virginicus</i> var. <i>glaucopsis</i> (Elliott) Hitchc.)	Bushy Bluestem	Perennial, cespitose	Oct.	FL to s CA, West Indies, Mexico, C. America	Abundant in seasonal ponds & swales of pine flatwoods	SW, 7, 18, 19, 30, 31, Hufty, Price
<i>Andropogon gyrans</i> Ashe*	Bottlebrush Bluestem	Cespitose, perennial	Oct.-Nov.	FL to NJ	Occasional in sand pine scrub	SE
<i>Andropogon ternarius</i> Michx. (<i>Andropogon cabanisii</i> Hack) (<i>Andropogon ternarius</i> var. <i>cabanisii</i> (Hack.) Fernald & Griscom)	Splitbeard Bluestem	Perennial, tufted, cespitose	Oct.-May	Coastal Plain, FL to e TX, OK & DE, rarely Blue Ridge	Margin of sandy firelanes	SW,6,7,18, Hufty
<i>Andropogon tracyi</i> Nash	Tracy's Bluestem	Perennial, cespitose	Oct.	ENDEMIC to Highlands Co., FL	Occasional in turkey oak sandhills	SE
<i>Andropogon virginicus</i> C.S.Campb. var. <i>glaucus</i> Hack. (<i>Andropogon capillipes</i> Nash)	Chalky Bluestem	Perennial, cespitose	Oct.	MA to OH, MO, & KS, s to FL & TX	Frequent in seasonal ponds & swales	NE,SE,NW,SW,6,7, 18,18E,19, 19E, 30,31, Hufty
<i>Aristida stricta</i> var. <i>beyrichiana</i> Trin. & Rupr. D. B. Ward (<i>Aristida stricta</i> Michx., misapplied)	Wiregrass	Perennial, tufted, fire-stimulated flowering	Sep.-Oct.	Chiefly Coastal Plain, n c to s c FL, w to MS	Abundant in low palmetto-wire grass flatwoods & turkey oak sandhill	All except Watter & Price
<i>Aristida gyrans</i> Chapm.	Corkscrew Threawn	Perennial, tufted	Oct.	FL to GA	Locally common in disturbed scrubby flatwoods, occasional in rosemary scrub	SW, Hufty, Price, MacArthur
<i>Aristida patula</i> Chapm. ex Nash	Tall Threawn	Perennial, short-rhizomatous	Aug.-Sep.	c peninsular FL, FL panhandle	Locally common along roadsides & in flatwoods	19

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
<i>Aristida spiciformis</i> Ell.	Bottlebrush Threawn	Perennial, tufted	Oct.-Mar.	Coastal Plain, SC to c peninsular FL & MS, Cuba, Puerto Rico	Occasional in palmetto-wire grass flatwoods & seasonal ponds	SW,7,18,19, 30,31,Hufty, MacArthur
<i>Axonopus furcatus</i> (Flüeggé) Hitchc.	Big Carpetgrass	Perennial, stoloniferous	Summer-Fall	Coastal Plain, FL to se VA	Rare & local along firelanes	18
<i>Cenchrus echinatus</i> L.	Southern Sandspur	Annual	All year	Coastal Plain, NC to FL, AL, NM, tropical America, West Indies	Common weed in various disturbed sites	SE, SW
<i>Cenchrus spinifex</i> Cav. (<i>Cenchrus incertus</i> M.A. Curtis) (<i>Cenchrus pauciflorus</i> Benth.) (<i>Cenchrus longispinus</i> (Hack.) Fernald)	Coast Sandspur	Perennial	Jun.-Oct.	Coastal Plain, FL to TX & NC	Occasional along roadsides & firelanes	SE, SW, 7
<i>Cynodon dactylon</i> (L.) Pers. (<i>Capriola dactylon</i> (L.) Kuntze.)	Bermudagrass	Perennial, rhizomatous, stoloniferous	Aug.	EXOTIC (Native to Africa), Pantropical, Cultivated	Common weed in citrus grove	SE
<i>Dactyloctenium aegyptium</i> (L.) Beauv.	Crowfootgrass	Annual	All year	EXOTIC (Native to Europe), Coastal Plain to AZ, ME, NJ, IL, tropical America	Railroad tracks at rough crossing	7
<i>Dichanthelium aciculare</i> (Desv. ex Poir.) Gould & C.A. Clark (<i>Dichanthelium angustifolium</i> (Elliott) Gould) (<i>Panicum aciculare</i> (Desv. ex Poir.)) (<i>Panicum angustifolium</i> Elliott) (<i>Panicum arenicoloides</i> Ashe) (<i>Panicum fusiforme</i> Hitchc.) (<i>Panicum neuranthum</i> Griseb.) (<i>Panicum pinetorum</i> Swallen)	Needle-leaf Witchgrass	Perennial, tufted	Nov.-Jan.	Coastal Plain, NJ to FL, to TX, West Indies	Abandoned gardens	SE
<i>Dichanthelium dichotomum</i> (L.) Gould (<i>Dichanthelium caerulescens</i> (Hack. ex Hitchc.) Correll) (<i>Panicum caerulescens</i> Hack. ex Hitchc.) (<i>Panicum dichotomum</i> L.) (<i>Panicum lucidum</i> Ashe) (<i>Panicum microcarpon</i> Muhl. ex Elliott) (<i>Panicum nitidum</i> Lam.) (<i>Panicum roanokense</i> Ashe) (<i>Panicum sphagnicola</i> Nash)	Cypress Witchgrass	Perennial, knotted crown	Mar.-Apr.	N. Brunswick to MI, IL, s to FL & TX	Common in pine flatwoods	NW,SW,7,18, 19, 31

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
<i>Dichanthelium erectifolium</i> (Nash) Gould & Clark (<i>Panicum erectifolium</i> Nash)	Erectleaf	Perennial, tufted	Dec.-Feb.	Coastal Plain, NC to FL, w to LA, Cuba	Common in muck of seasonal ponds in low pine flatwoods	7, 18
<i>Dichanthelium portoricense</i> (Desv. ex Ham.) B.F. Hansen & Wunderlin (<i>Dichanthelium sabulorum</i> (Lam.) Gould & C.A. Clark, misapplied) (<i>Dichanthelium sabulorum</i> var. <i>patulum</i> (Scribn. & Merr.) Gould & C.A. Clark) (<i>Dichanthelium sabulorum</i> var. <i>thinum</i> (Hitchc. & Chase) Gould & C.A. Clark, misapplied) (<i>Panicum lancearium</i> Trin.) (<i>Panicum patentifolium</i> Nash) (<i>Panicum patulum</i> (Scribn. & Merr.) Hitchc.) (<i>Panicum portoricense</i> Desv. ex Ham.) (<i>Panicum webberianum</i> Nash) (<i>Dichanthelium patulatum</i> (Scribn. & Merr.) Hitchc.)	Hemlock Wiregrass	Perennial	All year	Coastal Plain: VA to FL to TX, West Indies, C. America	Locally abundant in seasonal ponds, flatwoods & scrubby flatwoods	SW, 7, 18, 18E, 19, 30, 31, Hufty
<i>Digitaria ciliaris</i> (Retz.) Koel. (<i>Digitaria adscendens</i> (Kunth) Henrard) (<i>Digitaria sanguinalis</i> (L.) Scop., misapplied) (<i>Syntherisma sanguinale</i> (L.) Dulac, misapplied)	Southern Crabgrass	Annual	All year	s US, West Indies, Mexico, tropical America, Old World	Occasional along firelanes	NW
<i>Digitaria filiformis</i> var. <i>filiformis</i> (L.) Koeler (<i>Digitaria filiformis</i> var. <i>villosa</i> (Walter) Fernald) (<i>Digitaria villosa</i> (Walter) Pers.) (<i>Syntherisma filiforme</i> (L.) Nash) (<i>Syntherisma villosum</i> Walter)	Shaggy Crabgrass	Cespitose, annual, possibly perennial	Spring-Fall	se US, West Indies & C. America	Occasional along firelandes & roads	SW, 30
<i>Echinochloa walteri</i> (Pursh) Heller	Barnyard Grass	Annual	Apr.-Sep.	Coastal Plain, MA to FL, midwest, TX	Roadside muck in low flatwoods	NW, 7
<i>Eleusine indica</i> (L.) Gaertn.	Goose Grass	Annual, ruderal	Aug.	EXOTIC (Native to Old World), throughout warm temp & tropical regions	Garden weed	SE

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
<i>Eragrostis amabilis</i> (L.) Wight & Arn. (<i>Eragrostis tenella</i> (L.) P. Beauv. Ex Roem. & Schult)	Feather Lovegrass	Annual	Feb.	EXOTIC (Native to Old World), GA, FL, TX, Mexico,	Weed around plaza area	SW
<i>Eragrostis ciliaris</i> (L.) R. Br.	Gophertail Lovegrass	Annual, tufted	Aug.-Nov.	Warm regions of both hemispheres	Occasional, waste places	SE
<i>Eragrostis elliottii</i> S. Wats.	Elliott Lovegrass	Perennial, tufted	Aug.-Nov.	Coastal Plain, NC to s FL, to se TX West Indies, e Mexico	Occasional along firelanes	19
<i>Eragrostis virginica</i> (Zucc.) Steud. (<i>Eragrostis refracta</i> Scribn. Misapplied)	Coastal Lovegrass	Perennial, knotted, basal tufts	Jul.-Oct.	Coastal Plain & Piedmont, DE & MD to s FL, w to OK & e TX	Locally common along sandy roadsides	SW, Hufty, Price
<i>Eremochloa ophiurooides</i> (Munro) Hack.	Centipede Grass	Perennial, stoloniferous	Jul.	EXOTIC (Native to Asia), Cultivated FL, se US, C.	Escapee from lawns & road shoulders onto sandy firelanes	NE,SE,NW,SW,7
<i>Eustachys petraea</i> (Sw.) Desv. (<i>Chloris petraea</i> Sw.)	Fingergrass	Perennial	All year	NC to FL & TX, Mexico, West Indies, tropical America	Occasional along roads in flatwoods	SW, Hufty
<i>Heteropogon contortus</i> (L.) P. Beauv. ex Roem. & Schult.	Tanglehead	Perennial	Jan-Feb, Oct-Nov	Central and southern peninsula	Flatwoods, disturbed sites	19, Railroad tracks
<i>Hyparrhenia rufa</i> (Nees) Stapf	Jaragua	Perennial	May	EXOTIC (Native to Africa): tropical America, FL & Gulf states	Occasional roadside weed	NW, Hufty
<i>Muhlenbergia capillaris</i> (Lam.) Trin.* (<i>Muhlenbergia filipes</i> M.A. Curtis)	Hairgrass	Cespitose, perennial	Summer-Fall	MA to IN, KS, s to s FL, TX, se Mexico, West Indies	Rare along sandy roadsides	SE, Price
<i>Panicum abscissum</i> Swallen	Cutthroatgrass	Perennial, fire-stimulated flowering	May-Aug.	ENDEMATIC to c FL; Status: SE, MC	Abundant in seasonal ponds & swales	All Tracts except Harris
<i>Panicum anceps</i> Michx. (<i>Panicum anceps</i> var. <i>rhizomatum</i> (Hitchc. & Chase) Fernald) (<i>Panicum rhizomatum</i> Hitchc. & Chase)	Beaked Panicum	Perennial	Summer-Fall	NJ to KS, s to FL & TX	Rare in scrubby flatwoods	SE
<i>Panicum dichotomiflorum</i> Michx. (Scribn. & Merr.) Fernald*	Fall Panicum	Annual	Aug.	Nova Scotia to MN, FL & TX	Rare, ditch bottoms	SW
<i>Panicum hemitomon</i> Schult.	Maidencane	Perennial, aquatic or sub-aquatic, rhizomatous	Mar.-Apr.	Coastal Plain, NJ to s. FL, w to e TX, TN; S. America	Rare in swales, common in wettest seasonal ponds & lake margins	7,18,19,30,31, Hufty, Price, Watters, MacArthur

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
<i>Panicum hians</i> Ell. (<i>Steinchisma hians</i> (Elliott) Nash)	Gaping Panicum	Perennial, cespitose	Spring-fall	VA to FL, sw US to Mexico	Occasional in disturbed swales at edge of flatwoods	19
<i>Panicum maximum</i> Jacq.	Guinea Grass	Perennial, short rhizomes	All year	EXOTIC (Native to Africa): cosmopolitan in warm regions	Occasional on disturbed ground & firelanes	SE
<i>Panicum repens</i> L.	Torpedograss	Perennial, rhizomatous & occasionally stoloniferous	Spring-Fall	se US to Brazil, Old World tropics	Abundant along shore of lakes	Huft, Price
<i>Panicum tenerum</i> Beyr.	Bluejoint Panicum	Perennial	Spring-Fall	se US, Cuba, Hispanola, Puerto Rico	Occasional in swales	18
<i>Panicum verrucosum</i> Muhl.	Warty Panicum	Annual	Jun.-Jul.	FL, TX to MA, MI, AK	Locally abundant along margins of seasonal ponds	SW, 31, MacArthur
<i>Panicum virgatum</i> L.	Switchgrass	Perennial, rhizomatous	Summer-Fall	s FL to MS, MI, TN, Cuba	Occasional roadside weed	SE
<i>Paspalum conjugatum</i> Berg.	Sour Paspalum	Perennial, stoloniferous	Aug.	s FL to TX, s to Argentina; West Indies, Old World tropics	Common weed on disturbed mucky soils	SW
<i>Paspalum notatum</i> Fluegge*	Bahia Grass	Densely rhizomatous	May-June	EXOTIC (Native to tropical America)	Dominant grass on Main Grounds. Established in southern flatwoods in Tract 19	SW, 19

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
<i>Paspalum setaceum</i> Michx. (<i>Paspalum ciliatifolium</i> Michx.) (<i>Paspalum debile</i> Michx.) (<i>Paspalum longipedunculatum</i> LeConte) (<i>Paspalum propinquum</i> Nash) (<i>Paspalum pubescens</i> Muhl. ex Willd.) (<i>Paspalum rigidifolium</i> Nash) (<i>Paspalum setaceum</i> var. <i>ciliatifolium</i> (Michx.) Vasey) (<i>Paspalum setaceum</i> var. <i>longipedunculatum</i> (Leconte) A.W. Wood) (<i>Paspalum setaceum</i> var. <i>muhlenbergii</i> (Nash) D.J. Banks) (<i>Paspalum setaceum</i> var. <i>rigidifolium</i> (Nash) D.J. Banks) (<i>Paspalum setaceum</i> var. <i>stramineum</i> (Nash) D.J. Banks) (<i>Paspalum setaceum</i> var. <i>supinum</i> (Bosc ex Poir.) Trin.) (<i>Paspalum setaceum</i> var. <i>vilosissimum</i> (Nash) D.J. Banks) (<i>Paspalum supinum</i> Bosc ex Poir.)	Thin Paspalum	Perennial, cespitose	Aug.	c & se US, Mexico, C. America, West Indies	Common on disturbed sandy ground	SW
<i>Paspalum urvillei</i> Steud.	Vaseygrass	Perennial tufted with basal offshoots	May	EXOTIC (Native to S. America): VA to FL, TX & s CA, s to Argentina, Cuba	Common in low areas on lawn	SW
<i>Rhynchospora repens</i> (Willd.) C.E. Hubb. (<i>Rhynchospora roseum</i> (Nees) Bews) (<i>Tricholaena repens</i> (Willd.) Hitchc.) (<i>Tricholaena rosea</i> Nees)	Natal Grass	Annual, Perennial	All year (esp. Oct.)	EXOTIC (Native to Africa): s US	Abundant along firelanes	NE,SE,NW,SW, 6,7,18,18E,19,19E,30,31, Hufty, Price
<i>Rottboellia cochinchinensis</i> (Lour.) Clayton (<i>Rottboellia exaltata</i> (L.) L. f., misapplied) (<i>Manisuris exaltata</i> Kuntze)	Itchgrass	Perennial, cespitose	Nov.	EXOTIC (Native to tropical Asia): West Indies	Railroad	SW
<i>Saccharum giganteum</i> (Walter) Pers. (<i>Erianthus giganteus</i> (Walter) P. Beauv.) (<i>Erianthus saccharoides</i> Michx.)	Sugarcane Plumegrass	Perennial, rhizomatous, clump-forming	Fall	Chiefly Coastal Plain & Piedmont, NY to FL, w to TX, AR, TN, & KY	Occasional clumps around shore of Lake Annie & Lake Placid	Huft, Price

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
<i>Sacciolepis striata</i> (L.) Nash	American Cupscale	Perennial, aquatic semi-aquatic, stoloniferous	Jun.	Coastal Plains, s NJ to FL, w to TN & OK, West Indies	Common on muck of seasonal ponds	SW
<i>Schizachyrium niveum</i> (Swallen) Gould	Riparian Autumngrass	Perennial, cespitose	Fall	ENDEMICH to c FL; Status: SE, C	Rare & local among saw palmettos in oak scrub, rare in rosemary scrub	SE, 30, 31, 18
<i>Schizachyrium sanguineum</i> (Retz.) Alston (<i>Andropogon hirtiflorus</i> (Nees) Kunth) (<i>Andropogon semiberbis</i> (Nees) Kunth) (<i>Schizachyrium hirtiflorum</i> Nees) (<i>Schizachyrium semiberbe</i> Nees)	Carimson bluestem	Perennial, cespitose	Oct.-Nov.	s GA, FL, TX to AK, CA, Mexico, tropical America	Locally common in scrubby flatwoods	SE,SW, 30, Hufty
<i>Schizachyrium scoparium</i> (Nash) Gould* (<i>Andropogon maritimus</i> Chapm.) (<i>Andropogon scoparius</i> Michx.) (<i>Andropogon stolonifer</i> (Nash) Hitchc.) (<i>Schizachyrium maritimum</i> (Chapm.) Nash) (<i>Schizachyrium rhizomatum</i> (Swallen) Gould) (<i>Schizachyrium stoloniferum</i> Nash)	Little Bluestem	Perennial, cespitose	Oct.	Quebec & ME to Alberta & ID, s to FL & AK	Common in scrubby flatwoods & turkey oak sandhills	SE,SW,18E,19, 19E, Hufty, 7
<i>Setaria corrugata</i> (Ell.) Schult. (<i>Chaetochloa corrugata</i> (Elliott) Scribn.) (<i>Chaetochloa hispida</i> Scribn.& Merr.)	Coastal Foxtail	Annual	Oct.-Nov.	Coastal Plain, FL, Cuba	Common along firelanes	NE,SE,NW,SW, 6,7, Hufty, Price
<i>Setaria parviflora</i> (Poir.) Kerguelen (<i>Chaetochloa geniculata</i> (Poir.) Millsp. & Chase) (<i>Setaria geniculata</i> (Poir.) P. Beauv.)	Knotroot Foxtail	Perennial, subrhizomatous	Aug.-Sep.	Coastal Plain, MA to FL, TX, CA, WV to KS, tropical America	Common in marshes around Lake Annie	Huft
<i>Sorghastrum secundum</i> (Ell.) Nash	Lopsided Indiangrass	Perennial, cespitose	Sep.-Oct.	SC to FL & TX	Occasional in scrubby flatwoods	SW, 7,18,19, Hufty
<i>Sorghum halepense</i> (L.) Pers. (<i>Holcus halepensis</i> L.)	Johnsongrass	Perennial, rhizomatous	Nov.-May	EXOTIC (Native to Old World): s half of US, temperate & warm regions worldwide	Occasional in disturbed sandy areas	SE, Hufty
<i>Spartina bakeri</i> Merr.	Sand Cordgrass	Perennial, clump-forming	Jan.-May	FL to SC	Locally abundant in some seasonal ponds & along sandy lakeshores	SW,18,19,30, Price, MacArthur, Watters

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
<i>Sporobolus indicus</i> (L.) R. Br.* (<i>Sporobolus berteroanus</i> (Trin.) Hitchc.) (<i>Sporobolus poiretii</i> (Roem. & Schult.) Hitchc., misapplied)	Dropseed, Smutgrass	Cespitose	Apr.-Aug.	EXOTIC (Native to tropical Asia): se US, Mexico, s to Brazil, West Indies	Common weed in sandy, open soil	SE, SW
<i>Triplasis purpurea</i> (Walter) Chapm. (<i>Triplasis intermedia</i> Nash.)	Purple Sandgrass	Annual, taprooted colonizer cleistogamy	Jul.	FL, TX, C. America	Common along sandy roadsides in flatwoods	NW,SW, 7, Price
<i>Urochloa distachya</i> (L.) T. Q. Nguyen (<i>Urochloa subquadripala</i> (Trin.) R.D. Webster) (<i>Brachiaria subquadripala</i> (Trin.) Hitchc.)	Tropical Signal Grass	Perennial, nodal roots, spreading	Fall	EXOTIC (Native to Asia)	Weed found on main grounds not persisting	SW
PONTEDERIACEAE						
<i>Pontederia cordata</i> L. (<i>Pontederia cordata</i> var. <i>lanceolata</i> (Nutt.) Griseb.) (<i>Pontederia cordata</i> var. <i>lancifolia</i> (Muhl. ex Elliott) Morong) (<i>Pontederia lanceolata</i> Nutt.)	Pickerel-weed	Perennial	Dec.-Jun.	Nova Scotia, Ontario, to OK & n FL	Common along lake edge, lowest area of interior marshes during wet periods	Price
RUSCACEAE						
<i>Nolina brittoniana</i> Nash	Beargrass	Perennial, caudex stem	Mar.	ENDEMICH to peninsular FL; Status: SE, FE	Rare in scrubby flatwoods, slash pine-turkey oak scrub	SE, NE, 7, 18, Hufty
SMILACACEAE						
<i>Smilax auriculata</i> Walter	Catbriar	Perennial, dioecious vine	Mar.-Apr.	Coastal Plain, FL to MS & NC	Ubiquitous scrambler/climber	All Tracts
<i>Smilax bona-nox</i> L.	Greenbriar	Dioecious, tuberous, rhizomatous vine	Apr.	MD & VA to x IN & MO, s to c peninsular FL & TX; Mexico	Rare scrambler/climber in flatwoods	SE, SW
<i>Smilax laurifolia</i> L.	Bamboo-vine, Catbriar	Perennial, dioecious, tuberous, rhizomatous vine	Sep.-Oct.	NJ to s FL, e TX, AK, & w TN, Cuba, Bahama Islands	Common scrambler in bayheads	NE, NW, 7, 18, Hufty, Price, Watters
TYPHACEAE [including Sparganiaceae]						
<i>Typha</i> sp.	Cattail	Perennial, aquatic or paludal, monoecious, rhizomatous	Spring-Summer	Throughout N. America	Occasional in ditches	Watters

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
XYRIDACEAE						
<i>Xyris ambigua</i> Beyr. ex Kunth	Coastalplain Yellow-eyed Grass	Perennial	Spring-Fall	Coastal Plain, s to FL		
<i>Xyris brevifolia</i> Michx.	Shortleaf Yellow-eyed Grass	Perennial, tufted cryptophyte	Dec.-Mar.	Coastal Plain, NC to s FL, FL panhandle, s AL, to	Common on margins of seasonal ponds & low pine flatwoods	NW,SW, 31
<i>Xyris caroliniana</i> Walter (<i>Xyris flexuosa</i> Muhl. Ex Elliot) (<i>Xyris pallescens</i> (C. Mohr) Small)	Carolina Yellow-eyed Grass	Perennial, tufted cryptophyte	Oct.	Coastal Plain, NJ to FL & TX	Occasional in pine flatwoods & oak scrub, especially after burns	6, 18, MacArthur
<i>Xyris elliottii</i> Chapm.	Elliott's Yellow-eyed Grass	Perennial, tufted cryptophyte	Apr.-Oct.	Coastal Plain, SC to FL, w near Gulf Coast to s MS	Common on margins of seasonal ponds, lakes & swales	NW,SW,7,18, 19,31, Hufty, Price, Watters, MacArthur
<i>Xyris fimbriata</i> Ell.	Fringed Yellow-eyed Grass	Perennial, tufted cryptophyte	Summer-Fall	Coastal Plain, NJ to s FL & Gulf Coast to LA	Common in swales & seasonal ponds	7
<i>Xyris flabelliformis</i> Kral.	Savannah Yellow-eyed Grass	Perennial, occasionally monocarpic	Apr.-Jun.	NC to peninsular FL, w on Gulf Coast to e LA	Common along edges of seasonal ponds	7
<i>Xyris jupicai</i> L. Rich. (<i>Xyris communis</i> Kunth.) (<i>Xyris elata</i> Chapm., misapplied)	Richard's Yellow-eyed Grass	Annual or perennial, occasional monocarpic	Mar.	EXOTIC (Native to Latin America): Coastal Plain, NJ to FL & TX, AK, TN	Locally common, margin of lakes, seasonal ponds & marshes	30,31, Hufty
DICOTS						
ACANTHACEAE						
<i>Asystasia gangetica</i> (L.) T. Andrs.	Chinese Violet	Perennial, herb	Spring-summer	EXOTIC (Native to India): Palm Beach Co. FL	Disturbed areas	Main Grounds
<i>Dyschoriste oblongifolia</i> (Michx.) Kuntze	Twinflower	Perennial, herbaceous	May-Jul.	Coastal Plain, NC to s FL, LA	Rare, low flatwoods	30
<i>Justicia ovata</i> (Chapm.) R.W.Long var. <i>ovata</i> (Walter) Lindau	Water Willow	Perennial, colonial hygrophyte	May-Jun.	Coastal Plain, VA to s FL, to e TX, OK, AK, TN, MO & KY	Rare, low flatwoods	SW
<i>Ruellia tweedianae</i> Griseb. (<i>Ruellia brittoniana</i> Leonard & Fern.)	Mexican Bluebell	Perennial, herbaceous	Spring-Fall	EXOTIC (Native to Mexico)		Cottage #4

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
ADOXACEAE						
<i>Sambucus nigra</i> subsp. <i>canadensis</i> (L.) R. Bolli. (<i>Sambucus canadensis</i> L.) (<i>Sambucus simpsonii</i> Rehder)	Southern Elderberry	Perennial, shrub, hygrophyte	All year	Nova Scotia & Quebec to Manitoba & SD, s to FL & TX, West Indies, Mexico	Common in bayheads, marshes & swamps	NE,NW,SW, Hufty, Harris, Price
<i>Viburnum nudum</i> L. (<i>Viburnum cassinoides</i> L., misapplied)	Possum Haw	Perennial, shrub or tree	Apr.	Newfoundland to Manitoba, s to n FL & e TX	Rare in low flatwoods & bayheads	NW, 7
<i>Viburnum obovatum</i> Walter (<i>Viburnum nashii</i> Small) (<i>Viburnum corymbosum</i> (Mill.) Rehder, misapplied)	Walter's Viburnum	Perennial, shrub or tree	May	Coastal Plain, SC to s FL, se AL	Sparingly escaped from planting along Loop Drive	SE
AMARANTHACEAE [including Chenopodiaceae]						
<i>Amaranthus blitum</i> L. (<i>Amaranthus lividus</i> L., misapplied)	Pigweed	Annual, monoecious	Mar.-Apr.	e US & Cuba, pantropical weed	Rare garden weed	SE
<i>Amaranthus hybridus</i> L. (<i>Amaranthus cruentus</i> L.)	Common Pigweed	Annual, monoecious	May-Jun.	Tropical & temperate America, adventive in Old World	Occasional weed in citrus grove	SE
<i>Amaranthus viridis</i> L. (<i>Amaranthus gracilis</i> Desf.)	Slender Amaranth	Annual, monoecious	All year	SC, NC, FL, GA, AL, Miss.	Disturbed sites	Muck garden
<i>Chenopodium ambrosioides</i> L. (<i>Ambrina ambrosioides</i> (L.) Spach.)	Mexican Tea	Perennial Herb	Apr.-Nov.	Cosmopolitan	Locally common along lakeshores & moist firelanes	NW, Hufty, MacArthur
<i>Froelichia floridana</i> (Nutt.) Moq.	Cottonweed	Annual herb	All year	MO to SD, s to FL, w to NM	Occasional to abundant along firelanes & sandy roads	All upland Tracts
<i>Gomphrena serrata</i> L. (<i>Gomphrena decumbens</i> Jacq.) (<i>Gomphrena dispersa</i> Standl.)	Globe Amaranth	Annual or Perennial herb	Feb.-Oct.	EXOTIC (Native to tropical America), FL, FL Keys	Occasional to common along dry firelanes, road shoulders	NE,SE,NW,SW,7,19,31, Hufty
<i>Iresine diffusa</i> Humb. & Bonpl. ex Willd. (<i>Iresine canescens</i> Humb. & Bonpl. ex Willd.) (<i>Iresine celosia</i> L., misapplied)	Bloodleaf	Annual	Oct.-Dec.	Coastal Plain, NC to FL & LA, West Indies & tropical America	Rare, margins of bayheads	NE,NW, 7
ANACARDIACEAE						
<i>Rhus copallina</i> L. (<i>Rhus copallina</i> var. <i>leucantha</i> (Jacq.) DC.) (<i>Rhus leucantha</i> Jacq.) (<i>Rhus obtusifolia</i> (Small) Small)	Winged Sumac	Perennial, tree or shrub	Feb.-Mar.	ME to MN, FL & TX	Occasional, edges of bayheads & trail margins	NE,SE,NW,SW, 7,18, Hufty, Price
<i>Schinus terebinthifolius</i> Raddi	Brazilian Pepper	Perennial, dioecious shrub	Oct.	EXOTIC (Native to S. America)	Occasional escapee, main grounds & Red Hill, now extirpated	SE,SW,18E, Price, Watters

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
<i>Toxicodendron radicans</i> (L.) Kuntze (<i>Rhus radicans</i> L.)	Poison Ivy	Perennial, moneocious, woody vine	Feb.-Mar.	FL, Nova Scotia to MS, MN, West Indies	Local, hedges & edges of flatwoods, bayheads & margins of seasonal ponds	SE,NE,NW,SW,7, Price, Watters
ANNONACEAE						
<i>Asimina obovata</i> (Willd.) Nash (<i>Pityothamnus obovata</i> (Willd.) Small)	Scrub Pawpaw, Flag Pawpaw	Perennial, shrub, protogynous, beetle pollinated	Mar.-Apr.	ENDEMIC to peninsular FL	Common in scrubby flatwoods, occasional in scrub, open sand	NE,SE,NW,SW, 7,18,19, Hufty, Price, MacArthur
<i>Asimina reticulata</i> Shuttlew. ex Chapm. (<i>Pityothamnus reticulatus</i> (Chapm.) Small)	Gopher-berry Pawpaw	Perennial, low shrub	Feb.-Apr.	ENDEMIC to peninsular FL	Occasional in scrubby flatwoods & palmetto-wire grass flatwoods	SE,NW,SW,18, Hufty, MacArthur
APIACEAE						
<i>Eryngium aromaticum</i> Baldwin	Fragrant Eryngium	Perennial herb	Apr.-Nov.	Coastal Plain, FL & GA	Locally common in flatwoods	NW,SW,7,18,1930,31, MacArthur
<i>Eryngium cuneifolium</i> Small	Wedge-leaf Button Snakeroot	Perennial herb with long taproot	Aug.-Nov.	ENDEMIC to s LWR, Highlands Co., FL; Status: SE, FE	Occasional in open rosemary scrub	6,7,30,31 Hufty
<i>Oxypolis filiformis</i> (Henrard) Wipff subsp. <i>filiformis</i> (Walter) Britton	Water Dropwort	Perennial, hydrophyte	All year	Coastal Plain, NC to s FL, TX; Cuba, Bahamas	Occasional, wet prairies and seasonal ponds	7,18, 30
<i>Ptilimnium capillaceum</i> (Michaux) Rafinesque	Mock Bishop's-weed	Annual, hygrophyte	Apr.-May	Coastal Plain, SC, MA, Piedmont to s FL, e TX, MO, KS, IL, KY	Locally abundant in drainage system & along edges of low flatwoods	NE, SW, Price
<i>Spermolepis echinata</i> (Nutt. ex DC) Heller	Bristly Scaleseed	Annual	May-Jun.	AL to TX, CA & MO, Mexico	Rare in mowed lawn, NW corner of main grounds	NE,SW, Price
APOCYNACEAE [including Asclepiadaceae]						
<i>Asclepias curassavica</i> L.	Scarlet Milkweed	Annual	Mar.-Nov.	EXOTIC (Native to tropical America): s peninsular	Locally common, waste ground & firelane margins	SE,NW, 7, 18, 18E, Hufty, Price
<i>Asclepias curtissii</i> A. Gray (<i>Oxypteryx curtissii</i> (A. Gray) Small)	Curtiss' Milkweed	Perennial, herb	Jun.-Aug.	ENDEMIC to peninsular FL; Status: SE	Occasional in scrubby flatwoods	SW, 7, 18, 19, 31, MacArthur
<i>Asclepias feayi</i> Chapm.ex A. Gray (<i>Asclepiodella feayi</i> (Chapm. ex A. Gray) Small)	Feay's Milkweed	Perennial, herb	May-Jun.	ENDEMIC to FL	Rare, in scrubby flatwoods & low flatwoods	SW
<i>Asclepias pedicellata</i> Walter (<i>Podostigma pedicellata</i> (Walter) Vail.)	Pedicillate Milkweed	Perennial Herb	Jun.-Jul.	Coastal Plain, NC to FL	Occasional in scrubby flatwoods, pine flatwoods & swales	SW, 7, 18, 31, MacArthur
<i>Asclepias tomentosa</i> Elliott	Velvet-leaf Milkweed	Perennial, herb	Aug.-Sep.	Coastal Plain, GA & FL	Rare in scrub	SW

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
<i>Asclepias tuberosa</i> L. (<i>Asclepias decumbens</i> L.) (<i>Asclepias rolfsii</i> Britton ex Vail) (<i>Asclepias tuberosa</i> subsp. <i>rolfsii</i> (Britton ex Vail) Woodson)	Butterfly Weed	Perennial, herb	Apr.-Oct.	Coastal Plain, SC to FL	Occasional in scrubby flatwoods & pine flatwoods	NW,SW, 7, Hufty, MacArthur
<i>Catharanthus roseus</i> (L.) G. Don (<i>Vinca rosea</i> L.)	Madagascar Periwinkle	Annual or Perennial shrub or subshrub	Mar.-Nov.	EXOTIC (Native to Madagascar): peninsular FL & FL	Locally common, waste ground & firelane margins	SE,NW,7,18,18E, Hufty, Price
<i>Sarcostemma clausum</i> (Jacq.) Roem. & Schult. (<i>Funastrum clausum</i> (Jacq.) Schltr.)	Milk With, White-vine	Perennial, herbaceous vine	May-Dec.	peninsular FL & FL Keys, West Indies, Mexico, C. & S. America	Common scrambler on Hibiscus & Ludwigia peruviana	Price, Harris
AQUIFOLIACEAE						
<i>Ilex aquifolium</i> (Michx.) Torr. var. <i>ambigua</i> (Michx.) Torr. (<i>Ilex buswellii</i> Small) (<i>Ilex caroliniana</i> (Walter) Trel.)	Sand Holly	Perennial, dioecious tree or shrub	Dec.-May	VA to FL & TX Cuba	Rare & local on edge of oak scrub	Huft, Price
<i>Ilex cassine</i> L. var. <i>cassine</i> L.	Dahoon Holly	Perennial, dioecious tree	Feb.-Apr.	VA to FL & TX Cuba	Common in bayheads, around some of wetter seasonal ponds, swamps & lake shores	NE,NW,SW, 7,18,19,30, Hufty, Price
<i>Ilex glabra</i> (L.) Gray	Gallberry	Perennial, shrub	Mar.-Apr.	Coastal Plain Nova Scotia to FL & e LA	Common in bayheads, around some wet ponds, low flatwoods & low ground in general	NE,NW,SW,7,18, 18E,19,30,31, Hufty, Price, MacArthur
<i>Ilex opaca</i> (Ashe) Ashe var. <i>arenicola</i> (Ashe) Ashe (<i>Ilex cumulicola</i> Small)	Scrub Holly	Perennial, small tree	Apr.	ENDEMIC to peninsular FL	Occasional in scrubby flatwoods & oak scrub	NE,NW,SE,SW,7, 19,31, Hufty, Price, MacArthur
ARALIACEAE						
<i>Centella asiatica</i> (L.) Urban (<i>Centella repanda</i> fma. <i>floridana</i> (J.M. Coulte. & Rose) Small) (<i>Centella repanda</i> (Pers.) Small)	Coinwort	Perennial, helophyte	Apr.-Jun.	Coastal Plain, DE to s FL & TX, pantropical	Locally abundant, low ground under pines	SW,NW, NE, 7
<i>Hydrocotyle bonariensis</i> Comm. ex Lam.	Water Pennywort	Perennial, free-floating aquatic or limnophyte	Apr.-Jul.	Outer Coastal Plain NC to s FL & TX, Mexico & Chile, Puerto Rico	Common emergent in lakes & swales	Huft, Price, Harris
<i>Hydrocotyle umbellata</i> L.	Marsh Pennywort	Perennial, herb	Spring-Summer	VA,GA, FL, AL & MS	Marshes, wet woods & lakeshore	North swale west boundary, Price, 18
<i>Hydrocotyle verticillata</i> (A.Rich) Fernald*	Whorled Pennywort	Perennial	Jan.-Jun	Coastal Plain, MA to s FL, w to CA, VT, NV, tropical America	Locally common along firelane in low flatwoods	Huft

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
ASTERACEAE						
<i>Acanthospermum australe</i> (Loefl.) Kuntze	Paraguay Bur	Annual	Oct.-Nov.	EXOTIC (Native to S. America): widespread on Coastal Plain	Rare on firelanes	SE
<i>Ambrosia artemisiifolia</i> L. (<i>Ambrosia monophylla</i> (Walter) Rydb.) (<i>Ambrosia glandulosa</i> Scheele) (<i>Ambrosia elatior</i> L.)	Common Ragweed	Annual, monoecious	May-Sep.	Canada to CA & WA, s to FL & TX	Common on moister disturbed sites, roadsides & firelanes	NE,SE,NW,SW, Hufty
<i>Baccharis halimifolia</i> L. (<i>Baccharis halimifolia</i> var. <i>angustior</i> DC.)	Salt Bush, Groundsel Bush	Perennial, shrub, polygamodioecious	Oct.-Nov.	Chiefly Coastal Plain, MA to FL & TX, inland to AK, West Indies	Occasional in gallberry flatwoods, in roads & ditches, abundant along railroad	NE,NW,SW, 7,18,19,30,31, Hufty, Price
<i>Balduina angustifolia</i> (Pursh) Robinson (<i>Actinospermum angustifolium</i> (Pursh) Torr. & A. Gray.)	Yellow Buttons	Biennial (strict), herbaceous	All year	Coastal Plain, se NC to peninsular FL, SC, w to s	Common in sandhills, scrubby flatwoods, oak scrub, firelanes & seasonal ponds	All Tracts except Watters & Harris
<i>Bidens alba</i> L. var. <i>radiata</i> (Sch. Bip.) R. E. Ballard ex Melchert (<i>Bidens pilosa</i> L., misapplied) (<i>Bidens pilosa</i> var. <i>radiata</i> Sch. Bip.)	Beggar Ticks	Annual	All year	s FL, SC, MS & LA, Mexico, West Indies, C. America & Old World	Common but local, hedges, edges, fallow gardens & other disturbed areas	NE,SE,NW,SW, 7,18, 19, Hufty, Price
<i>Bidens mitis</i> (Michx.) Sherff	Smallfruit Beggar Ticks	Annual	Oct.-Apr.	Coastal Plain, MD to s peninsular FL, w to se TX	Occasional in wet swales, seasonal ponds, & along lakeshores	NE,18, Hufty, Price
<i>Carphephorus corymbosus</i> (Nutt.) Torr. & A. Gray	Florida Paintbrush	Perennial, herb	Oct.	se GA, s FL to Lake Okeechobee, FL panhandle	Occasional in palmetto scrub & low flatwoods	7,18, 30, 31, Hufty
<i>Carphephorus odoratissimus</i> (J. F. Gmel.) H. Herbert var. <i>subtropicanus</i> (DeLaney, Bissett, & Weidenhamer) Wunderlin & B. F. Hansen (<i>Carphephorus subtropicanus</i> DeLaney, Bissett, & Weidenhamer.)	Vanilla Plant	Perennial, herb	Aug.-Sep.	Coastal Plain, e c NC to s peninsular FL, w to se	Rare, in scrubby flatwoods & low flatwoods	SW,7, 30, Hufty
<i>Carphephorus paniculatus</i> (J.F. Gmel.) Hebert (<i>Trilisa paniculatus</i> (J.F. Gmel.) Cass)	Deer Tongue	Perennial, herb	Jul.-Nov.	Coastal Plain, e c NC to s c peninsular FL, FL panhandle, se AL	Occasional, low flatwoods, seasonal ponds & swales	7,18
<i>Chrysopsis highlandsensis</i> DeLaney & Wunderlin	Highland's Goldenaster	Perennial, herb	Nov.	ENDEMIC, Polk, Highlands and Glades Cos.	Occasional, but very local, scrubby flatwoods and disturbed scrub	19

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
<i>Cirsium horridulum</i> Michx. (<i>Cirsium horridulum</i> var. <i>vittatum</i> (Small) R. W. Long) (<i>Cirsium smallii</i> Britton) (<i>Cirsium vittatum</i> Small) (<i>Carduus smallii</i> (Britton) Ahles) (<i>Carduus spinosissimus</i> Walter)	Purple Thistle	Biennial, herb	Mar.-Apr.	Coastal ME to FL & TX, PA, TN, West Indies, Mexico	Rare along roadsides & pine flatwoods	NW,SW, 7
<i>Cirsium nuttallii</i> DC. (<i>Carduus nuttallii</i> (DC.) Pollard)	Thistle	Biennial, herb	Apr.	Chiefly Coastal Plain, se VA, SC to peninsular FL, along gulf coast to MS	Rare along undisturbed trail	NW
<i>Conoclinium coelestinum</i> (L.) DC. (<i>Eupatorium coelestinum</i> L.)	Mist Flower	Perennial, rhizomatous herb	Aug.-Sep.	NJ to KN, s to s peninsula FL, to c TX, w Cuba	Occasional along edges of seasonal ponds, roadsides	7,SE
<i>Conyza canadensis</i> L. var. <i>pusilla</i> (Nutt.) Cronquist (<i>Erigeron canadensis</i> var. <i>pusillus</i> (Nutt.) Ahles) (<i>Leptilon pusillum</i> (Nutt.) Britton) (<i>Conyza parva</i> Cronquist) (<i>Conyza ramosissima</i> Cronquist, misapplied)	Dwarf Horseweed	Annual	Mar.-Oct.	Chiefly Coastal Plain, e US s to tropical America	Occasional, along undisturbed fire trails	NE,NW,31, Hufty
<i>Eclipta prostrata</i> (L.) L. (<i>Eclipta alba</i> (L.) Hassk.) (<i>Verbesina alba</i> L.)	False Daisy	Annual or perennial in warm climates	All year	Coastal Plain to Piedmont, MA to West Indies, s to s FL & TX, CA, tropical	Occasional along lakeshores, in ditches & swales	SW, 18, Price
<i>Elephantopus elatus</i> Bertol.	Florida's Elephant's Foot	Perennial herb	Jul.-Oct.	Coastal Plain, SC into FL & LA	Occasional in palmetto scrub & scrubby flatwoods	SW,6,7,18,19, 30, 31
<i>Emilia fosbergii</i> Nicols. (<i>Emilia javanica</i> (Burm. F.) C. B. Rob., misapplied)	Cupid's Shaving Brush Tassel Flower	Annual herb	All year	EXOTIC (Native to Old World), peninsular FL, pantropical weed	Occasional garden weed along firelanes	NE,SE,SW
<i>Erechtites hieracifolia</i> (L.) Raf. ex DC	Fire Weed	Annual	All year	Newfoundland to Sask, s to s FL, & se TX, West Indies s to tropical America	Occasional in swales, swamps & along drainage ditches	SW,18, Hufty, Price
<i>Erigeron quercifolius</i> Lam.	Southern Fleabane	Annual	Jan.-Apr.	Coastal Plain, s VA to FL, w to TX	Local, along ditch bottom	SW
<i>Erigeron strigosus</i> Muhl. ex Willd. (<i>Erigeron ramosus</i> (Walter) Britton et. al.) (<i>Erigeron strigosus</i> var. <i>beyrichii</i> (Fisch. & C. A. Mey.) A. Gray)	Prairie Fleabane	Annual or biennial	May-Oct.	Coastal Plain, NJ to FL & TX	Occasional along overgrown firelanes	NE,NW

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
<i>Erigeron vernus</i> (L.) Torr. & A. Gray	Early Whitetop Fleabane	Biennial or perennial	Dec.-Apr.	Coastal Plain, se VA to s FL, LA	Occasional in swales & ditches	18, Hufty
<i>Eupatorium capillifolium</i> (Lam.) Small	Dog Fennel	Perennial, ruderal	Sep.-Nov.	Coastal Plain & Piedmont, NJ to s FL, s AK, LA & e TX, Bermuda, Bahamas, Cuba	Occasional, disturbed ground & along drainage ditches	SW, Hufty, Price, MacArthur
<i>Eupatorium leptophyllum</i> DC.	Fennel	Perennial, rhizomatous	Oct.	se NC to s FL, FL panhandle, GA & s AL, Bahamas, Cuba	Locally abundant, margin of seasonal ponds	6,7,18,19,30,31, Price
<i>Eupatorium mohrii</i> Greene (<i>Eupatorium recurvans</i> Small)	Thoroughwort	Perennial, tuberous rhizomes	May-Sep.	Coastal Plain, se VA to s FL, w to LA	Occasional in palmetto-wire grass flatwoods	SW, 18,19,31, Hufty, MacArthur, Watters
<i>Euthamia caroliniana</i> (L.) Greene ex Porter & Britton (<i>Euthamia minor</i> (Michx.) Greene) (<i>Euthamia tenuifolia</i> (Pursh) Nutt.) (<i>Solidago microcephala</i> (Greene) Bush)	Flat-topped Goldenrod	Perennial, rhizomatous	Oct.-Nov.	Coastal Plain, MD & VA to s FL, w to s AL, s MS &	Common, margins of seasonal ponds, swales & prairies	SW, 7,18,18E,19, 30, 31, Price, Watters, MacArthur
<i>Gamochaeta pensylvanica</i> (Willd.) Cabrera (<i>Gnaphalium pensylvanicum</i> Willd.) (<i>Gnaphalium purpureum</i> var. <i>spathulatum</i> Baker) (<i>Gnaphalium spathulatum</i> Lam.)	Cud Weed	Annual, Biennial herb	Spring-summer	Com., throughout		Harris
<i>Gamochaeta purpurea</i> (L.) Cabrera (<i>Gnaphalium purpureum</i> L.)	Purple Cud Weed	Annual or biennial	Apr.	Native America weed. Widespread	Common along firelanes	NE,NW, Price
<i>Garberia heterophylla</i> (Bartr.) Merr. & Harp. (<i>Garberia fruticosa</i> (Nutt.) A. Gray)	Garberia	Perennial, evergreen, shrub	Oct.-Nov.	ENDEMICK to c & n peninsular FL; Status: ST	Occasional in scrubby flatwoods & oak scrub	SE,NW,SW,18E,19, 19E, Hufty
<i>Hartwrightia floridana</i> A.Gray ex S. Watson	Florida Hartwrightia	Perennial	Oct.-Nov.	ne to s c peninsular FL; Status: ST	Rare in swales, wet flatwoods & wet meadows	Huft, 18, 19, 30
<i>Heterotheca subaxillaris</i> (Lam.) Britt & Rusby (<i>Heterotheca latifolia</i> Buckley) (<i>Heterotheca subaxillaris</i> var. <i>procumbens</i> Wagenk.)	Camphor-weed	Annual or short-lived perennial, somewhat ruderal	May-Oct.	SW US & adjacent Mexico, e to AK, mainly Coastal Plain DE & Long Island to FL	Rare in scrubby flatwoods, low flatwoods, common on roadsides & disturbed areas	NE,SE,NW,SW,7,18, 19, Hufty

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
<i>Hieracium gronovii</i> L. (<i>Hieracium floridanum</i> Britton)	Hawkweed	Perennial herb	Jan.-Oct.	FL to TX, MA, Ontario	Occasional along trails, undisturbed sandy road & palmetto-wire grass flatwoods	NE,SE,NW,SW,18, 19,31
<i>Lactuca graminifolia</i> Michx.	Wild Lettuce	Biennial	Mar.-Aug.	Coastal Plain, SC to FL & TX, n Mexico	Occasional, waste places, ditch banks, roadsides & pine flatwoods	NW,SW,Hufty
<i>Liatris chapmanii</i> Torr. & A. Gray (<i>Laciaria chapmannii</i> var. <i>longifolia</i> Nash) (<i>Laciaria chapmanii</i> (Torr. & A. Gray) Kuntze)	Chapman's Blazing Star	Perennial herb	Aug.-Oct.	Coastal Plain, FL, GA	Occasional on rosemary scrub & oak scrub	18,31
<i>Liatris ohlingerae</i> (Blake) Robinson (<i>Ammopursus ohlingerae</i> (S.F. Blake) Small)	Scrub Blazing Star	Perennial herb, bulb	Jun.-Oct.	ENDEMATIC to LWR; Status: SE, FE	Rare in scrubby flatwoods, occasional in rosemary scrub	SE,SW,6,7,18,31, Hufty, Price
<i>Liatris tenuifolia</i> Nutt. var. <i>quadriflora</i> Chapm. (<i>Liatris tenuifolia</i> var. <i>laevigata</i> (Nutt.) B.L. Rob.) (<i>Liatris laevigata</i> Nutt.)	Shortleaf Gayfeather	Perennial herb				
<i>Liatris tenuifolia</i> Nutt. var. <i>tenuifolia</i> Nutt. (<i>Laciaria tenuifolia</i> (Nutt.) Kuntze)	Slender Blazing Star	Perennial herb, fire-stimulated flowering	Jul.-Oct.	Coastal Plain, FL to AL & NC	Common in palmetto scrub, pine flatwoods, scrubby flatwoods & sandhills	SE,NW,SW, 7,18,18E, 19,30, 31, Hufty
<i>Lygodesmia aphylla</i> (Nutt.) DC	Roserush, Rush Pink	Perennial herb	Sep.-Apr.	Coastal Plain, GA to FL	Occasional in scrubby flatwoods & flatwoods	NW,SW,6,7,18,30, 31, Hufty
<i>Mikania cordifolia</i> (L.f.) Willd.	Florida Keys Hempvine	Perennial, vine	All year	s FL Keys, West Indies, Mexico		Price
<i>Mikania scandens</i> (L.) Willd. (<i>Mikania batatifolia</i> DC.)	Climbing Hempweed	Perennial, twining vine	Sep.-Dec.	ME to s Ont, MI,IL, MO, s to s FL, se OK, e TX, tropical America	Occasional vine in swales, low flatwoods & palmetto scrub	SW,18,31,Hufty, Price
<i>Oclemena reticulata</i> L. (<i>Aster reticulatus</i> Pursh) (<i>Doellingeria reticulata</i> (Pursh) Greene)	White-top Aster	Perennial	Apr.-Oct.	Coastal Plain, SC,GA, s c peninsular FL, FL panhandle	Occasional in pine flatwoods, rare in swales	SW,6,7,18,19,19E, 30,31, Hufty
<i>Palafoxia feayi</i> A. Gray	Palafoxia	Perennial, semi-woody shrub	Sep.-Oct.	ENDEMATIC to FL	Common & ubiquitous, especially in scrubby flatwoods & openings in oak scrub	All Tracts except Watters, Harris
<i>Palafoxia integrifolia</i> (Nutt.) Torr. & A.Gray (<i>Polypterus integrifolia</i> Nutt.)	Pink Lace	Annual herb	Aug.-Nov.	Coastal Plain, GA & FL	Locally common in scrubby flatwoods after burns	7,18
<i>Pectis linearifolia</i> Urban	Florida Cinchweed	Annual herb		s FL & West Indies	Occasional along firelanes	19, 31

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
<i>Phoebanthus grandiflorus</i> (Torr. & Gray) Blake	Florida False Sunflower	Perennial, horiz. tubers, postfire	Spring-fall	ENDEMIC to peninsular FL	Sandhills	SW, Red Hill
<i>Pityopsis graminifolia</i> (Michx.) Nutt. (<i>Pityopsis graminifolia</i> var. <i>microcephala</i> (Small) Semple) (<i>Pityopsis microcephala</i> (Small) Small) (<i>Pityopsis tracyi</i> (Small) Small) (<i>Chrysopsis graminifolia</i> (Michx.) Elliot) (<i>Chrysopsis graminifolia</i> var. <i>microcephala</i> (Small) Cronquist) (<i>Heterotheca graminifolia</i> (Michx.) Shinners) (<i>Heterotheca graminifolia</i> var. <i>tracyi</i> (Small) R.W. Long) (<i>Heterotheca microcephala</i> (Small) Shinners) (<i>Heterotheca nervosa</i> (Willd.) Shinners) (<i>Heterotheca nervosa</i> var. <i>microcephala</i> (Small) Shinners) (<i>Pityopsis graminifolia</i> var. <i>latifolia</i> (Fernald) Small)	Grass-leaved Golden Aster	Perennial, stoloniferous herb, fire-stimulated flowering & growth	Sep.-Nov.	e & s US	Common in sandhills & yellow sand, occasional scrubby flatwoods & flatwoods	NE,SE,NW,SW, 6,7,18,18E,19,19E, 30,31,Huft
<i>Pluchea foetida</i> (L.) DC. (<i>Pluchea imbricata</i> (Kearney) Nash) (<i>Pluchea tenuifolia</i> Small)	Stinking Fleabane	Perennial, heterogamic	Aug.-Nov.	Chiefly Coastal Plain, s NJ to s c peninsular FL,	Occasional along lakeshores	Huft
<i>Pluchea longifolia</i> Nash	Fleabane	Perennial, heterogamic	Sep.-Oct.	ENDEMIC n FL to c peninsular FL	Occasional in swamps & along lakeshores	Huft, Price
<i>Pluchea rosea</i> R.K. Godfrey	Marsh Fleabane	Perennial, heterogamic	Sep.-Oct.	Coastal Plain, NC to s FL & FL Keys, w to se TX, Bahamas, Cuba	Occasional in low palmetto scrub & margins of seasonal ponds	SW,7, Price, Watters, MacArthur
<i>Pseudognaphalium obtusifolium</i> (L.) Hilliard & B. L. Burtt (<i>Gnaphalium obtusifolium</i> L.)	Rabbit Tobacco	Annual	Sep.-Oct.	Throughout N. America	Rare, margin of palmetto scrub	7, 19
<i>Pterocaulon pycnostachyum</i> (Michx.) Elliott (<i>Pterocaulon undulatum</i> C. Mohr) (<i>Pterocaulon virgatum</i> (L.) DC., misapplied)	Blackroot	Perennial herb	May-Oct.	Coastal Plain, NC to s peninsular FL, FL panhandle, adjacent AL	Occasional along roadsides, oak scrub, scrubby flatwoods & flatwoods	NE,SE,SW, 6,7,18,19, 30,31, MacArthur

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
<i>Rudbeckia hirta</i> L. (<i>Rudbeckia divergens</i> T.V. Moore) (<i>Rudbeckia floridana</i> T.V. Moore) (<i>Rudbeckia hirta</i> var. <i>angustifolia</i> (T.V. Moore) Perdue) (<i>Rudbeckia hirta</i> var. <i>pulcherrima</i> Farw.)	Black-eyed Susan	Biennial or perennial	Jun.-Aug.	Newfoundland to British Columbia, s to s FL & Mexico	Rare in disturbed scrub	19
<i>Sericocarpus tortifolius</i> (Michx.) Nees (<i>Aster tortifolius</i> Michx.) (<i>Sericocarpus bifoliatus</i> Porter) (<i>Sericocarpus acutisquamatus</i> (Nash) Small)	White-topped Aster	Perennial, herb	Aug.-Oct.	Coastal Plain, NC to FL & w to LA	Occasional in open grassy-palmetto pine flatwoods & scrubby flatwoods	NE,SE,NW,SW,6,7, 18,18E,19,19E, 30,31, Hufty
<i>Solidago fistulosa</i> Mill.	Giant Goldenrod	Perennial herb, crowns, stolons & horizontal caudex	Aug.-Oct.	Newfoundland to s FL, w to LA, mainly Coastal Plain	Locally common, margins of low flatwoods, swales, ditch banks, pond margins	6,7,18,19,30,31, Hufty, Harris
<i>Solidago levanworthii</i> Torr & A. Gray (<i>Solidago gigantea</i> Ait. missapplied) (<i>Solidago gigantea</i> var. <i>serotina</i> (Kuntze) Cronquist, missapplied) (<i>Solidago serotina</i> Aiton, missapplied)	Leavenworth's Goldenrod	Perennial crown & stolons	Oct.	Nova Scotia & Quebec to OR, s to sw GA, peninsular FL & TX, w to VT & CO	Rare, swales	19
<i>Solidago odora</i> Aiton var. <i>chapmanii</i> (Gray) Cronquist (<i>Solidago chapmanii</i> A. Gray)	Chapman's Goldenrod	Perennial, clonal herb, fire-stimulated	Apr.-Sep.	ENDEMICH to peninsular FL	Common in sandhills & scrubby flatwoods, especially after fire	NE,SE,NW,SW, 6, 7,18,18E,19,19E, 30,31, Hufty, MacArthur, Watters
<i>Sonchus asper</i> (L.) Hill	Spiny-leaved Sow Thistle	Annual	Feb.-Apr.	EXOTIC (Native to Europe): cosmopolitan	Rare garden weed	SE,SW
<i>Sonchus oleraceus</i> L.	Common Sow Thistle	Annual	Feb.-Mar.	EXOTIC (Native to Europe): cosmopolitan	Rare garden weed	SW
<i>Sphagneticola trilobata</i> (L.) Pruski (<i>Wedelia trilobata</i> (L.) Hitchcock)	Creeping Oxeye	Perennial, rhizomatous	All year	EXOTIC (Native to West Indies): s & c FL	Occasional escapee from cultivation, planted on main grounds & Main Drive	SE,SW
<i>Symphyotrichum adnatum</i> (Nutt.) G. L. Nesom (<i>Aster adnatus</i> Nutt.)	Scale-leaved Aster	Perennial, rhizomatous herb	Oct.-Dec.	Gulf coast, sw GA to s FL & Bahamas, w to MS	Rare, roadsides, palmetto scrub & low flatwoods	7,18,19,Huft
<i>Symphyotrichum carolinianum</i> (Walter) Wunderlin & B. F. Hansen (<i>Aster carolinianus</i> Walter)	Climbing Aster	Perennial, subwoody, climbing	Oct.-Jan.	Atlantic Coastal Plain NC to FL	Common scrambler on willows	Harris

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
<i>Symphyotrichum dumosum</i> (L.) G. L. Nesom (<i>Aster cordifolius</i> Michx.) (<i>Aster dumosus</i> L.) (<i>Aster dumosus</i> var. <i>cordifolius</i> (Michx.) Torr. & A. Gray) (<i>Aster dumosus</i> var. <i>subulifolius</i> Torr. & A. Gray) (<i>Aster gracilipes</i> (Wiegand) Alex.)	Rice Button Aster	Perennial, rhizomatous herb	Jul.-Nov.	Chiefly Coastal Plain MA to s FL, w to MI, AK, LA	Rare, roadsides, firelanes & pine flatwoods	7,19,31
<i>Symphyotrichum subulatum</i> (Michx.) G. L. Nesom (<i>Aster subulatus</i> Michx.) (<i>Aster subulataus</i> var. <i>cubensis</i> (DC.) Shinners) (<i>Aster subulatus</i> var. <i>ligulatus</i> Shinners) (<i>Aster inconspicuus</i> Less.) (<i>Aster exilis</i> Elliott)	Slim Aster	Annual, limnophyte or hygrophyte	Oct.& Jan.	s ME to s peninsular FL & FL Keys, w to CA, inland to MO & KS, tropical America	Occasional along lakeshores, rare in swales	18, Price
<i>Verbesina virginica</i> L. (<i>Verbesina virginica</i> var. <i>laciniata</i> (Poir.) A. Gray) (<i>Phaethusa laciniata</i> (Poir.) Small) (<i>Phaethusa virginica</i> (L.) Britton)	Frost Weed	Perennial, hygrophyte	Sep.-Oct.	VA to MO & se KS, to s FL & TX	Rare along drainage system	SW
<i>Vernonia gigantea</i> (Walter) Trel. Ex Branner & Colville (<i>Vernonia gigantea</i> subsp. <i>ovalifolia</i> (Torr. & A. Gray) Urbatsch) (<i>Vernonia altissima</i> Nutt.) (<i>Vernonia ovalifolia</i> Torr. & A. Gray)	Iron Weed	Perennial herb	Aug.-Sep.	sw GA, c FL	Rare in sand pine scrub	SW, SE
<i>Younia japonica</i> (L.) DC. (<i>Crepis japonica</i> (L.) Benth.)	Oriental Hawksbeard	Annual	Sep.-Nov.	EXOTIC (Native to s Asia): cosmopolitan	Rare along lakeshore	Price
BEGONIACEAE						
<i>Begonia cucullata</i> Willd. (<i>Begonia semperflorens</i> Link & Otto)	Wax Begonia	Perennial herb	Jul.-Aug.	EXOTIC (Native to S. America)	Rare escapee from cultivation, along edge of borrow pit; possibly extirpated	Price
BIGNONIACEAE						
<i>Campsis radicans</i> (L.) Seeman (<i>Bignonia radicans</i> L.)	Trumpet creeper	Perennial, woody vine	May-Nov.	Coastal Plain & adjacent provinces, NJ, s to FL &	Occasional escapee along roadsides & on fences	SE
BRASSICACEAE [including Capparaceae]						
<i>Cardamine debilis</i> D. Don [taxon not recognized by Wunderlin & Hanson 2003]	Bitter-cress	Annual herb	Jan.-Feb.	EXOTIC (Native to Asia): FL	Locally abundant in muck garden	SW
<i>Lepidium virginicum</i> L.	Peppergrass	Annual or biennial	Jan.-Apr.	QU to MN, s FL & TX; West Indies, Mexico C. & S. America Old World	Common in citrus groves, fallow fields & roadsides	SE, SW, Hufty, Harris

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
<i>Polanisia tenuifolia</i> Torr. & A. Gray (<i>Aldenella tenuifolia</i> (Torr. & A. Gray) Greene)	Slenderleaf Clammyweed	Annual herb	Jan.-Feb.	Coastal Plain, FL to MS	Occasional in open scrubby flatwoods & along sandy firelanes	6,7,18,30,31, Hufty, Price, MacArthur
<i>Raphanus raphanistrum</i> L.	Wild Radish	Annual	Apr.	EXOTIC (Native to Eurasia): Widespread	Rare EXOTIC, not persistent	SW
<i>Warea carteri</i> Small	Carter's Mustard	Annual with fire-stimulated growth	Sep.-Oct.	ENDEMIC to c & s FL; Status: SE, FE	Rare & local in scrubby flatwoods (especially adjacent to yellow sand)	6, 7,18,18E,30,Huft, MacArthur
CACTACEAE						
<i>Opuntia humifusa</i> (Raf.) Raf. (<i>Opuntia ammophila</i> Small) (<i>Opuntia austrina</i> Small) (<i>Opuntia compressa</i> J.F. Macbr.) (<i>Opuntia compressa</i> var. <i>ammophila</i> (Small) L.D. Benson) (<i>Opuntia compressa</i> var. <i>austrina</i> (Small) L.D. Benson) (<i>Opuntia cumulicola</i> Small) (<i>Opuntia eburnispina</i> Small ex Britton & Rose) (<i>Opuntia impedata</i> Small ex Britton & Rose) (<i>Opuntia lata</i> Small) (<i>Opuntia pisciformis</i> Small ex Britton & Rose) (<i>Opuntia pollardii</i> Britton & Rose) (<i>Opuntia polycarpa</i> Small) (<i>Opuntia turbinata</i> Small) (<i>Opuntia turgida</i> Small ex Britton & Rose)	Prickly-pear Cactus	Perennial, thorny, succulent	Apr.-Jun.	Coastal Plain & Piedmont	Occasional to abundant in scrubby flatwoods, scrub, sandhills & seasonal ponds	All Tracts except Harris & Watters
CAMPANULACEAE						
<i>Lobelia glandulosa</i> Walter	Glades Lobelia	Perennial, hydrophyte	Sep.-Oct.	Coastal Plain & outer Piedmont, se VA to s FL, FL	Rare in swales	18
<i>Triodanis biflora</i> (Ruiz & Pavon) Greene (<i>Triodanis perfoliata</i> var. <i>biflora</i> (Ruiz & Pavon) T.R. Bradley) (<i>Specularia biflora</i> (Ruiz & Pavon) Fisch. & C.A. Mey.)	Venus Looking-glass	Annual	Apr.-May	Ontario to British Columbia, FL to TX & CA, West Indies, Mexico, C. & S. America	Occasional weed in lawns	SW
CAPRIFOLIACEAE [including Valerianaceae]						
<i>Lonicera sempervirens</i> L. (<i>Phenianthus sempervirens</i> (L.) Raf. ex Small)	Trumpet Honeysuckle	Perennial, woody vine	Mar.	N. England to IA, NE, s to FL & TX	Planted along Loop Drive, escapes sparingly	SE

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
CARICACEAE						
<i>Carica papaya</i> L.	Papaya	Perennial, dioecious tree or shrub	All year	EXOTIC (Native to tropical America): peninsular FL, FL Keys, Mexico	Rare, disturbed area of berm	Price
CARYOPHYLLACEAE						
<i>Agrostemma githago</i> L.	Corn Cockle	Annual herb	Mar.	EXOTIC (Native to Europe)	Rare garden weed	SE
<i>Drymaria cordata</i> (L.) Willd. ex Roem. & Schult.	West Indian Chickweed	Annual	All year	FL, West Indies, tropical & subtropical America	Common weed in lawns	SW
<i>Paronychia americana</i> (Nutt.) Fenzl ex Walp. (<i>Paronychia americana</i> subsp. <i>pauciflora</i> (Small) Chaudhri) (<i>Siphonochia americana</i> (Nutt.) Torr. & A. Gray) (<i>Siphonochia pauciflora</i> Small)	American Nailwort	Annual or biennial	Jan.-Jul.	Coastal Plain, SC to FL	Common along firelanes	NE,SE,NW,SW,19, Hufty, Price, MacArthur
<i>Paronychia chartacea</i> Fern. subsp. <i>chartacea</i> Fern. (<i>Nyachia pulvinata</i> Small) [<i>P. chartacea</i> of Wunderlin & Hanson 2003]	Papery Whitlow-wort	Annual, dioecious, mat-forming	Jun.-Oct.	ENDEMID to ridges of s c FL: Status: SE, FT	Common along firelanes & in open rosemary scrub, occasional in scrubby flatwoods	All upland Tracts
<i>Paronychia herniarioides</i> (Michx.) Nutt. (<i>Gastronychia herniarioides</i> (Michx.) Small)	Coastal Plain Wailwort	Annual	May-Jun.	Coastal Plain, NC to FL	Occasional in scrubby flatwoods	30, 19
<i>Stipulicida setacea</i> C.W.James* (<i>Stipulicida filiformis</i> Nash)	Wireweed, Deyrup's Dilemma	Perennial	Oct.-May	Coastal Plain, NC to FL, MS	Common in rosemary scrub and along firelanes	All upland tracts
CHRYSOBALANACEAE						
<i>Licania michauxii</i> Prance (<i>Chrysobalanus oblongifolius</i> Michx.) (<i>Geobalanus oblongifolius</i> (Michx.) Small) (<i>Geobalanus pallidus</i> Small)	Gopher Apple	Perennial, creeping low shrub, clonal	Feb.-Apr.	Coastal Plain, FL to MS & GA	Common in turkey oak sandhills, oak scrub & open scrubby flatwoods	All upland Tracts
CISTACEAE						
<i>Helianthemum corymbosum</i> Michx. (<i>Crocanthemum corymbosum</i> (Michx.) Britton)	Pinebarren Frostweed	Perennial, subshrub	Mar.-Jun.	Coastal Plain SC to FL	Occasional in swales & low flatwoods	SW,Huft

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
<i>Helianthemum nashii</i> Britt. (<i>Crocanthemum nashii</i> (Britton) Barnhart) (<i>Crocanthemum thyrsoideum</i> (Barnhart) Janch.)	Florida Scrub Frostweed	Perennial, clonal subshrub	Apr.-Nov.	ENDEMIC to peninsular FL	Common along firelanes, open sand pine scrub & scrubby flatwoods	NE,SE,NW,SW,6,7,18,18E ,19,30,31, Hufty, MacArthur
<i>Lechea cernua</i> Small	Nodding Pinweed	Perennial, woody-based, fire-stimulated growth	Jul.-Aug.	ENDEMIC to Lake Wales Ridge & e coast of peninsular FL; Status: ST, MC	Locally common in rosemary scrub, especially after fire	6,7,18,19,30,31, Hufty
<i>Lechea deckertii</i> Small (<i>Lechea myriophylla</i> Small)	Woody Pinweed	Perennial, woody-based	Jun.-Sep.	Coastal Plain s GA to peninsular FL	Common in rosemary scrub & open scrubby flatwoods	NE,SE,NW,SW,6,7,18E ,19,19E, 30,31, Hufty, Price
<i>Lechea divaricata</i> Shuttlew. ex Britt.	Drysand Pinweed	Perennial, woody-based	Jun.-Oct.	ENDEMIC to FL; Status: SE	Occasional on sand in open prairies	SW
<i>Lechea sessiliflora</i> Raf. (<i>Lechea exserta</i> Small) (<i>Lechea patula</i> Legg) (<i>Lechea prismatica</i> Small)	Pineland Pinweed	Perennial, woody-based	All year	FL	Occasional along firelanes & in scrub	NE,NW,SW, 7,30
<i>Lechea torreyi</i> (Chapm.) Legg. ex Britton (<i>Lechea torreyi</i> var. <i>congesta</i> Hodgdon)	Piedmont Pinweed	Perennial, woody-based	All year	Coastal Plain SC to FL	Occasional in low flatwoods & palmetto-wire grass stands	7,18,19,30,31,Huft
CLUSIACEAE [including Guttiferae, Hypericaceae]						
<i>Hypericum brachyphyllum</i> (Spach) Steud.	Coastal Plain St. John's-Wort	Perennial, shrub	Apr.-May	s GA to s FL, w to s MS	Occasional in swales	30, Hufty
<i>Hypericum cistifolium</i> Lam. (<i>Hypericum opacum</i> Torr. & A. Gray)	Roundpod St. John's-Wort	Annual, shrub	May-Oct.	Coastal Plain, NC to s pen FL; w to e TX	Occasional in seasonal ponds	SW,7,Huft, Price, NE
<i>Hypericum cumulicola</i> (Small) W. P. Adams (<i>Sanidophyllum cumulicola</i> Small)	Scrub Hypericum	Perennial herb	Apr.-Nov.	ENDEMIC to Lake Wales Ridge in Polk & Highlands Cos. in c FL; Status: SE, FE	Occasional in rosemary scrub & oak scrub, on white sand	6,7,19,30,31, Hufty, MacArthur
<i>Hypericum edisonianum</i> (Small) Adams & Robson. (<i>Ascyrum edisonianum</i> Small)	Edison's Hypericum	Perennial, clonal shrub	Mar.-Dec.	ENDEMIC to Highlands, Glades & DeSoto Cos. of peninsular FL; Status: SE, MC	Abundant on low, open ground & bottoms of sandy seasonal ponds	All Tracts except Harris
<i>Hypericum fasciculatum</i> Lam. (<i>Hypericum aspalathoides</i> Willd.)	Sandweed	Perennial, shrub	Apr.-Nov.	Coastal Plain NC to s FL, w to s MS	Occasional in seasonal ponds & on lakeshores	NW,SW,7,18,19, Hufty,MacArthur, Watters
<i>Hypericum gentianoides</i> (L.) Britton et al. (<i>Sarothra gentianoides</i> L.)	Pinweed	Annual	Sep.-Oct.	FL to TX, Ontario to ME	Locally common in swales	18,31

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
<i>Hypericum hypericoides</i> (L.) Crantz (<i>Ascyrum hypericoides</i> L.) (<i>Ascyrum linifolium</i> Spach.)	St. Andrew's-cross	Perennial, clonal shrub		VA to MO, s to s FL & e TX, Bermuda, Bahamas, West Indies, C. America	Rare, low flatwoods & oak scrub	SE,6, Hufty
<i>Hypericum mutilum</i> L.	Dwarf St. John's-wort	Perennial		Newfoundland & Quebec to Manitoba, s to s FL & c TX	Locally common along undisturbed low firelanes	NE,Huft,Price
<i>Hypericum reductum</i> (Svenson) W.P.Adams	Sand Hypericum	Perennial, clonal shrub	Apr.-Nov.	Coastal Plain, se NC to c pen FL, FL panhandle, se AL	Common in flatwoods & scrubby flatwoods	All Tracts except Harris
<i>Hypericum tetrapetalum</i> Lam. (<i>Ascyrum tetrapetalum</i> (Lam.) Vail ex Small)	St. Peter's-wort	Perennial, shrub	All year	Coastal Plain, se GA to s peninsular FL, e FL panhandle, Cuba	Occasional, low ground & margins of low flatwoods	6,7,18,19,30,31,Huft
<i>Triadenum virginicum</i> (L.) Raf. (<i>Hypericum virginicum</i> L.)	Marsh St. John's-wort	Perennial, rhizomatous	Jun.-Aug.	NJ to NY, s c peninsular FL, w to e TX	Occasional on lakeshores	Huft, Price
CONVOLVULACEAE						
<i>Cuscuta pentagona</i> Engelm. (<i>Cuscuta campestris</i> Yuncker)	Love Vine, Five-angled Dodder	Perennial, parasitic vine	May	Cosmopolitan: MA to FL, TX, WA & CA, West Indies,	Occasional on Bidens alba var. radiata	SE, SW
<i>Dichondra carolinensis</i> Michx.	Pony-foot Sheep Grass	Perennial herb	January	Coastal Plain, VA to s FL, Bermuda, Bahamas, w to	Locally abundant in lawns	SE, SW
<i>Ipomoea alba</i> L. (<i>Calonyction aculeatum</i> (L.) House)	Moon Flower	Perennial vine	Jun.-Oct.	EXOTIC (Pantropical): s FL	Common climber on shrubbery	Harris
<i>Ipomoea cairica</i> (L.) Sweet	Mile-a-Minute Vine	Perennial vine	May-Sep.	EXOTIC (Native to Africa): Naturalized where cultivated, s FL, tropical America	Common in old garden area	SW
<i>Ipomoea cordatotriloba</i> Dennst. (<i>Ipomoea trichocarpa</i> Elliott)	Tievine	Perennial vine	Sept.-Oct.	GA,FL,AL, Miss.		
<i>Ipomoea indica</i> (Burm.) Merr. var. <i>acuminata</i> (Vahl) Fosberg (<i>Ipomoea acuminata</i> (Vahl) Roem. & Schult.) (<i>Pharbitis cathartica</i> (Poir.) Choisy)	Oceanblue Morning Glory	Annual, Perennial vine	Sep.-Dec.	peninsular FL, FL Keys to s TX; pantropical	Occasional on scrubby edges	NE, SE, NW
<i>Ipomoea pandurata</i> (L.) G.F.W. Meyer	Wild Potato Vine	Perennial vine	May-Oct.	NY,OH,MI, MO,& KS, s to s c peninsular FL & e TX	Occasional on scrubby edges	SE, SW

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
<i>Ipomoea quamoclit</i> L. (<i>Quamoclit quamoclit</i> (L.) Britton)	Cypress Vine	Annual, twining vine	Sep.-Oct.	Coastal Plain & Piedmont, pantropical	Garden weed on pineapple, not persisting	SW
<i>Ipomoea x leucantha</i> Jacq. HYBRID (<i>Ipomoea cordatotriloba</i> x <i>Ipomoea lacunosa</i>)	Morning Glory	Perennial vine	Aug.-Oct.	Native, found in VA, SC, NM, LA, FL		
<i>Merremia dissecta</i> (Jacq.) Hallier f. (<i>Ipomoea sinuata</i> Ortega) (<i>Operculina dissecta</i> (Jacq.) House)	Noyau Vine	Perennial vine	Spring-Fall	EXOTIC (Native to tropical America)	Disturbed thickets	Watters, SW
<i>Stylisma abdita</i> Myint. (<i>Bonamia abdita</i> (Myint) R. W. Long)	Showy Dawnflower	Perennial herb	Spring-Summer	ENDEMNIC to c FL; Status: SE	Occasionally, open sand in rosemary scrub	30, 31
<i>Stylisma villosa</i> (Nash) House (<i>Bonamia villosa</i> (Nash) K.A. Wilson)	Hairy Dawnflower	Perennial vine	Jun.-Jul.	ENDEMNIC to peninsular FL	Rare vine in hickory scrub	MacArthur
CORNACEAE [including Nyssaceae]						
<i>Nyssa sylvatica</i> (Walter) Sarg. var. <i>biflora</i> (Walter) Sarg. (<i>Nyssa biflora</i> Walter) (<i>Nyssa ursina</i> Small)	Black Gum, Swamp tupelo	Perennial, tree, dioecious polygamo-dioecious	Spring	Chiefly Coastal Plain NJ to c FL, w to e TX	Rare, understory tree in slash pine swales, common in swamps	18,NW, Price
CUCURBITACEAE						
<i>Citrullus lanatus</i> (Thunb.) Mats. & Nakai (<i>Citrullus vulgaris</i> Schrad. ex Eckl. & Zeyh) (<i>Citrullus citrullus</i> (L.) H. Karst)	Citron	Annual, vine	Apr.-Sep.	EXOTIC (Native to tropical Africa)	Occasional along firelanes	NE,SW,18E,19,19E, 30,31
<i>Melothria pendula</i> L. (<i>Melothria pendula</i> var. <i>aspera</i> Cogn.) (<i>Melothria pendula</i> var. <i>crassifolia</i> (Small) Cogn.) (<i>Melothria crassifolia</i> Small) (<i>Melothria nashii</i> Small)	Creeping Cucumber	Perennial, monoecious or polygamous vine	Feb.-Sep.	s FL to Mexico, VA, MO	Local, disturbed ground & ditch banks	SW, Hufty, Price
<i>Momordica charantia</i> L.	Wild Balsam Apple	Perennial vine	All year	EXOTIC (Native to Old World tropics)	Local in ruderal habitats, hedges & edges, post-fire in oak scrub	SW, Hufty, Price
CYRILLACEAE						
<i>Cyrilla racemiflora</i> L. (<i>Cyrilla racemiflora</i> L. var. <i>parviflora</i> Sarg.) (<i>Cyrilla arida</i> Small) (<i>Cyrilla parviflora</i> Raf.)	Leatherwood, Swamp Titi	Shrub	Spring-Summer	Coastal Plain FL to TX, VA, MO	Swamps	Price
DROSERACEAE						
<i>Drosera capillaris</i> Poir.	Pink Sundew	Perennial, insectivorous, hygrophyte	Dec.-Apr.	Coastal Plain, VA to FL & TX, tropical America	Common, moist margins of ponds & swales	NW,SW,7,18,30, 31, Price, Watters, MacArthur

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
EBENACEAE						
<i>Diospyros virginiana</i> L. (<i>Diospyros mosieri</i> Small)	Persimmon	Perennial, dioecious tree	Apr.	s N. England, s to FL & e TX	Locally common in mucky areas, occasional in disturbed areas	NW, Hicora, Price
ERICACEAE [including Empetraceae, Monotropaceae, Pyrolaceae]						
<i>Bejaria racemosa</i> Ventenant	Tarflower	Perennial, evergreen shrub	May-Jun.	Coastal Plain, se GA to s peninsular FL	Ubiquitous, especially in scrubby flatwoods	All upland Tracts
<i>Ceratiola ericoides</i> Michx.	Florida Rosemary	Perennial, dioecious, evergreen shrub	Oct.-Nov.	Coastal Plain SC to FL & MS	Occasional in scrubby flatwoods & scrub, locally abundant on white sand balds	SE, SW, 6, 7, 18, 19, 30, 31, Hufty
<i>Gaylussacia dumosa</i> (J. Kenn.) Torr. & A. Gray (<i>Lasiococcus dumosus</i> (J. Kenn.) Small)	Dwarf Huckleberry	Perennial, deciduous shrub	Feb.-Mar.	Coastal Plain & other provinces. N. foundland to WV, s to FL & LA	Occasional in sandy areas of scrubby flatwoods & oak scrub	All upland Tracts
<i>Gaylussacia frondosa</i> (L.) Torr. & A. Gray ex Torr. var. <i>tomentosa</i> A. Gray (<i>Gaylussacia frondosa</i> var. <i>nana</i> (A. Gray)) (<i>Decachaena nana</i> (A. Gray) Small) (<i>Decachaena tomentosa</i> (A. Gray) Small) (<i>Gaylussacia nana</i> (A. Gray) Small) (<i>Gaylussacia tomentosa</i> (A. Gray) Small)	Dangleberry	Perennial shrub	Late Mar.	NH to OH, s to c FL, FL panhandle, s MS & LA	Rare, in bayheads & low flatwoods	NE, NW, 7, Hufty
<i>Lyonia ferruginea</i> (Walter) Nutt. (<i>Xolisma ferruginea</i> (Walter) A. Heller)	Rusty Lyonia	Perennial, evergreen shrub or tree	Feb.-Mar.	Coastal Plain, SC to s c peninsular FL, FL panhandle, West Indies, Mexico	Abundant, turkey oak sandhills, palmetto scrub & scrubby flatwoods	All upland Tracts
<i>Lyonia fruticosa</i> (Michx.) G. S. Torr. (<i>Xolisma fruticosa</i> (Michx.) Nash)	Costalplain Staggerbush	Perennial, evergreen, shrub	Feb.-Mar.	Coastal Plain, GA to s peninsular FL, FL panhandle, West Indies	Ubiquitous, palmetto & scrubby flatwoods	All Tracts except Harris & Watters
<i>Lyonia ligustrina</i> (L.) DC. var. <i>foliosiflora</i> (Michx.) Fernald. (<i>Arsenococcus frondosus</i> (Pursh) Small) (<i>Arsenococcus ligustrinus</i> (L.) Small, misapplied)	Maleberry	Perennial shrub	March-April	Co Pl, s VA to c pen. FL & e TX, OK, AR		
<i>Lyonia lucida</i> (Lam.) K. Koch	Fetterbush	Perennial, evergreen, shrub	Jan.-Mar.	Coastal Plain, se VA to c peninsular FL & LA; w Cuba	Common in scrubby flatwoods, flatwoods, palmetto scrub & wet ponds	All Tracts
<i>Monotropa uniflora</i> L.	Indianpipe	Perennial, root parasite	Nov.-Jan.	Newfoundland to FL, CA to WA	Very rare, scrubby flatwoods & oak scrub	NE, SW, 7, 18, 31

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
<i>Vaccinium corymbosum</i> L. (<i>Vaccinium amoenum</i> Aiton) (<i>Vaccinium arkansanum</i> Ashe) (<i>Vaccinium ashei</i> Reade) (<i>Vaccinium australe</i> Small) (<i>Vaccinium ellottii</i> Chapm.) (<i>Vaccinium fuscatum</i> Aiton) (<i>Vaccinium virgatum</i> Aiton) (<i>Cyanococcus amoenus</i> (Aiton) Small) (<i>Cyanococcus ellottii</i> (Chapm.) Small) (<i>Cyanococcus fuscatus</i> (Aiton) Small) (<i>Cyanococcus holophyllus</i> Small) (<i>Cyanococcus virgatus</i> (Aiton) Small)	Highbush Blueberry	Perennial, shrub	Feb.-Mar.	NJ to MI, AK & FL	Occasional & local in bayheads & wet ponds	NE,NW,SW, 7,18,19 Price
<i>Vaccinium darroviae</i> Camp	Darrow's Blueberry	Perennial, clonal, low shrub	Mar.	s GA to s c peninsular FL, w to s c TX	Common in seasonal ponds, flatwoods & scrubby flatwoods	All Tracts except Harris & Watters
<i>Vaccinium myrsinites</i> Lam. (<i>Cyanococcus myrsinites</i> (Lam.) Small)	Shiny Blueberry	Perennial, clonal, low shrub	Mar.	Coastal Plain, se SC, s GA to s peninsular, FL panhandle & s AL	Common in seasonal ponds, scrubby flatwoods, flatwoods & rosemary scrub	All Tracts except Harris & Watters
EUPHORBIACEAE						
<i>Acalypha gracilens</i> A. Gray	Slender Threeseed Mercury	Annual	Sep.-Oct.	Coastal Plain & Piedmont, MA to FL, w to TX	Rare, margin of undisturbed trail	NW
<i>Chamaesyce blodgettii</i> (Engelm. ex Hitchc.) Small (<i>Euphorbia blodgettii</i> Engelm ex. Hitchc.) (<i>Chamaesyce nashii</i> Small) (<i>Chamaesyce chiogenes</i> Small)	Spurge	Annual, perennial herb	Mar.-Oct.	s peninsular FL FL Keys, West Indies	Occasional along firelanes	SW
<i>Chamaesyce hirta</i> (L.) Millsp. (<i>Euphorbia hirta</i> L.)	Hairy Spurge	Annual herb	Jul.-Oct.	Coastal Plain, FL, Mex, to TX, West Indies	Common ruderal & garden weed	SE,SW,Huft,Main-grounds
<i>Chamaesyce hyssopifolia</i> (L.) Small (<i>Euphorbia maculata</i> L., misapplied) (<i>Euphorbia hyssopifolia</i> L.)	Hyssopleaf Sandmat	Annual	All year	US & s Canada, West Indies & Mexico, tropical & subtropical America	Common ruderal, garden & roadside weed	NE,SE,NW,SW,7, Maingrounds
<i>Chamaesyce maculata</i> (L.) Small (<i>Euphorbia supina</i> Raf.) (<i>Euphorbia maculata</i> L.) (<i>Chamaesyce tracyi</i> Small) (<i>Chamaesyce mathewsi</i> Small)	Spotted Spurge	Annual	Feb.-Sep.	US & s Canada	Common ruderal & garden weed	SE,SW,19
<i>Cnidoscolus stimulosus</i> (Michx.) Engelm. & A. Gray (<i>Bivonea stimulosa</i> (Michx) Raf.)	Tread Softly	Perennial, moneocious	Mar.-Nov.	Chiefly Coastal Plain, FL to LA, VA	Occasional in sandhills, rosemary scrub, scrubby flatwoods & sandy roads	All except Watters & Harris

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
<i>Croton glandulosus</i> (A.M. Ferguson) R.W. Long var. <i>glandulosus</i> L. (<i>Croton glandulosus</i> var. <i>angustifolius</i> Müll.Arg.) (<i>Croton glandulosus</i> var. <i>septentrionalis</i> Mull. Arg.) (<i>Croton glandulosus</i> var. <i>simpsonii</i> A.M. Ferguson) (<i>Croton arenicola</i> Small)	Simpson's Croton	Perennial, dioecious	May-Jul.	FL & FL Keys se US, Mexico West Indies, tropical	Common, margins of scrubby flatwoods & roadsides	NE,SE,NW,SW, 19, Hufty, Price
<i>Croton michauxii</i> G.L. Webster (<i>Crotonopsis linearis</i> Michx.)	Michaux's Croton	Annual	Aug.-Oct.	Coastal Plain SC to FL & TX	Occasional along firelanes, sandy roads & trails	NE,SE,NW,SW, 6,7,18,18E,19
<i>Euphorbia rosescens</i> E. L. Bridges & Orzell	Scrub Spurge	Perennial	Apr.-Jun.	ENDEMNIC Highlands Co.	Rare in rosemary scrub, scrubby flatwoods, roads	30, 31
<i>Euphorbia polyphylla</i> Engelm. ex Chapm. (<i>Tithymalopsis polyphylla</i> (Engelm. ex Chapm.) Small)	White-flowered Spurge	Perennial herb	Mar.-Oct.	ENDEMNIC to s FL	Locally common in low pine flatwoods	SW
<i>Phyllanthus tenellus</i> Roxb. (<i>Phyllanthus lathyroides</i> Kunth., misapplied)	Mascarene Island Leafflower	Annual	Mar.-Sep.	EXOTIC (Native to Africa & Mascarene Islands)	Very local weed in plaza area	SW
<i>Poinsettia heterophylla</i> (L.) Klotzsch & Garcke ex Klotzsch (<i>Euphorbia heterophylla</i> L.) (<i>Poinsettia geniculata</i> (Ortega) Klotzsch & Garcke ex Klotzsch)	Painted Leaf	Perennial, moneocious	Dec.-Apr.	FL to AK, WI, SD, tropical America	Rare, hedges & edges around plaza & cage area	SW, Hufty
<i>Ricinus communis</i> L.	Castorbean	Perennial, herb or subshrub	Oct.	EXOTIC (Native to Africa)	Local ruderal	SW,30
<i>Stillingia sylvatica</i> L. (<i>Stillingia sylvatica</i> subsp. <i>tenuis</i> (Small) D.J.Rodgers) (<i>Stillingia angustifolia</i> (Müll. Arg.) Engelm. ex S. Watson) (<i>Stillingia spathulata</i> (Müll. Arg.) Small) (<i>Stillingia tenuis</i> Small)	Queen's Delight	Perennial herb	Mar.	Coastal Plain FL to TX, MO & VA	Occasional in pine flatwoods	SW
<i>Tragia urens</i> L. (<i>Tragia linearifolia</i> Elliott)	Wavyleaf Noseburn	Perennial herb	Feb.-Oct.	Coastal Plain FL to TX, s VA	Common in disturbed sand in oak scrub	SE
FABACEAE						
<i>Abrus precatorius</i> L. (<i>Abrus abrus</i> (L.) W. Wight)	Rosary pea, Crab's Eye	Perennial, partly woody vine, twining	Sep.	EXOTIC (Native to Old World)	Common in main grounds & on Red Hill, rare in citrus groves, occasional in scrub	SE,SW, MacArthur

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
<i>Amorpha fruticosa</i> L. (<i>Amorpha bushii</i> Rydb.) (<i>Amorpha croceolanata</i> P. Watson) (<i>Amorpha curtissii</i> Rydb.) (<i>Amorpha dewinkelieri</i> Small) (<i>Amorpha fruticosa</i> var. <i>croceolanata</i> (P. Watson) Mouill) (<i>Amorpha virgata</i> Small)	Bastard Indigo	Perennial, shrub	Sep.-Oct.	ME to s Quebec to WY, s to s peninsular FL	Occasional, firelanes	31
<i>Apis americana</i> Medik. (<i>Glycine apios</i> L.)	Groundnut	Perennial, vine	Summer-Fall	FL to TX, MN		Watters
<i>Centrosema arenicola</i> (Small) F.J. Herm. (<i>Centrosema floridanum</i> (Britton) Lakela) (<i>Bradburya floridana</i> Britton) (<i>Bradburya arenicola</i> Small)	Pineland Butterfly-pea	Perennial, twining vine	Aug.-Sep.	ENDEMATIC to FL; Status: SE	Occasional, along sandy roads, twining on scrub	SE,SW
<i>Chamaecrista fasciculata</i> (Michx.) Greene (<i>Cassia fasciculata</i> var. <i>brachiata</i> (Pollard) Pullen ex Isely) (<i>Cassia fasciculata</i> var. <i>puberula</i> (Greene) J.F. Macbr.) (<i>Cassia fasciculata</i> var. <i>robusta</i> (Pollard) J.F. Macbr.) (<i>Chamaecrista robusta</i> (Pollard) A. Heller) (<i>Chamaecrista littoralis</i> Pollard) (<i>Chamaecrista depressa</i> (Pollard) Greene) (<i>Chamaecrista deeringiana</i> Small & Pennell) (<i>Chamaecrista brachiata</i> Pollard) (<i>Cassia fasciculata</i> Michx.) (<i>Cassia deeringiana</i> (Small & Pennell) J.F. Macbr.) (<i>Cassia chamaecrista</i> L.) (<i>Cassia brachiata</i> (Pollard) J.F. Macbr.)	Partridge Pea	Annual, herb (in Maryland)	Jun.-Sep.	FL to TX, MN to MA	Common along sandy roadways, abandoned pastures, oak scrub & scrubby flatwoods	All upland Tracts
<i>Chamaecrista nictitans</i> (Muhl. ex Elliott) H.S. Irwin & Barneby* (<i>Cassia nictitans</i> L.)	Wild Sensitive Plant	Perennial herb	May-Sep.	Coastal Plain FL, GA, SC	Occasional along primitive roads & firelanes	SW, SE, 7, Hufty
<i>Chapmannia floridana</i> Torr. & A. Gray	Florida Alicia	Perennial, herb, colonizes open areas	May-Sep.	ENDEMATIC to peninsular FL	Common along sandy firelanes & roadsides, occasional in scrubby flatwoods	All Tracts

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
<i>Clitoria fragrans</i> Small (<i>Martiusia fragrans</i> (Small) Small)	Pigeonwings	Perennial herb, fire-stimulated growth & flowering	May-Jun.	ENDEMIC to c Ridge in Highlands, Orange, & Polk cos., FL; Status: SE, FE	Rare in oak scrub & sandhills on yellow sand	SE,18E,19E, Hufty, MacArthur
<i>Crotalaria lanceolata</i> E. Mey.	Lanceleaf Rattlebox	Annual herb	Sep.-Oct.	EXOTIC (Native to Africa)	Rare, disturbed scrub	19
<i>Crotalaria pallida</i> Aiton var. <i>obovata</i> (G. Don) Polhill (<i>Crotalaria mucronata</i> Desv., misapplied) (<i>Crotalaria striata</i> DC., misapplied)	Smooth Rattlebox	Perennial subshrub, herb	Jan.-Oct.	EXOTIC (Native to Africa)	Common in citrus grove & disturbed sandy soils	SE
<i>Crotalaria rotundifolia</i> J.F.Gmel. (<i>Crotalaria maritima</i> var. <i>linaria</i> (Small) H. Senn) (<i>Crotalaria rotundifolia</i> var. <i>vulgaris</i> Windler) (<i>Crotalaria maritima</i> Chapm.) (<i>Crotalaria linaria</i> Small) (<i>Crotalaria angulata</i> Mill., misapplied)	Rattlebox	Perennial herb	Jan.-Oct.	Coastal Plain, FL to LA & VA	Common in palmetto-wire grass flatwoods, scrubby flatwoods & oak scrub	NW,SW,NE,SE, 7,18,19,30,31, Hufty
<i>Crotalaria spectabilis</i> Roth (<i>Crotalaria retzii</i> Hitchc.)	Showy Rattlebox	Annual, taproot	All year	EXOTIC (Native to Old World tropics)	Locally common, roadsides & disturbed sandy soil	SE, 7,31
<i>Dalea feayi</i> (Chapm) Barneby (<i>Petalostemon feayi</i> Chapm)	Feay's Prairieclover	Perennial subshrub, herb	Jul.-Sep.	Coastal Plain, c peninsular FL & s GA	Common in scrubby flatwoods, sandhills & turkey oak sandhills	SE,SW, 6,7,18, 19,30,31, Hufty, MacArthur
<i>Desmodium floridanum</i> Chapm. (<i>Meibomia rhombifolia</i> (Elliott) Vail, misapplied)	Beggarweed	Perennial herb	Mar.-Sep.	Coastal Plain & adjacent provinces & FL & GA	Rare, low flatwoods & sandhills	7, 19
<i>Desmodium incanum</i> DC (<i>Desmodium canum</i> Schinz & Thell.) (<i>Meibomia cana</i> S. F. Blake)	Common Tick-trefoil	Perennial subshrub/shrub	Mar.-May	s FL, weed throughout warm regions	Occasional disturbed sandy areas	SW, Hufty
<i>Desmodium tortuosum</i> (Swartz) DC (<i>Meibomia purpurea</i> (Mill.) Vail)	Florida Beggarweed	Annual, ruderal	Mar.-Aug.	Coastal Plain, FL & GA	Common, roadside & waste places	SE,SW
<i>Desmodium triflorum</i> (L.) DC (<i>Sagotia triflora</i> (L.) Duchass. & Walp.)	Tickclover	Perennial herb	Sep.-Oct.	EXOTIC (Native to Old World)	Occasional in low flatwoods	SW
<i>Desmodium viridiflorum</i> (L.) DC (<i>Meibomia viridiflora</i> (L.) Kuntze.)	Velvetleaf Ticktrefoil	Perennial subshrub, shrub, herb	Summer-fall	Coastal Plain, FL w to TX & n to NY		

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
<i>Erythrina herbacea</i> L. (<i>Erythrina arborea</i> (Chapm.) Small)	Coralbean, Cherokee Bean	Tree, subshrub, shrub	Feb.-Mar.	Coastal Plain NC to FL & TX	Planted along drive & in main grounds, sparingly escaping	SE,SW
<i>Galactia elliottii</i> Nutt.	Elliott's Milkpea	Perennial, vine, fire-stimulated growth & flowering	Jun.-Jul.	Coastal Plain & provinces NC to TN, FL	Common along sandy trails & in scrub, scrubby flatwoods & turkey oak sandhills	SE,SW,7,18, 30, 31, Hufty, Price, MacArthur
<i>Galactia regularis</i> (L.) Britton et al. (<i>Galactia fasciculata</i> Vail) (<i>Galactia floridana</i> Torr. & A. Gray) (<i>Galactia microphylla</i> (Chapm.) D. W. Hall & D. B. Ward ex Isely) (<i>Galactia minor</i> W. H. Duncan) (<i>Galactia pinetorum</i> Small) (<i>Galactia prostrata</i> Small) (<i>Galactia smallii</i> H. J. Rogers ex A. Herndon)	Eastern Milkpea	Perennial, prostrate or climbing, fire-stimulated growth & flowering	Aug.-Sep.	Coastal Plain NY to FL, LA & TN, West Indies	Common climber in oak scrub & turkey oak sandhills	SE,SW, Hufty, 7,18,19,30,31, MacArthur
<i>Indigofera caroliniana</i> Mill.	Carolina Indigo	Perennial, shrubby, branches from base	Jun.	Coastal Plain FL, LA, NC	Occasional, roadsides & ditch banks	SW, 19
<i>Lupinus diffusus</i> Nuttall (<i>Lupinus cumulicola</i> Small)	Skyblue Lupine	Perennial	Jan.-Mar.	Coastal Plain NC to FL & MS	Common in turkey oak sandhills, oak scrub & sandhills	SE, 19,30
<i>Macroptilium atropurpureum</i> (Mocino & Sessé ex DC.) Urb.	Purple Bushbean	Perennial herb/vine	Aug.-Sep.	EXOTIC (Native to tropical America)	Rare in disturbed areas	SE
<i>Mimosa quadrivalvis</i> var. <i>angustata</i> (Torrey & A. Gray) Barneby (<i>Leptoglottis angustisiliqua</i> Britton & Rose) (<i>Leptoglottis chapmanii</i> Small ex Britton & Rose) (<i>Leptoglottis microphylla</i> (Dryand. ex Sm.) Britton & Rose) (<i>Schranksia uncinata</i> Willd.) (<i>Schranksia microphylla</i> (Dryand. ex Sm.) J.F. Macbr.)	Sensitive Briar	Perennial, subwoody vine	Feb.-Jun.	Coastal Plain VA to FL & TX	Occasional, climbing on <i>Quercus myrtifolia</i> in scrubby flatwoods	31,7, Watters

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
<i>Mimosa quadrivalvis</i> var. <i>floridana</i> (Chapm.) Barneby (<i>Schrankia microphylla</i> var. <i>floridana</i> (Chapm.) Isley) (<i>Leptoglossis floridana</i> (Chapm.) Small ex Britton & Rose) (<i>Schrankia uncinata</i> Willd., misapplied)	Florida Sensitive Briar	Perennial, subwoody vine	Feb.-Apr.	ENDEMIC to FL	Occasional to abundant in oak scrub, scrubby flatwoods & low flatwoods	All upland Tracts
<i>Rhynchosia cinerea</i> Nash	Brownhair Snoutbean	Perennial, herbaceous vine	Feb.-Mar.	ENDEMIC to peninsular FL & Keys	Occasional in oak scrub	SE,SW,18E, 19E, Hufty, MacArthur
<i>Rhynchosia minima</i> (L.) DC. (<i>Dolicholus minimus</i> (L.) Medik)	Least Snoutbean, Dollar Leaf	Perennial, herbaceous vine	Sep.-Oct.	Coastal Plain SC to FL & TX	Occasional along fence line, twining on palmetto	18E
<i>Tephrosia chrysophylla</i> Pursh (<i>Cracca carpenteri</i> Rydb.) (<i>Cracca chapanii</i> (Vail) Small)(<i>Cracca chrysophylla</i> (Pursh) Kuntze)	Scurf Hoarypea	Perennial, herb woody root	Mar.-Apr.	Coastal Plain GA to FL & MS	Occasional in scrubby flatwoods & low flatwoods	SE,SW, 7,18
<i>Vicia acutifolia</i> Ell.	Sand Vetch	Perennial, trailing or climbing herb	Feb.-Mar.	Coastal Plain GA to AL & FL	Common, margins of drains	SW
<i>Vigna luteola</i> (Jacq.) Benth. (<i>Vigna marina</i> (Burm. f.) Merr., misapplied) (<i>Vigna repens</i> (L.) Kuntze)	Hairypob Cowpea	Perennial, herbaceous vine	Jan.-Apr.	Coastal Plain NC to FL & TX, West Indies, pantropical	Occasional, margins of drains	SW,6, Hufty
FAGACEAE						
<i>Quercus chapmanii</i> Sarg.	Chapman's Oak	Perennial, shrub or tree, monoecious, clonal	Apr.-May	Coastal Plain, SC to FL	Common in turkey oak sandhills, oak scrub & scrubby flatwoods	NE,SE,NW,SW, 6,7,18,18E,19, 19E,30,31, Hufty, Price, MacArthur
<i>Quercus geminata</i> Small (<i>Quercus virginiana</i> var. <i>geminata</i> (Small) Sarg.)	Sand Live Oak	Perennial, shrub or tree, monoecious, clonal	Apr.	Coastal Plain, NC to FL & MS	Abundant in scrubby flatwoods & oak scrub, common in turkey oak sandhills	All except Harris
<i>Quercus incana</i> Bartr. (<i>Quercus cinerea</i> Michx.)	Bluejack Oak	Perennial, shrub or tree, monoecious	Spring	Coastal Plain, NC to FL & TX, c TX	Rare in turkey oak sandhills	SE
<i>Quercus inopina</i> Ashe	Scrub Oak	Perennial, shrub or tree, monoecious, clonal	Apr.	peninsular FL, mainly Lake Wales Ridge	Dominant in scrubby flatwoods, locally abundant in open oak scrub	All except Price, Harris, Watters

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
<i>Quercus laevis</i> Walter	Turkey Oak	Perennial, shrub or tree, monoecious	Jan.-Mar.	Chiefly Coastal Plain, VA to FL & LA	Common in turkey oak sandhills, occasionally in flatwoods & oak scrub	SE,SW,6,7,18, 18E,19,19E,30, MacArthur
<i>Quercus laurifolia</i> Michx. (<i>Quercus hemisphaerica</i> W. Bartr. ex Willd.) (<i>Quercus obtusa</i> Ashe.)	Laurel Oak	Perennial, tree, monoecious	Jan.-Mar.	s NJ to s peninsular FL, w to se TX	Rare in low flatwoods	NE,NW,SW, Watters
<i>Quercus minima</i> (Sarg.) Small	Dwarf Live Oak	Perennial, shrub, monoecious, clonal	Apr.	Coastal Plain, NC to FL & MS	Common in scrubby flatwoods & flatwoods, particularly after burn	SE,NW,SW, 7,18, 19,30,31, MacArthur
<i>Quercus myrtifolia</i> Willd.	Myrtle Oak	Perennial, shrub or tree, monoecious, clonal	Spring	SC to FL & MS	Common in sandhills & oak scrub, frequent in scrubby flatwoods & sandhill	All except Watters & Harris
<i>Quercus virginiana</i> Mill.	Live Oak	Perennial, tree, monoecious	Mar.-Apr.	Outer Coastal Plain, se VA to GA & FL, w to e & s	Rare in bayheads, planted in main grounds area	NW,SW,Huft, Price, Watters
GELSEMIACEAE						
<i>Gelsemium sempervirens</i> (L.) W.T.Aiton	Carolina Jessamine	Perennial, woody evergreen vine	Jan.-Mar.	Coastal Plain & Piedmont, VA & FL, w to e TX & AK	Common climber in flatwoods, bayheads, edges of oak scrub, main grounds & fences	NE,SE,NW,SW, Price
GENTIANACEAE						
<i>Bartonia verna</i> (Michx) Raf. ex Barton	Bartonia	Annual or biennial	Nov.-Apr.	Coastal Plain, NC to s FL, w to se TX	Rare, margin of wet prairies & seasonal ponds	7,31
<i>Sabatia brevifolia</i> Raf. (<i>Sabatia elliottii</i> Steud.)	Marsh-pinks	Annual	Aug.-Nov.	Coastal Plain, SC, s to FL, s AL	Occasional, prairies, low pine flatwoods & oak scrub	7,18,31
<i>Sabatia difformis</i> (L.) Druce (<i>Sabatia paniculata</i> (Michx.) Pursh)	White Sabatia	Perennial, rhizomatous	Sep.-Oct.	Coastal Plain, s NJ to peninsular FL & panhandle,	Occasional in swales	18
<i>Sabatia grandiflora</i> (A. Gray) Small	Large-flowered Marsh-pink	Annual	Mar.-Nov.	peninsular FL, FL panhandle, se AL, Cuba	Occasional, margins of seasonal ponds & low pine flatwoods	SW, 7,31
<i>Sabatia stellaris</i> Pursh	Rose-of-Plymouth	Annual	Oct.-Nov.	s MA, on coast to most of coastal FL, w to LA; Bahamas, w Cuba, c Mexico	Locally common in seasonal ponds	31

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
HALORAGACEAE						
<i>Myriophyllum laxum</i> Shuttlew. ex Chapm.	Green Parrot's-feather	Perennial herb	spring-fall	FL, s GA, s AL	Abundant in Lake Annie	Hufty
<i>Myriophyllum pinnatum</i> (Walter) Britton et al.	Cutleaf Watermilfoil	Perennial polygamomonoecious submersed aquatic	Jun.-Oct.	MA to KS, FL & TX, West Indies	Abundant in Lake Annie	Hufty
ITEACEAE						
<i>Itea virginica</i> L.	Virginia Willow	Perennial, shrub	Mar.-Apr.	s NJ & PA, s to peninsular FL & e TX, n to OK, AK, TN, KY, IL, & MO	Occasional in bayheads, along lakeshores, margins of seasonal ponds, Price Tr.	SW,NE, Hufty, Price
JUGLANDACEAE						
<i>Carya floridana</i> Sarg. (<i>Hicoria floridana</i> (Sarg.) Sudw.)	Scrub Hickory	Perennial, tree, monoecious	Mar.-Apr.	ENDEMIC to peninsular FL	Common in turkey oak sandhills, oak scrub & on yellow sand ridges	NE,SE,NW,SW, 6,7,18,18E,19, 19E,30,Hufty, Price, MacArthur
LAMIACEAE						
<i>Calamintha ashei</i> (Weatherby) Shinners (<i>Clinopodium ashei</i> (Weath.) Small)	Ashe's Savory	Perennial, shrub, stoloniferous	Jan.-Apr.	ENDEMIC to Lake Wales Ridge, Marion Co. to Highlands Co. FL; Status: ST, C	Locally common in hickory & oak scrub	SE, 7, 30, 31, MacArthur
<i>Callicarpa americana</i> L.	Beauty Berry	Perennial, shrub	Apr.-May	MD to FL, TX, OK, Mexico, West Indies	Edges of lawns, roads & trails	SE, SW, Hufty
<i>Dicerandra frutescens</i> Shinners subsp. <i>frutescens</i>	Scrub Balm, Lake Placid Scrub Mint	Perennial, subshrub	Aug.-Sep.	ENDEMIC to s LWR, Lake Placid, Highlands Co., FL;	Occasional in scrub & sandhills, locally abundant in some abandoned firelanes	NE, SE, 18, 18E, 19, 19E, MacArthur
<i>Hyptis alata</i> (Raf.) Shinners (<i>Hyptis alata</i> var. <i>stenophylla</i> Shinners) (<i>Hyptis radiata</i> Willd.)	Musky Mint	Perennial herb	Sep.-Oct.	Coastal Plain, NC to s peninsular FL & se TX, West Indies	Occasional in seasonal ponds & swales	19, 31
<i>Hyptis mutabilis</i> (A. Richard) Briquet	Bitter Mint	Perennial herb	All year	EXOTIC (Native to tropical America): FL, sw GA, s	Locally common along fence rows	SW, NW

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
<i>Piloblephis rigida</i> (Bartr. ex Benth.) Raf. (<i>Pycnothymus rigidus</i> (W. Bartram ex Benth.) Small) (<i>Satureja rigida</i> Bartr. ex Benth.)	Wild Pennyroyal	Shrub	All Year	ENDEMIC to peninsular FL	Common but local in palmetto-wire grass flatwoods	SW, 18, 19, 30, 31
<i>Salvia coccinea</i> Buc'hoz ex Etl.	Tropical Sage	Annual	All Year	FL to TX, MO, Mexico, West Indies, tropical America	Common in old garden area, near cottages	SW
<i>Salvia lyrata</i> L.	Lyreleaf Sage	Annual or perennial	Spring/Fall	SC, GA, FL, AL, MI		Lake Annie, Main Drive
<i>Salvia occidentalis</i> Sw.	West Indian Sage	Annual, perennial herb	Spring/Fall	Central and northern peninsula		
<i>Stachys floridana</i> Shuttlew. ex Benth.	Florida Hedgenettle	Perennial, rhizomatous	Mar.-Apr.	Chiefly Coastal Plain, se VA to s FL, e TX	Scrubby borders & thickets, often ruderal	SW, Harris
<i>Trichostema dichotomum</i> L. (<i>Trichostema suffrutescens</i> Kearney)	Forked Bluecurls	Annual or weak perennial	Apr.-Oct.	VA & MO, FL & TX	Common in scrubby flatwoods & rosemary scrub	NE,SE, NW, SW, 6, 7, 18, 18E, 19, 30, 31, Hufty, Price, MacArthur
LAURACEAE						
<i>Cassytha filiformis</i> L.	Love Vine	Perennial, parasitic vine	Nov.	ENDEMIC to s FL	Rare on Quercus myrtifolia	SE, 18, Price
<i>Cinnamomum camphora</i> (L.) J. Presl. (<i>Camphora camphora</i> (L.) Karst.)	Camphortree	Tree	Spring	EXOTIC (Native to Asia): FL	Introduced & sparingly escaping into bayheads	NW, SW, 18
<i>Persea borbonia</i> (L.) Spreng. var. <i>borbonia</i> (L.) Spreng. (<i>Tamala borbonia</i> (L.) Raf.) (<i>Tamala littoralis</i> (Small) Small) (<i>Persea littoralis</i> Small)	Red Bay	Perennial, evergreen, tree or shrub	Feb.-Mar.	VA to FL & TX	Common in bayheads, occasional along margins of seasonal ponds	NE, NW, SW, 7, 18, 19, Hufty, Price
<i>Persea borbonia</i> (L.) Spreng. var. <i>humilis</i> (Nash) L.E. Kopp* (<i>Persea humilis</i> Nash) (<i>Tamala humilis</i> (Nash) Small)	Silk Bay	Perennial, evergreen, small tree or shrub	Apr.-May	ENDEMIC to FL	Common in turkey oak sandhills, oak scrub & scrubby flatwoods	All Tracts except Harris, Watters
<i>Persea palustris</i> (Raf.) Sarg. (<i>Persea borbonia</i> var. <i>pubescens</i> (Pursh) Little) (<i>Tamala pubescens</i> (Pursh) Small)	Swamp bay	Perennial, evergreen, tree or shrub	Mar.-Apr.	Coastal Plain, VA to s FL to se TX	Common in bayheads	NW, NE, SW, 7, Hufty, Watters
LENTIBULARIACEAE						
<i>Pinguicula caerulea</i> Walter	Blueflower Butterwort	Perennial, hydrophyte	Mar.	Coastal Plain, se NC to Lake Okeechobee, FL panhandle; Status: ST	Rare, swales	18, 19

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
<i>Pinguicula lutea</i> Walter	Yellow Butterwort	Perennial, hydrophyte	Jan.-Apr.	Coastal Plain, se NC to Lake Okeechobee, w to LA;	Rare, mucky border of trails, in low pine flatwoods & swales	7,18,19,Lake Annie
<i>Pinguicula pumila</i> Michx.	Pink Butterwort	Annual or perennial, hygrophyte	Oct.-Mar.	Coastal Plain, se NC to s FL to se TX, Bahamas	Locally common, low borders of palmetto-wire grass flatwoods	7,18,19
<i>Utricularia cornuta</i> Michx. (<i>Stomosisia cornuta</i> (Michx.) Raf.)	Horned Bladderwort	Annual or perennial, hydrophyte	Nov.-Mar.	Newfoundland to Quebec, Ontario to Manitoba, s to	Occasional, margins of seasonal ponds	31, Price
<i>Utricularia floridana</i> Nash	Florida Yellow Bladderwort	Perennial, hydrophyte		Coastal Plain, SC to c FL, FL panhandle & sw GA	Abundant submergent, found throughout Lake Annie	Huft,Lake Annie
<i>Utricularia gibba</i> L. (<i>Utricularia biflora</i> Lam.) (<i>Utricularia pumila</i> Walter, misapplied) (<i>Utricularia fibrosa</i> Walter)	Two-flowered Bladderwort	Annual or perennial, free-floating aquatic	Feb.-Mar.	Chiefly Coastal Plain, s N. England to s FL, se TX & e OK	Locally abundant in drainage ditches	SW, Harris
<i>Utricularia olivacea</i> Wright ex Griseb. (<i>Biovularia olivacea</i> (C. Wright ex Griseb.) Kamienski)	Piedmont Bladderwort	Annual or perennial hydrophyte		Coastal Plain, NJ to FL, West Indies, S. America	Occasional but rarely observed in seasonal ponds	7
<i>Utricularia purpurea</i> Walter (<i>Vesiculina purpurea</i> (Walter) Raf.)	Eastern Purple Bladderwort	Annual or perennial free aquatic	Nov.-Apr.	ne N. America, s on Coastal Plain to s FL, se TX,	Occasional in shallow water of seasonal ponds	7, Hufty, Lake Annie
<i>Utricularia subulata</i> L. (<i>Setiscapella cleistogama</i> (A. Gray) Barnhart) (<i>Setiscapella subulata</i> (L.) Barnhart)	Tiny Bladderwort	Annual or perennial, hydrophyte, cleistogamous	All year	Nova Scotia, se MA to s FL, TX & AK, TN, West Indies, tropical America & Asia	Locally abundant, low wet ground, especially low firelanes	NE,NW,SW, 6,7,18, 19, 30, 31, Hufty, Price
LYTHRACEAE						
<i>Ammannia latifolia</i> L. (<i>Ammannia teres</i> Raf.) (<i>Ammannia koehnei</i> Britt.)	Toothcups	Annual	Dec.-Jan.	Coastal Plain NJ to s FL, w to se TX, tropical America, West Indies	Rare, drainage ditch	SW
<i>Cuphea carthagenensis</i> (Jacq.) J.F. Macbr. (<i>Parsonsia balsamona</i> (Cham. & Schldl.) Standl.)	Columbian waxweed	Annual, perennial herb	Summer-Fall	EXOTIC (Native to S. America)		
MAGNOLIACEAE						
<i>Magnolia virginiana</i> L.	Sweetbay	Perennial, shrub or tree	Apr.	Coastal Plain, MA to TN, FL & e TX	Occasional in bayheads & low flatwoods	SW,NE,7,18,19,30, Hufty, Price, Watters

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
MALVACEAE [including Sterculiaceae, Tiliaceae, Byttneriaceae]						
<i>Malvastrum coromandelianum</i> (L.) Garcke	Threelobe False Mallow	Perennial, weedy	Mar.-Sep.	EXOTIC (Pantropical)	Rare on berm	Price
<i>Sida acuta</i> Burm. f. (<i>Sida carpinifolia</i> L. f.)	Broomweed	Annual or short-lived perennial, herbaceous or suffrutescent	All year	se US to Mexico, CA, West Indies, S. America, Old	Common, main grounds & roadsides	NE,SE,NW,SW, Hufty
<i>Sida cordifolia</i> L.	Sida	Annual, Perennial shrub, subshrub, herb	All year	EXOTIC (native to East Indies)	Common weed of disturbed areas & lakeshores	SW, Hufty, Price
<i>Urena lobata</i> L.	Caesarweed	Perennial, sub-woody herb	All year	ne to s FL, & throughout tropical & subtropical areas	Rare, edge of dredge cut, common, shady areas under trees of main grounds	NE,NW,SW, 18, Hufty
MELASTOMATACEAE						
<i>Rhexia cubensis</i> Griseb.	West Indian Meadowbeauty	Perennial, rhizomatous	Apr.-Nov.	Coastal Plain NC to s FL, w to MS, West Indies	Occasional, low mucky areas	7,18,19,30,31
<i>Rhexia mariana</i> L. (<i>Rhexia lanceolata</i> Walter) (<i>Rhexia mariana</i> var. <i>exalbida</i> Michx.)	Pale Meadowbeauty	Perennial, rhizomatous	Apr.-Nov.	MA to VA, KY, IL, s to s FL & se OK, & e TX	Common, margins of seasonal ponds, wet prairies & low mucky areas	NE,NW,SW,7,18,19, 31, Hufty, Price, Watters, MacArthur
<i>Rhexia nuttallii</i> James	Nuttall's Meadowbeauty	Perennial	Mar.-Nov.	Coastal Plain, se GA & FL	Common in low pinelands & swales	7,18,19,30,31
MELIACEAE						
<i>Melia azedarach</i> L.	Chinaberrytree	Perennial, tree	Apr.	EXOTIC (Native to Asia): commonly cultivated	Rare, fence rows	Price
MENYANTHACEAE						
<i>Nymphoides aquatica</i> (J.F. Gmel.) Kuntze	Big Floatingheart	Perennial, helophyte	Mar.-Apr.	Coastal Plain, s NJ to FL & e TX	Abundant in shallow water near lakeshores	Huft, Price
MOLLUGINACEAE						
<i>Mollugo verticillata</i> L.	Indian Chickweed	Annual	Feb.-Mar.	EXOTIC (Native to tropical America)	Common garden weed	SE, SW

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
MORACEAE						
<i>Ficus aurea</i> Nutt.	Strangler Fig	Perennial, germinates on host, grows as epiphyte or strangler	Spring-Fall	s c peninsular FL, FL Keys, Bahamas, Cuba, Jamaica, Hispaniola, Cayman Islands	Occasional epiphyte on oak & gum	Price
MYRICACEAE						
<i>Myrica cerifera</i> L. (<i>Myrica cerifera</i> var. <i>pumila</i> Michx.) (<i>Cerothamnus carolinensis</i> (Mill). Tidestr.<not in Wunderlan 2003>) (<i>Cerothamnus ceriferus</i> (L.) Small) (<i>Cerothamnus pumilus</i> (Michx.) Small) (<i>Morella cerifera</i> (L) Small) (<i>Myrica pusilla</i> Raf.)	Wax Myrtle, Bayberry	Perennial, evergreen shrub or small tree, monoecious or dioecious	Feb.-Mar.	Coastal Plain, s NJ to s FL, w to e TX, se OK, AR, West Indies	Common in bayheads, flatwoods, moist ditch borders	NE,SE,NW,SW, 6,7,18,18E,19, 19E,30,31, Price, MacArthur, Hufty
MYRSINACEAE						
<i>Rapanea punctata</i> (Lam.) Lundell (<i>Rapanea guianensis</i> Aubl., misapplied) (<i>Myrsine floridana</i> A. DC.) (<i>Myrsine guianensis</i> (Aubl.) Kuntze, misapplied)	Myrsine	Perennial, evergreen shrub or tree	Aug.-Dec.	c peninsular to s FL & FL Keys, tropical America	Common around dug pond, behind berm	Price
MYRTACEAE						
<i>Eugenia uniflora</i> L.	Surinam cherry	Tree, shrub	All year	EXOTIC (Native to S. America): s & s-c FL	Disturbed hammocks	Wash house-MG
<i>Melaleuca quinquenervia</i> (Cav.) S. T. Blake	Punk Tree	Perennial, tree	All Year	EXOTIC (Native to Australia): s FL & warm regions, New Guinea & New Caledonia		Price, Harris
<i>Rhodomyrtus tomentosa</i> (Ait.) Hassk.	Rose Myrtle	Perennial, shrub	Spring	EXOTIC (Native to East Asia & Australia)	EXOTIC, formerly common on berm, ditch bank, edge of borrow pit	Price
NYCTAGINACEAE						
<i>Boerhavia diffusa</i> L. (<i>Boerhavia coccinea</i> Mill.)	Red Spiderling	Perennial	All year	Warm temperate & pantropical	Abundant garden weed	SW
<i>Boerhavia erecta</i> L.	Erect Spiderling	Annual	All year	s US, West Indies, C. & S. America	Occasional weed along plaza margins	SW

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
<i>Mirabilis jalapa</i> L.	Four-O'Clock	Perennial shrub, subshrub, herb	Jul.-Sep.	EXOTIC (Native to S. America): Warm temperate & tropical regions	Rare & local weed around buildings	SE,SW
NYMPHAEACEAE						
<i>Nuphar advena</i> subsp. <i>advena</i> (Aiton) W.T. Aiton (<i>Nuphar lutea</i> (L.) Sm. subsp. <i>advena</i> (Sol.) Kartesz & Gandhi (<i>Nuphar lutea</i> subsp. <i>macrophyllum</i> (Small) E.O. Beal) (<i>Nymphaea chartacea</i> G.S. Mill & Standl.) (<i>Nymphaea fluviatilis</i> R.M. Harper) (<i>Nymphaea macrophylla</i> Small)	Spatterdock	Perennial, aquatic or paludal	Mar.-Apr.	FL to TX, MA, MN	Common in Lake Annie & Lake Placid, abundant in borrow pit, Price Tr.	18, Hufty, Price
OLACACEAE						
<i>Ximenia americana</i> L.	Tallowood, Hog Plum	Perennial, shrub or small tree, frost-sensitive, root parasite	All year	Widespread in tropics & subtropics	Occasional in all but wet habitats	All except Harris, Watters
OLEACEAE						
<i>Jasminum dichotomum</i> Vahl	Gold Coast Jasmine	Perennial, sprawling vine	All Year	EXOTIC (Native w Africa): s FL		Cottage 4 MG
<i>Jasminum fluminense</i> Vellozo	Brazilian Jasmine	Perennial, sprawling vine	All Year	EXOTIC (Native to Brazil)		Roadside, top of Red Hill
<i>Osmanthus americanus</i> (L.) Benth. & Hook. f. ex A. Gray (<i>Amarolea americana</i> (L.) Small)	Wild Olive	Perennial, polygamous tree	Feb.-Mar.	Coastal Plain, se VA to FL, w to LA	Occasional in oak scrub	Price
<i>Osmanthus megacarpus</i> (Small) Small ex Little (<i>Amarolea megacarpa</i> (Small))	Scrub Olive	Perennial, polygamous shrub or tree	Feb.-Mar.	ENDEMICH to c peninsular FL	Rare in oak scrub, rosemary scrub	NE, SE, 19, 30, 31, Hufty. Type Locality is near Lake Annie
ONAGRACEAE						
<i>Gaura angustifolia</i> Michx. (<i>Gaura eatonii</i> Small) (<i>Gaura simulans</i> Small)	Southern Gaura	Annual herb	May-Aug.	Coastal Plain NC to FL	Common along firelanes & sandy trails	SW, Hufty
<i>Ludwigia erecta</i> (L.) Hara (<i>Jussiaea erecta</i> L.)	Yerba de Jicotea	Annual, hygrophyte	Spring-fall	peninsular & ne FL, tropical America, Old World tropics	Growing along lakeshore	Price
<i>Ludwigia lanceolata</i> Ell.	Lance-leaf Primrose Willow	Perennial, helophyte	Oct.-Dec.	Coastal Plain, FL to NC	Occasional in dredge cut	18

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
<i>Ludwigia leptocarpa</i> (Nutt.) Hara (<i>Jussiaea leptocarpa</i> Nutt.)	Anglestem Primrose Willow	Annual	All year	Coastal Plain, NC to c peninsular FL, w TX, se MO	Occasional in shallow water at pond's edge	Price
<i>Ludwigia linearis</i> Walter	Narrow-leaf Primrose Willow	Perennial, hydrophyte	Aug.-Sep.	Chiefly Coastal Plain, s NJ to n FL, w to se TX, AK, TN, c FL	Rare in swales	31
<i>Ludwigia maritima</i> R.M.Harper	Seaside Primrose Willow	Perennial, hydrophyte	Nov.-Apr.	Coastal Plain, NC to s peninsular FL, n to e LA	Locally common along margins of palmetto scrub	7,30, 18-rare
<i>Ludwigia microcarpa</i> Michx.	Small-fruit Primrose Willow	Perennial		Chiefly Coastal Plain, NC to s FL, w to LA, c TN,	Abundant, sides of firelanes in wet sand	7
<i>Ludwigia octovalvis</i> (Jacq.) Raven (<i>Jussiaea angustifolia</i> Lam.) (<i>Jussiaea scabra</i> Willd. misapplied)	Mexican Primrose Willow	Annual or perennial subshrub	Nov.-Apr.	Coastal Plain, se NC to s FL, w to e TX, pantropical	Rare along wet, mucky roads	7,18,19 Price
<i>Ludwigia palustris</i> (L.) Ell. (<i>Isnardia palustris</i> L.)	Marsh Seedbox	Perennial, hydrophyte	Spring-Fall	c peninsular FL & throughout temperate N. America, Eurasia, Africa	Drainage ditch near plaza	SW
<i>Ludwigia peruviana</i> (L.) Hara (<i>Jussiaea peruviana</i> L.)	Primrose Willow	Perennial, hygrophyte, woody base, subshrub	Mar.-Nov.	c peninsular & s FL, FL & s GA, tropical America	Common along few drainage ditches & in Lake Annie	SW, Hufty, Price, Watters, Harris
<i>Ludwigia repens</i> Forst. (<i>Isnardia intermedia</i> Small & Alex. Ex Small) (<i>Isnardia repens</i> DC.)	Water Primrose	Perennial, free-floating or submerged aquatic herb to subshrub	Sep.	Coastal Plain, NC to FL, w to NM, n to OK, MO, TN, CA, s to Mexico, West Indies	Occasional in drainage ditches	NW,SW
<i>Ludwigia sphaerocarpa</i> Ell.	Globe-fruit Seedbox	Perennial, hydrophyte	May-Sep.	Coastal Plain, MA to s c peninsular FL, to e TX, IN & s MI	Occasional in swamps, low flatwoods, & lower end of swamps	SW, Price
<i>Ludwigia suffruticosa</i> Walter	Shrubby Primrose Willow	Perennial, rhizomatous, clonal	Apr.-May	Coastal Plain, NC to s FL, & s MS	Occasional in low scrubby flatwoods & along lakeshore	SW, Price
<i>Oenothera laciniata</i> Hill (<i>Raimannia laciniata</i> (Hill) Rose ex ex Britton & A. Br.)	Evening Primrose	Biennial, cut-leaved	May	VT to SD, s to FL & TX, West Indies, Mexico	Very rare, along undisturbed lane	NW

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
OROBANCHACEAE						
<i>Agalinis fasciculata</i> (Ell.) Raf. (<i>Agalinis fasciculata</i> var. <i>penninsularis</i> Pennell) (<i>Gerardia fasciculata</i> Elliott) (<i>Gerardia fasciculata</i> subsp. <i>penninsularis</i> (Pennell) Pennell)	False Foxglove	Annual, hemiparasite	Oct.	Chiefly Coastal Plain, s MD to s peninsular FL & c TX, inland to NE, AK, MO	Occasional, wire-grass palmetto flatwoods	SW
<i>Agalinis filifolia</i> (Nutt.) Raf. (<i>Gerardia filifolia</i> Nutt.)	Gerardia	Annual	Jul.-Oct.	Coastal Plain, se GA to FL, sw AL	Locally common in burned scrubby flatwoods, occasional elsewhere	SW, 7,18, 18E, 19, 30, 31, Hufty, Price
<i>Agalinis linifolia</i> (Nutt.) Britt. (<i>Gerardina linifolia</i> Nutt.)	Flaxleaf False Foxglove	Perennial, rhizomatous	Sep.-Oct.	Coastal Plain, DE, NC to s FL, to s LA	Rare in swales	7, 18
<i>Buchnera americana</i> L. (<i>Buchnera floridana</i> Gand.) (<i>Buchnera elongata</i> Sw., misapplied) (<i>Buchnera breviflora</i> Pennell)	Bluehearts	Annual, Perennial or Biennial herb	Jun.-Oct.	Coastal Plain, GA to s FL, w to MS	Occasional in open scrub	NE,SE,NW,SW, 6,7, 18, 18E, 19, 30,31, Hufty, MacArthur
<i>Seymeria pectinata</i> Pursh (<i>Afzelia pectinata</i> var. <i>penninsularis</i> Pennell) (<i>Afzelia pectinata</i> (Pursh) Kuntze)	Piedmont Blacksenna	Perennial, hemiparasite	Mar.-Sep.	Coastal Plain, SC to FL & MS	Occasional in scrubby flatwoods & rosemary scrub	7, 18, 31, Hufty, Price, MacArthur
OXALIDACEAE						
<i>Oxalis corniculata</i> L. (<i>Oxalis florida</i> Salisb. subsp. <i>prostrata</i> (Haw.) Lourteig) (<i>Oxalis dillenii</i> Jacq.) (<i>Oxalis stricta</i> L.) (<i>Xanthoxalis corniculata</i> (L.) Small) (<i>Xanthoxalis cymosa</i> (Small) Small) (<i>Xanthoxalis langloisii</i> Small) (<i>Xanthoxalis stricta</i> (L.) Small)	Yellow Wood Sorrel	Perennial, caulescent, stoliniferous, herb	Dec.-Apr.	Coastal Plain & adjacent province, NY to FL, MO &	Occasional in lawns & disturbed areas	SE,SW,7
PASSIFLORACEAE						
<i>Passiflora suberosa</i> L. (<i>Passiflora pallida</i> L.)	Passionflower	Perennial vine, subshrub or forb	May	Pantropical, TX, Mexico, West Indies, s FL		
PETIVERIACEAE						
<i>Rivina humilis</i> L.	Rouge Plant	Perennial herb, subshrub or vine	All year	Coastal Plain, FL to TX, AK	Main grounds	SW
PHYTOLACCACEAE						
<i>Phytolacca americana</i> L. (<i>Phytolacca americana</i> var. <i>rigida</i> (Small) Caulkins & Wyatt) (<i>Phytolacca rigida</i> Small)	Pokeweed	Perennial, colonizer of disturbed ground	Mar.-Sep.	ME to MN, s to FL & TX & AK, Mexico	Common along hedges, edges & lakeshores	NE,SE,NW,SW, 7, 31, Hufty, Price, MacArthur

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
POLYGALACEAE						
<i>Polygala cruciata</i> L. (<i>Polygala ramosior</i> (Nash ex B.L. Rob.) Small)	Cross-leaved Milkwort	Annual	Jul.-Sep.	s ME to MN, s to c peninsular FL & e TX	Occasional in grassy swales of low flatwoods	NW,7, Hufty
<i>Polygala cymosa</i> Walter (<i>Pilotaxis cymosa</i> (Walter) Small)	Tall Pinebarron Milkwort	Biennial	Mar.-May	Coastal Plain, DE s to s c FL, w to LA	Margins of seasonal ponds & swales	NW,7,18,31
<i>Polygala grandiflora</i> Walter (<i>Polygala grandiflora</i> var. <i>angustifolia</i> Torr. & A. Gray) (<i>Polygala grandiflora</i> var. <i>leiodes</i> S.F. Blake) (<i>Asemeia grandiflora</i> var. <i>angustifolia</i> Small) (<i>Asemeia cumulicola</i> (Small) Small) (<i>Asemeia grandiflora</i> (Walter) Small) (<i>Asemeia leiodes</i> (S.F. Blake) Small) (<i>Asemeia miamiensis</i> (Small ex S.F. Blake) Small) (<i>Polygala krugii</i> Chodat)	Showy Milkwort	Annual herb	Jan.-Apr.	ENDEMICH to lower east coast of peninsular FL	Occasional in low flatwoods	NW,SW,Huft
<i>Polygala incarnata</i> L. (<i>Galypola incarnata</i> (L.) Nieuwl.)	Procession Flower	Annual	Nov.-Apr.	Long Island to MI, WI, IO, NB s to s FL & e TX, Mexico	Occasional in oak scrub & sandhills	SE,6,18,18E, 19, Hufty
<i>Polygala nana</i> (Michx.) DC. (<i>Pilotaxis nana</i> (Michx.) Raf. ex Small)	Wild Bachelor's Button	Annual or biennial	Dec.-Mar.	Coastal Plain GA to s peninsular FL, w to se TX	Common in low flatwoods, swales & seasonal or dry ponds	7,18,19,30,31, Hufty
<i>Polygala polygama</i> Walter (<i>Polygala aborigina</i> Small)	Reemed Milkwort	Biennial or short-lived perennial herb, taproot, cleistogamous	Jan.-May	FL to TX, Nova Scotia & Manitoba	Occasional in oak scrub & scrubby flatwoods	SE,SW, 18,30,31
<i>Polygala rugelii</i> Shuttlew. ex Chapm. (<i>Pilotaxis rugelii</i> (Shuttlew. ex Chapm.) Small)	Yellow Bachelor's Button	Annual, biennial or Occasional perennial	Sep.-Apr.	ENDEMICH to ne & peninsular FL	Common in swales, palmetto-wire grass flatwoods & margins of wet prairies	NW,6,7,18,19,31, Hufty, Watters, MacArthur
<i>Polygala setacea</i> Michx.	Costal Plain Milkwort	Perennial	Nov.-May	Coastal Plain GA to s peninsular FL, w to MS	Common in palmetto-wire grass flatwoods	SW,7,18,19,30,31 MacArthur
POLYGONACEAE						
<i>Eriogonum longifolium</i> Nutt. var. <i>gnaphalifolium</i> Gand. (<i>Eriogonum floridanum</i> Small)	Scrub Buckwheat	Perennial partially woody herb, fire-stimulated flowering	Jan.-Nov.	ENDEMICH to c peninsular FL, from Marion Co. to Highlands Co; Status: ST, FT	Occasional in oak scrub & sandhills, yellow sand	SE, 18E, 19E

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
<i>Polygonella basiramia</i> (Small) Nesom & Bates (<i>Polygonella ciliata</i> var. <i>basiramia</i> (Small) Horton) (<i>Delopyrum basiramium</i> Small)	Hairy Wireweed	Perennial herb, short-lived	Sep.-Oct.	ENDEMIC to Lake Wales & Bombing Range Ridges, c FL: Status: SE, FE	Common in scrubby flatwoods, oak scrub & rosemary scrub, especially open sand	NE, SE, NW, SW, 6, 7, 18E, 19, 19E, 30, 31, MacArthur
<i>Polygonella gracilis</i> Meisn. (<i>Delopyrum filiforme</i> Small) (<i>Delopyrum gracile</i> (Meisn.) Small)	Tall Jointweed	Perennial, herb	Jul.-Nov.	SC to FL	Common in flatwoods, scrubby flatwoods, scrub, sandy firelanes & seasonal ponds	All upland Tracts
<i>Polygonum hirsutum</i> Walter (<i>Persicaria hirsuta</i> var. <i>glabrescens</i> (Meisn.) Small) (<i>Persicaria hirsuta</i> (Walter) Small)	Mild Waterpepper	Perennial herb	All year	Coastal Plain, NC to peninsular FL, FL panhandle & s GA	Common in sawgrass swales	Price
<i>Polygonum hydropiperoides</i> Michx. (<i>Polygonum hydropiperoides</i> var. <i>opelousanum</i> (Riddell ex Small) Stone & Radford et al.) (<i>Persicaria hydropiperoides</i> (Michx.) Small) (<i>Polygonum opelousana</i> (Riddell ex Small) Small) (<i>Persicaria opelousanum</i> Riddell ex Small)	Mild Waterpepper	Perennial, colonizer	All year	Nova Scotia to British Columbia, through most of US	Occasional, swales & swamps	18, 31, Price
<i>Polygonella myriophylla</i> (Small) Horton (<i>Dentoceras myriophyllum</i> Small)	Woody Wireweed	Perennial, shrub, prostrate	Apr.-Jul.	ENDEMIC to Lake Wales Ridge, FL: Status: SE, FE	Rare, oak scrub on yellow sand	NE, SE
<i>Polygonella polygama</i> (Meisn.)*	Jointweed	Perennial subshrub	Sep.-Oct.	Coastal Plain NC to FL	Occasional to common in scrubby flatwoods & oak scrub	All upland tracts
<i>Polygonella robusta</i> (Small) Nesom & Bates (<i>Polygonella fimbriata</i> var. <i>robusta</i> (Small) Horton) (<i>Thysanella robusta</i> Small)	Sandhill Wireweed	Perennial, subshrub	Aug., Dec.-Jan.	ENDEMIC to peninsular FL	Locally common on rosemary scrub	6, 7, 30, 31, MacArthur
<i>Rumex hastatus</i> Baldwin	Hastate-leaf Dock	Annual (winter)	Mar.	Coastal Plain, FL to TX, KS, IL	Common roadside weed	NW, NE
PORTULACACEAE						
<i>Portulaca pilosa</i> L.	Pink Purslane	Annual	Mar.-May	Coastal Plain, NC to s FL, LA, tropical America	Common weed in lawns & gardens	SE, SW
<i>Talinum paniculatum</i> (Jacq.) Gaertn.	Pink Baby's-Breath	Perennial subshrub, shrub, herb	Nov.-Jan.	EXOTIC (Native to West Indies)	Common weed in citrus grove	SE

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
RHAMNACEAE						
<i>Berchemia scandens</i> (Hill) K. Koch	Rattan Vine	Perennial, woody vine	Mar.-Apr.	Coastal Plain se VA to s FL & TX, n to AK, s MO, TN, Mexico, C. America	Rare, wet woods, vicinity of water treatment plant	SW
<i>Sageretia minutiflora</i> (Michx.) Mohr	Buckthorn	Perennial, shrub	Aug.	Coastal Plain NC to FL & MS	Occasional along roadsides	SE
ROSACEAE						
<i>Photinia pyrifolia</i> (Lam.) K.R. Robertson & J.B. Phipps (<i>Aronia arbutifolia</i> (L.) Pers.) (<i>Aronia atropurpurea</i> Britton, misapplied) (<i>Aronia melanocarpa</i> (Michx.) Elliott, misapplied) (<i>Pyrus arbutifolia</i> (L.) L.f.) (<i>Sorbus arbutifolia</i> (L.) Heynh.)	Red Chokeberry	Perennial, shrub	Spring	Newfoundland, Nova Scotia to e TX & c peninsular FL	Occasional in swales & wet thickets	18, Hufty
<i>Prunus geniculata</i> Harper	Scrub plum	Perennial, clonal shrub	Feb.-Mar.	ENDEMICH to c FL; Status: SE, FE	Margin of rosemary scrub & scrubby flatwoods	Bald 42, Sec 30
<i>Prunus umbellata</i> Ell.	Hog Plum	Perennial, tree	Feb.-Mar.	Coastal Plain SC to FL & LA	Rare in scrub	19
<i>Rosa bracteata</i> Wendl.	McCartney Rose	Perennial, shrub	All year	EXOTIC (Native to China)	Locally common, hedges & edges	SW
<i>Rubus argutus</i> Link (<i>Rubus betulifolius</i> Small) (<i>Rubus floridus</i> Tratt) (<i>Rubus persistens</i> Rydb. Ex Small) (<i>Rubus tallahasseeanus</i> L. H. Bailey) (<i>Rubus ucetanus</i> L.H. Bailey)	Blackberry	Perennial, shrub	Mar.-May	Coastal Plain, VA to IL, FL & MS	Rare, edge of berm	Price
<i>Rubus flagellaris</i> Willd. (<i>Rubus enslenii</i> Tratt) (<i>Rubus rhodophyllus</i> Rydb. ex. Small)	Northern Dewberry	Perennial, shrub	Feb.-Mar.	Coastal Plain & adjacent provinces, MA to FL, MO,	Occasional, margins of bayheads & low flatwoods	NE,NW,SW, Hufty
<i>Rubus trivialis</i> Michx. (<i>Rubus continentalis</i> (Focke) L.H. Bailey) (<i>Rubus ictus</i> L.H. Bailey) (<i>Rubus lucidus</i> Rydb. ex Small) (<i>Rubus mirus</i> L.H. Bailey) (<i>Rubus okeechobeus</i> L.H. Bailey)	Southern Dewberry	Perennial, shrub	Feb.	Coastal Plain & outer Piedmont, VA to s FL, w to TX, n to MO & IL	Occasional in low flatwoods	NW,SW, 18

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
RUBIACEAE						
<i>Cephalanthus occidentalis</i> L. (<i>Cephalanthus occidentalis</i> var. <i>pubescens</i> Raf.)	Button Bush	Perennial, shrub	Apr.-May	FL to TX, CA, Ontario, West Indies, Mexico	Occasional along lakeshore in Acer swamps	Price, Harris, Watters
<i>Diodia teres</i> Walter (<i>Diodia rigida</i> Cham. & Schltdl., misapplied) (<i>Diodella rigida</i> (Cham. & Schltdl.) Small, misapplied) (<i>Diodella teres</i> (Walter) Small)	Poor-Joe	Annual	All year	s NE to WI & LA, s to FL & TX, AK	Common along firelanes & other disturbed areas of sandy soil	NE,SE,NW,SW, 6,7, 18,18E,19,19E, 30,31, Hufty, Price
<i>Diodia virginiana</i> L. (<i>Diodia hirsuta</i> Pursh) (<i>Diodia tetragona</i> Walter)	Buttonweed	Perennial herb	All year	Nova Scotia to MO, s to s FL & e OK & TX	Rare, edge of seasonal ponds	19
<i>Galium pilosum</i> Ait. (<i>Galium pilosum</i> var. <i>laevicaule</i> Weath. & S.F. Blake) (<i>Galium pilosum</i> var. <i>puncticulatum</i> (Michx.) Torr. & A. Gray)	Bedstraw	Perennial herb	May-Sep.	FL to TX, KS, MA, Ontario	Common in old fields	SE
<i>Galium tinctorium</i> L. (<i>Galium obtusum</i> var. <i>floridanum</i> (Wiegand) Fernald ex/ R. W. Long & Lakela, nom. nud)	Stiff Marsh Bedstraw	Perennial	Dec.-Apr.	Newfoundland & QU to Ontario, MI, N. England, s to FL & e TX	Occasional, ditch margins	SW
<i>Houstonia procumbens</i> (J. F. Gmel.) (<i>Hedyotis procumbens</i> (J.F. Gmel.) Fosberg	Innocence	Perennial	Dec.-Mar.	Coastal Plain, SC to FL & LA	Common along sandy trails, occasional in palmetto scrub	NE,NW,SW,6,7, 18,19,30,31, Hufty
<i>Oldenlandia corymbosa</i> L. (<i>Hedyotis corymbosa</i> (L.) Lam.	Flattop Mille Graines	Annual	All year	s FL, West Indies, tropical America, Old World	Occasional along fire trails & in other disturbed areas	NE,SE,NW,SW, 18, 19, 30, 31
<i>Oldenlandia uniflora</i> L. (<i>Hedyotis uniflora</i> (L.) Lam) (<i>Hedyotis uniflora</i> var. <i>fasciculata</i> (Bertol.) W. H. Lewis) (<i>Oldenlandia fasciculata</i> (Bertol.) Small)	Clustered Mille Graines	Annual	Aug.-Nov.	Coastal Plain Long Island to s FL, e TX, n to se MO	Occasional, margins of seasonal ponds	SW, Price
<i>Psychotria ligustrifolia</i> (Northrop) Millsp. (<i>Psychotria bahamensis</i> Millsp.)	Bahama Wild Coffee	Perennial, shrub	Spring-summer	s FL		Price
<i>Psychotria nervosa</i> Sw. (<i>Psychotria nervosa</i> var. <i>lanceolata</i> (Nutt.) Sarg.) (<i>Psychotria undata</i> Jacq.)	Wild Coffee	Perennial, shrub, frost-sensitive	Jun.-Aug.	s FL, West Indies, tropical America	Rare in swamps, planted along Loop Drive	Price, SW
<i>Richardia brasiliensis</i> Gomes	Tropical Mexican Clover	Perennial herb	All year	EXOTIC (Native to S. America): peninsular FL	Rare, margin of trails & ditches	SW

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
<i>Richardia scabra</i> L.	Mexican Clover	Annual	All year	EXOTIC (Native to tropical America): Coastal Plain, NC to FL & TX	Common along firelanes	NE,SE,NW,SW,6,7, 18,18E,19,19E,30, 31, Hufty
<i>Spermacoce assurgens</i> Ruiz & Pavon (<i>Borreria laevis</i> (Lam.) Griseb., misapplied)	Woodland False Buttonweed	Annual	Feb.-Oct.	Coastal Plain, s FL, to LA, West Indies, C. America, S. America	Occasional in ditches	SW
<i>Spermacoce prostrata</i> Aubl. (<i>Borreria ocymoides</i> (Burm. f.) DC., misapplied)	Prostrate False Button weed	Annual	Feb.-Dec.	Coastal s FL, FL Keys, West Indies, tropical America	Occasional in ditches & wet roadsides	SW,7
SALICACEAE						
<i>Salix caroliniana</i> Michx. (<i>Salix amphibia</i> Small) (<i>Salix longipes</i> Shuttlew. ex Andersson)	Carolina Willow	Perennial, shrub or small tree	Jan.-Feb.	MD, w to s IN, s IL, MO & KN, s to s FL & s c TX,	Abundant in swamps, occasional in bayheads, rare elsewhere	19, NE, Hufty, Harris
SAPINDACEAE [including Aceraceae, Hippocastanaceae]						
<i>Acer rubrum</i> L. (<i>Acer rubrum</i> var. <i>trilobum</i> Torr. & A. Gray ex K. Koch) (<i>Acer rubrum</i> var. <i>drummondii</i> (Hook. & Arn. ex Nutt.) Sarg.) (<i>Acer rubrum</i> var. <i>tridens</i> A.W. Wood) (<i>Rufacer rubrum</i> (L.) Small) (<i>Rufacer drummondii</i> (Hook. & Arn. ex Nutt.) Small) (<i>Rufacer carolinianum</i> (Walter) Small)	Southern Acer, Red Maple	Perennial, polygamodioecious tree	Winter-Spring	e Canada to Manitoba s to s FL, OK & e TX	Rare in seasonal ponds, swales & bayheads, abundant in swamps	18, Hufty, Harris, Hicora, Price
SAPOTACEAE						
<i>Sideroxylon reclinatum</i> subsp. <i>reclinatum</i> Michx. (<i>Bumelia microcarpa</i> Small) (<i>Bumelia reclinata</i> (Michx.) Vent.)	Milk Buckthorn	Perennial, shrub	Apr.	Coastal Plain, s GA & FL	Rare, roadside to Red Hill	SE
<i>Sideroxylon rufohirtum</i> Herring & Judd (<i>Sideroxylon reclinatum</i> subsp. <i>rufotomentosum</i> (Small) Kartez & Gandhi) (<i>Bumelia reclinata</i> var. <i>rufotomentosa</i> (Small) Cronquist) (<i>Bumelia rufotomentosa</i> Small)	Florida Bully	Perennial shrub	Spring	Northern and central peninsula, Dixie Co.		
<i>Sideroxylon tenax</i> L. (<i>Bumelia lacuum</i> Small) (<i>Bumelia megacocca</i> Small) (<i>Bumelia tenax</i> (L.) Willd.)	Tough Buckthorn	Perennial, tree or shrub	Mar.-Apr.	Coastal Plain, SC to FL	Occasional scrubby flatwoods, open oak scrub & rosemary scrub	SE, 7,30, 31, Hufty, Price, MacArthur

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
SOLANACEAE						
<i>Physalis arenicola</i> Kearney (<i>Physalis arenicola</i> var. <i>ciliosa</i> (Rydb.) Waterf.) (<i>Physalis ciliosa</i> Rydb.)	Sand Ground Cherry	Perennial herb	May-Jun.	FL, GA & AL	Occasional, disturbed ground & roadsides	SE
<i>Physalis walteri</i> Nutt. (<i>Physalis elliotii</i> Kunze) (<i>Physalis maritima</i> M.A. Curtis) (<i>Physalis viscosa</i> L. var. <i>elliottii</i> (Kunze) Waterf.) (<i>Physalis viscosa</i> L. subsp. <i>maritima</i> (M.A. Curtis) Waterf.) (<i>Physalis viscosa</i> L. var. <i>maritima</i> (M.A. Curtis) Rydb.)	Ground Cherry	Perennial herb	All Year	Coastal Plain, VA to s FL, tropical America	Edge of sandy road through scrubby flatwoods	SE, 18, 31, Hufty, MacArthur
<i>Solanum americanum</i> Mill. (<i>Solanum nigrum</i> L., misapplied)	American Black Nightshade	Perennial herb or subshrub	Feb.-Mar.	Coastal Plain, NC to FL, TX, tropical America	Occasional in grassy waste places	SW
<i>Solanum capsicoides</i> All. (<i>Solanum aculeatissimum</i> Jacq., misapplied) (<i>Solanum.. ciliatum</i> Lam.)	Soda-apple	Perennial herb or subshrub	Aug.-Nov.	Nova Scotia to FL	Occasional, fence rows	7, 30 31, Price
TETRACHONDRACEAE						
<i>Polypremum procumbens</i> L.	Rustweed	Perennial, herb	Spring-Fall	Long Island, NJ, e PA to e MO, s to s FL & e TX, tropical America	Common, natural fire breaks & margins of firelanes	SE,SW,6,7,18,18E, 19,19E,30,31, Hufty, Price
THEACEAE						
<i>Gordonia lasianthus</i> (L.) Ellis	Loblolly Bay	Perennial tree	Apr.	Coastal Plain NC to n of Lake Okeechobee, peninsular FL, w to LA	Common in bayheads, rare in swales & around margins of some seasonal ponds	SE,NW,SW,7, 18, Price
TURNERACEAE						
<i>Piriqueta cistoides</i> subsp. <i>caroliniana</i> (Walter) Arbo (<i>Piriqueta caroliniana</i> (Walter) Urb.) (<i>Piriqueta caroliniana</i> var. <i>glabra</i> (DC.) Urb.) (<i>Piriqueta caroliniana</i> var. <i>tomentosa</i> (A.W. Wood) Urb.) (<i>Piriqueta glabrescens</i> Small) (<i>Piriqueta tomentosa</i> Kunth, misapplied) (<i>Piriqueta virdis</i> Small)	Piriqueta	Perennial	Jun.-Oct.	Coastal Plain NC to FL, Cuba & Hispaniola	Rare, margins of turkey oak sandhills & oak scrub	SE,SW

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
URTICACEAE						
<i>Boehmeria cylindrica</i> (L.) Sw. (<i>Boehmeria cylindrica</i> var. <i>drummondia</i> (Wedd.) (Boehmeria <i>drummondiana</i> Wedd.) (<i>Boehmeria decurrens</i> Small)	False Nettle	Perennial, monoecious herb	Apr.-May	Quebec & Ontario to MN, s to FL & TX	Occasional in bayheads & along drainage systems	NW, SW, NE, 7, Price
<i>Parietaria floridana</i> Nutt. (<i>Parietaria nummularia</i> Small)	Pellitory	Annual or short-lived perennial, polygamo-monoecious	Feb.-Mar.	Coastal Plain, DE to FL, w to TX, CA, Cuba	Occasional ditch bank weed	SW
<i>Pilea microphylla</i> (L.) Liebm.	Artillery Plant	Perennial, dioecious or monoecious herb	Nov.-Jan.	Throughout tropical America	Common along ditch banks, especially on granite embankments	SW
VERBENACEAE						
<i>Lantana camara</i> L. (<i>Lantana camara</i> var. <i>aculeata</i> (L.) Moldenke) (<i>Lantana aculeata</i> L.) (<i>Lantana depressa</i> var. <i>floridana</i> (Moldenke) R. W. Sanders) (<i>Lantana depressa</i> var. <i>sanibelensis</i> R. W. Sanders)	Shrub Verbena	Perennial, shrub	All year	Coastal Plain, GA, FL to TX, tropical & subtropical America	Edges of lawns, roads, & trails	SW, Hufty
<i>Phyla nodiflora</i> (L.) Greene (<i>Lippia nodiflora</i> (L.) Michx.)	Carpet Weed Frogbit	Perennial, herb	All year	Coastal Plain, VA to s FL, TX, OK, AK, MO, pantropical	Moist but disturbed areas, especially lawns & roadsides	SW, 31, Hufty
<i>Verbena scabra</i> Vahl	Harsh Verbena	Perennial herb	May-Aug.	Coastal Plain, VA to s FL, w to Central America; n Mexico, West Indies	Roadsides, edges of drains & ditches & low flatwoods	SW, 31, Hufty
VERONICACEAE						
<i>Bacopa monnieri</i> (L.) Pennell (<i>Bramia monnieri</i> (L.) Pennell)	Water Hyssop	Perennial, helophyte, rooted or free-floating	Sep.	Outer Coastal Plain, se VA to s FL & FL Keys, to c & s TX, subtropics & tropics	Occasional in drainage ditches	NW, SW
<i>Gratiola ramosa</i> Walter	Hedge Hyssop	Perennial herb	Feb.-Mar.	Coastal Plain, MD, se NC to s FL, to sw LA	Common but local in low flatwoods & scrubby flatwoods	19, 30
<i>Limnophila sessiliflora</i> Blume	Asian Marshweed	Perennial, hydrophyte	Oct.-Dec.	EXOTIC(Native of Old World tropical) sw GA & FL, sporadic elsewhere	Local in drainage ditches, recently introduced and escaped from cultivation	SW

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
<i>Linaria floridana</i> Chapm. (<i>Nuttallanthus floridanus</i> (Chap.) D.A. Sutton)	Apalachicola Toadflax	Annual	Fall-Spring	Coastal Plain, GA to FL & MS	Occasional in flatwoods, rare in scrubby flatwoods, common in fields	NE,SE,NW,SW, 6,7, 18, 18E, 19, 19E, 30, 31, Hufty, Price
<i>Lindernia grandiflora</i> Nutt. (<i>Ilysanthes grandiflora</i> (Nutt.) Benth.)	False Pimpernel	Annual or biennial	Nov.-May	se GA to s peninsular FL	Margin of seasonal ponds in low flatwoods	30
<i>Mecardonia acuminata</i> (Walter) Small	Axil Flower	Perennial herb	Apr.-May	Coastal Plain & Piedmont, DE & MD to s FL & e TX, inland to s MO, TN	Rare, margin of palmetto-scrub	7, 18E
<i>Mecardonia acuminata</i> subsp. <i>peninsularis</i> (Pennell) Rossow (<i>Mecardonia acuminata</i> var. <i>peninsularis</i> Pennel)	Axil Flower	Perennial herb	Spring, Fall	Coastal Plain & Piedmont, DE & MD to s FL & e TX,		
<i>Micranthemum glomeratum</i> (Chapm.) Shinners (<i>Hemianthus glomeratus</i> (Chapm.) Pennell)	Manatee Mudflower	Annual herb, helophyte	Mar.	ENDEMICK to peninsular FL	Local in drainage ditches	SW
<i>Scoparia dulcis</i> L.	Sweet Broom, Licorice Weed	Perennial herb	Aug.-Sep.	EXOTIC (Native to tropical America): chiefly Coastal Plain, SC to s FL & LA	Occasional as a ruderal	SW, 19, 31
VIOLACEAE						
<i>Viola lanceolata</i> L. (<i>Viola lanceolata</i> subsp. <i>vittata</i> (Greene) N.H. Russell) (<i>Viola vittata</i> Greene)	Bog White Violet	Perennial, acaulescent, rhizomatous & stoloniferous herb	Mar.	NJ & MN to FL & TX	Locally abundant in wet sections of pine flatwoods	NE,NW, MacArthur
VISCACEAE						
<i>Phoradendron leucarpum</i> (Raf.) Reveal & M.C. Johnst. (<i>Phoradendron serotinum</i> subsp. <i>macrotomum</i> (Trel.) M.C. Johnst.) (<i>Phoradendron eatonii</i> Trel.) (<i>Phoradendron flavescens</i> (Pursh) Nutt., misapplied) (<i>Phoradendron macrotomum</i> Trel.) (<i>Phoradendron serotinum</i> (Raf.) M.C. Johnst.)	Mistletoe	Perennial, parasitic, dioecious	Sep.-Mar.	NJ to MO, s to FL & w to NM	Occasional parasite on oaks in scrubby flatwoods & oak scrub	NE,SE,NW,SW, 6,7,18,19, Price

SCIENTIFIC NAME	COMMON NAME	LIFE HISTORY	FLOWERING TIME	WORLD DISTRIBUTION	HABITAT AT ABS	DISTRIBUTION AT ABS
VITACEAE						
<i>Ampelopsis arborea</i> (L.) Koehne	Pepper Vine	Perennial, woody shrub or vine	Spring	MD to IL & MO, s to FL, OK, TX, West Indies	Occasional, roadsides to Red Hill & along ditch near cage areas, rare elsewhere	SE, SW
<i>Parthenocissus quinquefolia</i> (L.) Planch. (<i>Parthenocissus quinquefolia</i> fma. <i>hirsuta</i> (Pursh) Fernald)	Virginia Creeper	Perennial, woody vine	Spring	FL to TX, Manitoba to Quebec	Occasional, hedges, edges, fences & bayheads	NE, SE, NW, SW, 7, Hufty, Price
<i>Vitis rotundifolia</i> Michx. (<i>Vitis rotundifolia</i> var. <i>munsoniana</i> (J.H. Simpson ex Munson) M.O. Moore) (<i>Muscadinia munsoniana</i> (J.H. Simpson ex Munson) Small) (<i>Muscadinia rotundifolia</i> (Michx.) Small) (<i>Vitis munsoniana</i> J.H. Simpson ex Munson)	Muscadine Grape	Perennial, polygamodioecious vine	Apr.-May	FL & GA	Abundant in bayheads, occasional elsewhere	NE, SE, NW, SW, 6, 7, 18, 18E, 19, 19E, Hufty, Price
<i>Vitis shuttleworthii</i> House (<i>Vitis coriacea</i> Shuttlew. ex Planch.)	Calusa Grape	Perennial, vine	Apr.-May	PA, FL, West Indies	Occasional on fences	NE, 30

SPECIES NAME		<i>Ammannia latifolia</i>	48	<i>Andropogon virginicus</i> var. <i>glaucoptis</i>	14	<i>Asemeia grandiflora</i> var. <i>angustifolia</i>	
<i>Abrus abrus</i>	40	<i>Ammannia teres</i>	48	<i>Andropogon virginicus</i> var. <i>glaucus</i>	14	<i>Asemeia leiodes</i>	54
<i>Abrus precatorius</i>	40	<i>Ammopursus ohlingerae</i>	29	<i>Aplos americana</i>	41	<i>Asemeia miamiensis</i>	54
<i>Acalypha gracilens</i>	39	<i>Amorpha bushii</i>	41	<i>Apteris aphylla</i>	5	<i>Asimina obovata</i>	24
<i>Acanthospermum australe</i>	26	<i>Amorpha croceolanata</i>	41	<i>Aristida gyrans</i>	14	<i>Asimina reticulata</i>	24
<i>Acer rubrum</i>	58	<i>Amorpha curtissii</i>	41	<i>Aristida patula</i>	14	<i>Aster adnatus</i>	31
<i>Acer rubrum</i> var. <i>drummondii</i>	58	<i>Amorpha dewinkeleri</i>	41	<i>Aristida spiciformis</i>	15	<i>Aster carolinianus</i>	31
<i>Acer rubrum</i> var. <i>tridens</i>	58	<i>Amorpha fruticosa</i>	41	<i>Aristida stricta</i>	14	<i>Aster cordifolius</i>	32
<i>Acer rubrum</i> var. <i>trilobum</i>	58	<i>Amorpha fruticosa</i> var. <i>croceolanata</i>	41	<i>Aristida stricta</i> var. <i>beyrichiana</i>	14	<i>Aster dumosus</i>	32
<i>Actinospermum angustifolium</i>	26	<i>Amorpha virgata</i>	41	<i>Aronia arbutifolia</i>	56	<i>Aster dumosus</i> var. <i>coridifolius</i>	32
<i>Afzelia pectinata</i>	53	<i>Ampelopsis arborea</i>	62	<i>Aronia atropurpurea</i>	56	<i>subulifolius</i>	32
<i>Afzelia pectinata</i> var. <i>peninsularis</i>	53	<i>Amphicarpum floridanum</i>	14	<i>Aronia melanocarpa</i>	56	<i>Aster exilis</i>	32
<i>Agalinis fasciculata</i>	53	<i>Amphicarpum</i>	14	<i>Arsenococcus ligustrinus</i>	38	<i>Aster gracilipes</i>	32
<i>Agalinis fasciculata</i> var. <i>penninsularis</i>	53	<i>muhlenbergianum</i>	14	<i>Asclepias curassavica</i>	24	<i>Aster inconspicuous</i>	32
<i>Agalinis filifolia</i>	53	<i>Andropogon brachystachyus</i>	14	<i>Asclepias curtissii</i>	24	<i>Aster reticulates</i>	29
<i>Agalinis linifolia</i>	53	<i>Andropogon cabanisii</i>	14	<i>Asclepias decumbens</i>	25	<i>Aster subulata</i> var. <i>cubensis</i>	
<i>Agrostemma githago</i>	34	<i>Andropogon capillipes</i>	14	<i>Asclepias feayi</i>	24	<i>Aster subulatus</i>	32
<i>Aldenella tenuifolia</i>	33	<i>Andropogon floridanus</i>	14	<i>Asclepias pedicellata</i>	24	<i>Aster subulatus</i> var. <i>ligulatus</i>	32
<i>Amaranthus blitum</i>	23	<i>Andropogon glaucopsis</i>	14	<i>Asclepias rolfssii</i>	25	<i>Aster tortifolius</i>	31
<i>Amaranthus cruentus</i>	23	<i>Andropogon glomeratus</i>	14	<i>Asclepias tomentosa</i>	24	<i>Asystasia gangetica</i>	22
<i>Amaranthus gracilis</i>	23	<i>Andropogon glomeratus</i> var. <i>glaucopsis</i>	14	<i>Asclepias tuberosa</i>	25	<i>Atamosco simpsonii</i>	4
<i>Amaranthus hybridus</i>	23	<i>Andropogon gyrans</i>	14	<i>Asclepias tuberosa</i> subsp.		<i>Axonopus furcatus</i>	15
<i>Amaranthus lividus</i>	23	<i>Andropogon hirtiflorus</i>	20	<i>rolfssii</i>	25	<i>Baccharis halimifolia</i>	26
<i>Amaranthus viridis</i>	23	<i>Andropogon maritimus</i>	20	<i>Asclepiodella feayi</i>	24	<i>Baccharis halimifolia</i> var. <i>angustior</i>	26
<i>Amarolea americana</i>	51	<i>Andropogon semiberbis</i>	20	<i>Ascyrum edisonianum</i>	35	<i>Bacopa monnieri</i>	60
<i>Amarolea megacarpa</i>	51	<i>Andropogon stolonifer</i>	20	<i>Ascyrum hypercooides</i>	36	<i>Baldina angustifolia</i>	26
<i>Ambrina ambrosioides</i>	23	<i>Andropogon ternarius</i>	14	<i>Ascyrum linifolium</i>	36	<i>Bartonia verna</i>	45
<i>Ambrosia artemisiifolia</i>	26	<i>Andropogon ternarius</i> var. <i>cabanisii</i>	14	<i>Ascyrum tetrapetalum</i>	36	<i>Begonia cucullata</i>	32
<i>Ambrosia elatior</i>	26	<i>Andropogon tracyi</i>	14	<i>Asemeia cumulicola</i>	54	<i>Begonia semperflorens</i>	32
<i>Ambrosia glandulosa</i>	26			<i>Asemeia grandiflora</i>	54	<i>Bejaria racemosa</i>	38
<i>Ambrosia monophylla</i>	26						
<i>Ammannia koehnei</i>	48						

<i>Berchemia scandens</i>	56	<i>Bulbostylis warei</i>	6	<i>Carphephorus odoratissimus</i>		<i>Cerothamnus ceriferus</i>	50
<i>Bidens alba</i> var. <i>radiate</i>	26	<i>Bumelia lacuum</i>	58	var. <i>subtropicanus</i>	26	<i>Cerothamnus pumilus</i>	50
<i>Bidens mitis</i>	26	<i>Bumelia megacocca</i>	58	<i>Carphephorus paniculatus</i>	26	<i>Chaetochloa corrugata</i>	20
<i>Bidens pilosa</i>	26	<i>Bumelia microcarpa</i>	58	<i>Carphephorus subtropicanus</i>	26	<i>Chaetochloa geniculata</i>	20
<i>Bidens pilosa</i> var. <i>radiate</i>	26	<i>Bumelia reclinata</i>	58	<i>Carya floridana</i>	46	<i>Chaetochloa hispida</i>	20
<i>Bignonia radicans</i>	32	<i>Bumelia reclinata</i> var.		<i>Cassia brachiata</i>	41	<i>Chamaecrista brachiata</i>	41
<i>Biovularia olivacea</i>	48	<i>rufotomentosa</i>	58	<i>Cassia chamaecrista</i>	41	<i>Chamaecrista deerlingiana</i>	41
<i>Bivonea stimulosa</i>	39	<i>Bumelia rufotomentosa</i>	58	<i>Cassia deeringiana</i>	41	<i>Chamaecrista depressa</i>	41
<i>Blechnum serrulatum</i>	1	<i>Bumelia tenax</i>	58	<i>Cassia fasciculata</i>	41	<i>Chamaecrista fasciculate</i>	41
<i>Blephariglottis ciliaris</i>	13	<i>Burmannia biflora</i>	5	<i>Cassia fasciculata</i> var.		<i>Chamaecrista littoralis</i>	41
<i>Boehmeria cylindrica</i>	60	<i>Burmannia capitata</i>	5	<i>brachiata</i>	41	<i>Chamaecrista nictitans</i>	41
<i>Boehmeria cylindrica</i> var.		<i>Calamintha ashei</i>	46	<i>Cassia fasciculata</i> var.		<i>Chamaecrista robusta</i>	41
<i>drummondia</i>	60	<i>Callicarpa americana</i>	46	<i>puberula</i>	41	<i>Chamaesyce blodgettii</i>	39
<i>Boehmeria decurrens</i>	60	<i>Callisia ornata</i>	5	<i>Cassia fasciculata</i> var.		<i>Chamaesyce chiogenes</i>	39
<i>Boehmeria drummondiana</i>	60	<i>Calonyction aculeatum</i>	36	<i>robusta</i>	41	<i>Chamaesyce hirta</i>	39
<i>Boerhavia coccinea</i>	50	<i>Calopogon barbatus</i>	12	<i>Cassia nictitans</i>	41	<i>Chamaesyce hyssopifolia</i>	39
<i>Boerhavia diffusa</i>	50	<i>Calopogon multiflorus</i>	13	<i>Cassytha filiformis</i>	47	<i>Chamaesyce maculata</i>	39
<i>Boerhavia erecta</i>	50	<i>Calopogon pallidus</i>	13	<i>Catharanthus roseus</i>	25	<i>Chamaesyce mathewsi</i>	39
<i>Bonamia adbita</i>	37	<i>Calopogon pulchellus</i>	13	<i>Cenchrus echinatus</i>	15	<i>Chamaesyce nashii</i>	39
<i>Bonamia villosa</i>	37	<i>Calopogon pulchellus</i> var.		<i>Cenchrus incertus</i>	15	<i>Chamaesyce tracyi</i>	39
<i>Borreria laevis</i>	58	<i>simpsonii</i>	13	<i>Cenchrus longispinus</i>	15	<i>Chapmannia floridana</i>	41
<i>Borreria ocyoides</i>	58	<i>Calopogon tuberosus</i>	13	<i>Cenchrus pauciflorus</i>	15	<i>Chenopodium ambrosioides</i>	23
<i>Brachiaria subquadripila</i>	21	<i>Camphora camphora</i>	47	<i>Cenchrus spinifex</i>	15	<i>Chloris petraea</i>	17
<i>Bradburya arenicola</i>	41	<i>Campsis radicans</i>	32	<i>Centella asiatica</i>	25	<i>Chrysobalanus oblongifolius</i>	34
<i>Bradburya floridana</i>	41	<i>Capriola dactylon</i>	15	<i>Centella repanda</i>	25	<i>Chrysopsis graminifolia</i>	30
<i>Bramia monnierii</i>	60	<i>Cardamine debilis</i>	32	<i>Centella repanda</i> fma.		<i>Chrysopsis graminifolia</i> var.	
<i>Buchnera americana</i>	53	<i>Carduus nuttallii</i>	27	<i>floridana</i>	25	<i>microcephala</i>	30
<i>Buchnera breviflora</i>	53	<i>Carduus smallii</i>	27	<i>Centrosema arenicola</i>	41	<i>Chrysopsis highlandsensis</i>	26
<i>Buchnera elongate</i>	53	<i>Carduus spinosissimus</i>	27	<i>Centrosema floridanum</i>	41	<i>Cinnamomum camphora</i>	47
<i>Buchnera floridana</i>	53	<i>Carex alata</i>	6	<i>Cephalanthus occidentalis</i>	57	<i>Cirsium horridulum</i>	27
<i>Bulbostylis barbata</i>	6	<i>Carex alboluteescens</i>	6	<i>Cephalanthus occidentalis</i>		<i>Cirsium horridulum</i> var.	
<i>Bulbostylis ciliatifolia</i>	6	<i>Carex longii</i>	6	var. <i>pubescens</i>	57	<i>vittatum</i>	27
<i>Bulbostylis cilitifolia</i> var.		<i>Carex straminea</i>	6	<i>Ceratiola ericooides</i>	38	<i>Cirsium nuttallii</i>	27
<i>coarctata</i>	6	<i>Carica papaya</i>	34	<i>Ceratopteris pteridoides</i>	2	<i>Cirsium smallii</i>	27
<i>Bulbostylis stenophylla</i>	6	<i>Carphephorus corymbosus</i>	26	<i>Cerothamnus carolinensis</i>	50	<i>Cirsium vittatum</i>	27

<i>Citrullus citrullus</i>	37	<i>Crotalaria maritime</i>	42	<i>Cyperus deerigianus</i>	8	<i>Cyperus speciosus</i>	7
<i>Citrullus lanatus</i>	37	<i>Crotalaria mucronata</i>	42	<i>Cyperus distinctus</i>	7	<i>Cyperus surinamensis</i>	8
<i>Citrullus vulgaris</i>	37	<i>Crotalaria pallida</i> var.		<i>Cyperus engelmannii</i>	7	<i>Cyperus winkleri</i>	8
<i>Cladium jamaicense</i>	6	<i>obovata</i>	42	<i>Cyperus erythrorhizos</i>	7	<i>Cyrilla arida</i>	37
<i>Cladium mariscus</i> subsp. <i>jamaicense</i>	6	<i>Crotalaria rotundifolia</i>	42	<i>Cyperus ferax</i>	7	<i>Cyrilla parviflora</i>	37
<i>Clinopodium ashei</i>	46	<i>Crotalaria rotundifolia</i> var.		<i>Cyperus ferruginescens</i>	7	<i>Cyrilla racemiflora</i>	37
<i>Clitoria fragrans</i>	42	<i>vulgaris</i>	42	<i>Cyperus filicinus</i>	7	<i>Cyrilla racemiflora</i> var.	
<i>Cnidoscolus stimulosus</i>	39	<i>Crotalaria spectabilis</i>	42	<i>Cyperus filiculmis</i>	7	<i>parviflora</i>	37
<i>Commelina angustifolia</i>	6	<i>Crotalaria striata</i>	42	<i>Cyperus globulosus</i>	7	<i>Dactyloctenium aegyptium</i>	15
<i>Commelina diffusa</i>	5	<i>Croton arenicola</i>	40	<i>Cyperus halei</i>	7	<i>Dalea feayi</i>	42
<i>Commelina elegans</i>	6	<i>Croton glandulosus</i> var.		<i>Cyperus haspan</i>	7	<i>Decachaena nana</i>	38
<i>Commelina erecta</i>	6	<i>angustifolius</i>	40	<i>Cyperus lecontei</i>	7	<i>Decachaena tomentosa</i>	38
<i>Commelina erecta</i> subsp. <i>angustifolia</i>	6	<i>Croton glandulosus</i> var.	40	<i>Cyperus ligularis</i>	7	<i>Delopyrum basirarium</i>	55
<i>Commelina gigas</i>	5	<i>glandulosus</i>	40	<i>Cyperus litoreus</i>	8	<i>Delopyrum filiforme</i>	55
<i>Commelina longicaulis</i>	5	<i>Croton glandulosus</i> var.		<i>Cyperus longispicatus</i>	7	<i>Delopyrum gracile</i>	55
<i>Conoclinium coelestinum</i>	27	<i>septentrionalis</i>	40	<i>Cyperus martindalei</i>	7	<i>Dendropogon usneoides</i>	5
<i>Conyzza canadensis</i> var. <i>pusilla</i>	27	<i>Croton glandulosus</i> var.		<i>Cyperus microdontus</i>	7	<i>Dentoceras myriophyllum</i>	55
<i>Conyzza parva</i>	27	<i>simpsonii</i>	40	<i>Cyperus multiflorus</i>	7	<i>Desmodium canum</i>	42
<i>Conyzza ramosissima</i>	27	<i>Croton michauxii</i>	40	<i>Cyperus nashii</i>	8	<i>Desmodium floridanum</i>	42
<i>Cracca carpenteri</i>	44	<i>Crotonopsis linearis</i>	40	<i>Cyperus odoratus</i>	7	<i>Desmodium incanum</i>	42
<i>Cracca chapanii</i>	44	<i>Cuphea carthagenensis</i>	48	<i>Cyperus odoratus</i> subsp.		<i>Desmodium tortuosum</i>	42
<i>Cracca chrysophylla</i>	44	<i>Cuscuta campestris</i>	36	<i>Engelmannii</i>	7	<i>Desmodium triflorum</i>	42
<i>Crepis japonica</i>	32	<i>Cuscuta pentagona</i>	36	<i>Cyperus ovularis</i> var.		<i>Desmodium viridiflorum</i>	42
<i>Crinum americanum</i>	4	<i>Cyanococcus amoenus</i>	36	<i>cylindricus</i>	8	<i>Diaphoranthema recurvata</i>	5
<i>Crocanthemum corymbosum</i>	34	<i>Cyanococcus elliotii</i>	39	<i>Cyperus paniculatus</i>	7	<i>Dicerandra frutescens</i> subsp.	
<i>Crocanthemum nashii</i>	35	<i>Cyanococcus fuscatus</i>	39	<i>Cyperus pollardii</i>	8	<i>frutescens</i>	46
<i>Crocanthemum thrysoides</i>	35	<i>Cyanococcus holophyllus</i>	39	<i>Cyperus polystachyos</i>	7	<i>Dichanthelium aciculare</i>	15
<i>Crotalaria angulata</i>	42	<i>Cyanococcus myrsinites</i>	39	<i>Cyperus polystachyos</i> var.		<i>Dichanthelium angustifolium</i>	15
<i>Crotalaria lanceolata</i>	42	<i>Cyanococcus virgatus</i>	39	<i>texensis</i>	7	<i>Dichanthelium caerulescens</i>	15
<i>Crotalaria linaria</i>	42	<i>Cynodon dactylon</i>	15	<i>Cyperus retrorsus</i>	8	<i>Dichanthelium dichotomum</i>	15
<i>Crotalaria maritima</i> var. <i>linaria</i>	42	<i>Cyperus boldgettii</i>	8	<i>Cyperus retrorsus</i> subsp.		<i>Dichanthelium erectifolium</i>	16
		<i>Cyperus careyi</i>	7	<i>deerigianus</i>	8	<i>Dichanthelium patulatum</i>	16
		<i>Cyperus compressus</i>	6	<i>Cyperus retrorsus</i> subsp.		<i>Dichanthelium portoricense</i>	16
		<i>Cyperus croceus</i>	7	<i>Robustus</i>	7	<i>Dichanthelium sabulorum</i>	16
				<i>Cyperus rotundus</i>	8		

<i>Dichanthelium sabulorum</i> var. <i>patulum</i>	16	<i>Eleocharis capitata</i>	8	<i>Erigeron vernus</i>	28	<i>Fimbrystilis caroliniana</i>	8
<i>Dichanthelium sabulorum</i> var. <i>thinimum</i>	16	<i>Eleocharis caribaea</i>	8	<i>Eriocaulon compressum</i>	11	<i>Fimbrystilis harperi</i>	8
<i>Dichanthelium sabulorum</i> var. <i>thinimum</i>	16	<i>Eleocharis confervioides</i>	10	<i>Eriocaulon compressum</i> var. <i>harperi</i>	11	<i>Froelichia floridana</i>	23
<i>Dichondra carolinensis</i>	36	<i>Eleocharis elongata</i>	8	<i>Eriocaulon decangulare</i>	11	<i>Fuirena longa</i>	9
<i>Digitaria adscendens</i>	16	<i>Eleocharis geniculata</i>	8	<i>Eriocaulon decangulare</i> var. <i>latifolium</i>	11	<i>Fuirena scirpoidea</i>	9
<i>Digitaria ciliaris</i>	16	<i>Eleocharis microcarpa</i>	8	<i>Eriogonum floridanum</i>	54	<i>Funastrum clausum</i>	25
<i>Digitaria filiformis</i> var. <i>filiformis</i>	16	<i>Eleocharis minima</i>	8	<i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i>	54	<i>Galactia elliottii</i>	43
<i>Digitaria filiformis</i> var. <i>villosa</i>	16	<i>Eleocharis nana</i>	8	<i>Eryngium aromaticum</i>	24	<i>Galactia fasciculata</i>	43
<i>Digitaria sanguinalis</i>	16	<i>Eleocharis prolifera</i>	8	<i>Eryngium cuneifolium</i>	24	<i>Galactia floridana</i>	43
<i>Digitaria villosa</i>	16	<i>Eleocharis torreyana</i>	8	<i>Erythrina arborea</i>	43	<i>Galactia microphylla</i>	43
<i>Diodes</i>	57	<i>Eleocharis uncialis</i>	8	<i>Erythrina herbacea</i>	43	<i>Galactia minor</i>	43
<i>Diodes</i>	57	<i>Eleocharis vivipara</i>	8	<i>Eugenia uniflora</i>	50	<i>Galactia pinetorum</i>	43
<i>Diodes</i>	57	<i>Elephantopus elatus</i>	27	<i>Eulophia alta</i>	13	<i>Galactia prostrata</i>	43
<i>Diodes</i>	57	<i>Eleusine indica</i>	16	<i>Eulophia ecristata</i>	13	<i>Galactia regularis</i>	43
<i>Diodes</i>	57	<i>Emilia fosbergii</i>	27	<i>Eupatorium capillifolium</i>	28	<i>Galactia smallii</i>	43
<i>Diodes</i>	57	<i>Emilia javanica</i>	27	<i>Eupatorium coelestinum</i>	27	<i>Galium obtusum</i> var. <i>floridanum</i>	57
<i>Diodes</i>	57	<i>Encyclia tampensis</i>	13	<i>Eupatorium leptophyllum</i>	28	<i>Galium pilosum</i>	57
<i>Diodes</i>	57	<i>Epidendrum tapense</i>	13	<i>Eupatorium mohrii</i>	28	<i>Galium pilosum</i> var.	
<i>Diodes</i>	57	<i>Eragrostis amabilis</i>	17	<i>Euphorbia blodgettii</i>	39	<i>laevicaule</i>	57
<i>Diodes</i>	57	<i>Eragrostis ciliaris</i>	17	<i>Euphorbia heterophylla</i>	40	<i>puncticulosum</i>	57
<i>Dioscorea bulbifera</i>	10	<i>Eragrostis elliottii</i>	17	<i>Euphorbia hirta</i>	39	<i>Galium tinctorium</i>	57
<i>Diospyros mosieri</i>	38	<i>Eragrostis refracta</i>	17	<i>Euphorbia hyssopifolia</i>	39	<i>Galypola incarnate</i>	54
<i>Diospyros virginiana</i>	38	<i>Eragrostis tenella</i>	17	<i>Euphorbia maculata</i>	39	<i>Gamochaeta pensylvanica</i>	28
<i>Doellingeria reticulata</i>	29	<i>Eragrostis virginica</i>	17	<i>Euphorbia maculata</i>	39	<i>Gamochaeta purpurea</i>	28
<i>Dolicholus minimus</i>	44	<i>Erechtites hieracifolia</i>	27	<i>Euphorbia polypylla</i>	40	<i>Garberia fruticosa</i>	28
<i>Drosera capillaris</i>	37	<i>Eremochloa ophiuroides</i>	17	<i>Euphorbia polyphylla</i>	40	<i>Garberia heterophylla</i>	28
<i>Drymaria cordata</i>	34	<i>Erianthus saccharoides</i>	19	<i>Euphorbia rosescens</i>	40	<i>Gastronychia herniarioides</i>	34
<i>Dyschoriste oblongifolia</i>	22	<i>Erianthus giganteus</i>	19	<i>Euphorbia supine</i>	39	<i>Gaura angustifolia</i>	51
<i>Echinochloa walteri</i>	16	<i>Erigeron canadensis</i> var. <i>pusillus</i>	27	<i>Eustachys petraea</i>	17	<i>Gaura eatonii</i>	51
<i>Eclipta alba</i>	27	<i>Erigeron quercifolius</i>	27	<i>Euthamia caroliniana</i>	28	<i>Gaura simulans</i>	51
<i>Eclipta prostrata</i>	27	<i>Erigeron ramosus</i>	27	<i>Euthamia minor</i>	28	<i>Gaylussacia dumosa</i>	38
<i>Eleocharis baldwinii</i>	8	<i>Erigeron strigosus</i>	27	<i>Euthamia tenuifolia</i>	28	<i>Gaylussacia frondosa</i> var. <i>nana</i>	38
<i>Eleocharis bicolor</i>	8	<i>Erigeron strigosus</i> var. <i>beyrichii</i>	27	<i>Ficus aurea</i>	50		

<i>Gaylussacia frondosa</i> var.		<i>Hedyotis uniflora</i>	57	<i>Hypericum mutilum</i>	36	<i>Isnardia intermedia</i>	52
<i>tomentosa</i>	38	<i>Hedyotis uniflora</i> var.		<i>Hypericum opacum</i>	35	<i>Isnardia palustris</i>	52
<i>Gaylussacia nana</i>	38	<i>fasciculate</i>	57	<i>Hypericum reductum</i>	36	<i>Isnardia repens</i>	52
<i>Gaylussacia tomentosa</i>	38	<i>Helianthemum corymbosum</i>	34	<i>Hypericum tetrapetalum</i>	36	<i>Itea virginica</i>	46
<i>Gelsemium sempervirens</i>	45	<i>Helianthemum nashii</i>	35	<i>Hypericum virginicum</i>	36	<i>Jasminum dichotomum</i>	51
<i>Geobalanus oblongifolius</i>	34	<i>Hemianthus glomeratus</i>	61	<i>Hypolepis repens</i>	1	<i>Jasminum fluminense</i>	51
<i>Geobalanus pallidus</i>	34	<i>Heteropogon contortus</i>	17	<i>Hypoxis juncea</i>	11	<i>Juncus aristulatus</i>	12
<i>Gerardia fasciculata</i> subsp.		<i>Heterotheca graminifolia</i>	30	<i>Hyptis alata</i>	46	<i>Juncus biflorus</i>	12
<i>peninsularis</i>	53	<i>Heterotheca graminifolia</i> var.		<i>Hyptis alata</i> var. <i>stenophylla</i>	46	<i>Juncus effusus</i>	12
<i>Gerardia fasciculata</i>	53	<i>tracyi</i>	30	<i>Hyptis mutabilis</i>	46	<i>Juncus effusus</i> var. <i>solutus</i>	12
<i>Gerardia filifolia</i>	53	<i>Heterotheca latifolia</i>	28	<i>Hyptis radiata</i>	46	<i>Juncus marginatus</i>	12
<i>Gerardina linifolia</i>	53	<i>Heterotheca microcephala</i>	30	<i>Ibidium praecox</i>	13	<i>Juncus megacephalus</i>	12
<i>Glycine apios</i>	41	<i>Heterotheca nervosa</i>	30	<i>Ilex ambigua</i> var. <i>ambigua</i>	25	<i>Juncus repens</i>	12
<i>Gnaphalium obtusifolium</i>	30	<i>Heterotheca nervosa</i> var.		<i>Ilex buswellii</i>	25	<i>Juncus scirpoides</i>	12
<i>Gnaphalium pensylvanicum</i>	28	<i>microcephala</i>	30	<i>Ilex caroliniana</i>	25	<i>Jussiaea angustifolia</i>	52
<i>Gnaphalium purpureum</i>	28	<i>Heterotheca subaxillaris</i>	28	<i>Ilex cassine</i> var. <i>cassine</i>	25	<i>Jussiaea erecta</i>	51
<i>Gnaphalium purpureum</i> var.		<i>Heterotheca subaxillaris</i> var.		<i>Ilex cumulicola</i>	25	<i>Jussiaea leptocarpa</i>	52
<i>spathulatum</i>	28	<i>procumbens</i>	28	<i>Ilex glabra</i>	25	<i>Jussiaea peruviana</i>	52
<i>Gnaphalium spathulatum</i>	28	<i>Hicoria floridana</i>	46	<i>Ilex opaca</i> var. <i>arenicola</i>	25	<i>Jussiaea scabra</i>	52
<i>Gomphrena decumbens</i>	23	<i>Hieracium floridanum</i>	29	<i>Ilysanthes grandiflora</i>	61	<i>Justicia ovata</i> var. <i>ovata</i>	22
<i>Gomphrena dispersa</i>	23	<i>Hieracium gronovii</i>	29	<i>Indigofera caroliniana</i>	43	<i>Lachnanthes caroliana</i>	11
<i>Gomphrena serrata</i>	23	<i>Holcus halepensis</i>	20	<i>Ipomoea acuminata</i>	36	<i>Lachnocaulon anceps</i>	11
<i>Gordonia lasianthus</i>	59	<i>Houstonia procumbens</i>	57	<i>Ipomoea alba</i>	36	<i>Lachnocaulon beyrichianum</i>	11
<i>Gratiola ramosa</i>	60	<i>Hydrocotyle bonariensis</i>	25	<i>Ipomoea cairica</i>	36	<i>Lachnocaulon eciliatum</i>	11
<i>Gyrotheca tinctorum</i>	11	<i>Hydrocotyle umbellata</i>	25	<i>Ipomoea cordatotriloba</i>	36	<i>Lachnocaulon engleri</i>	11
<i>Habenaria ciliaris</i>	13	<i>Hydrocotyle verticillata</i>	25	<i>Ipomoea indica</i> var.		<i>Lachnocaulon engleri</i> var.	
<i>Habenaria floribunda</i>	13	<i>Hyparrhenia rufa</i>	17	<i>acuminata</i>	36	<i>caulescens</i>	11
<i>Habenaria odontopetala</i>	13	<i>Hypericum aspalathoides</i>	35	<i>Ipomoea pandurata</i>	36	<i>Lachnocaulon floridanum</i>	11
<i>Habenaria repens</i>	13	<i>Hypericum brachyphyllum</i>	35	<i>Ipomoea quamoclit</i>	37	<i>Lachnocaulon glabrum</i>	11
<i>Habenaria strictissima</i> var..		<i>Hypericum cistifolium</i>	35	<i>Ipomoea sinuate</i>	37	<i>Lachnocaulon minus</i>	11
<i>odontopetala</i>	13	<i>Hypericum cumulicola</i>	35	<i>Ipomoea trichocarpa</i>	36	<i>Laciaria chapmanii</i>	29
<i>Habenella odontopetala</i>	13	<i>Hypericum edisonianum</i>	35	<i>Ipomoea x leucantha</i>	37	<i>Laciaria chapmannii</i> var.	
<i>Hartwrightia floridana</i>	28	<i>Hypericum fasciculatum</i>	35	<i>Iresine canescens</i>	23	<i>longifolia</i>	29
<i>Hedyotis corymbosa</i>	57	<i>Hypericum gentianoides</i>	35	<i>Iresine celosia</i>	23	<i>Laciaria tenuifolia</i>	29
<i>Hedyotis procumbens</i>	57	<i>Hypericum hypericoides</i>	36	<i>Iresine diffusa</i>	23	<i>Lactuca graminifolia</i>	29

<i>Lantana aculeate</i>	60	<i>Lilium catesbaei</i>	12	<i>Lycopodium carolinianum</i>	1	<i>Melothria pendula</i> var.
<i>Lantana camara</i>	60	<i>Lilium catesbaei</i> subsp. <i>asprellum</i>	12	<i>Lygodesmia aphylla</i>	29	<i>crassifolia</i>
<i>Lantana camara</i> var. <i>aculeate</i>	60	<i>Lilium catesbaei</i> var. <i>longii</i>	12	<i>Lygodium microphyllum</i>	2	<i>Merremia dissecta</i>
<i>Lantana depressa</i> var. <i>floridana</i>	60	<i>Limnophila sessiliflora</i>	60	<i>Lyonia ferruginea</i>	38	<i>Micranthemum glomeratum</i>
<i>Lantana depressa</i> var. <i>sanibelensis</i>	60	<i>Limodorum multiflorum</i>	13	<i>Lyonia fruticosa</i>	38	<i>Mikania batatifolia</i>
<i>Lasiococcus dumosus</i>	38	<i>Limodorum parviflorum</i>	13	<i>Lyonia ligustrina</i> var. <i>foliosiflora</i>	38	<i>Mikania cordifolia</i>
<i>Lechea cernua</i>	35	<i>Limodorum pinetorum</i>	13	<i>Macroptilium atropurpureum</i>	43	<i>Mikania scandens</i>
<i>Lechea deckertii</i>	35	<i>Limodorum simpsonii</i>	13	<i>Magnolia virginiana</i>	48	<i>Mimosa quadrivalvis</i> var. <i>angustata</i>
<i>Lechea divaricata</i>	35	<i>Limodorum tuberosum</i>	13	<i>Malvastrum</i>	48	<i>Mimosa quadrivalvis</i> var. <i>floridana</i>
<i>Lechea exserta</i>	35	<i>Linaria floridana</i>	61	<i>coromandelianum</i>	49	<i>Mirabilis jalapa</i>
<i>Lechea myriophylla</i>	35	<i>Lindernia grandiflora</i>	61	<i>Mariscus jamaicensis</i>	6	<i>Mollugo verticillata</i>
<i>Lechea patula</i>	35	<i>Lippia nodiflora</i>	60	<i>Martiusia fragrans</i>	42	<i>Momordica charantia</i>
<i>Lechea prismatica</i>	35	<i>Lobelia glandulosa</i>	33	<i>Mayaca aubletii</i>	12	<i>Monotropa uniflora</i>
<i>Lechea sessiliflora</i>	35	<i>Lonicera sempervirens</i>	33	<i>Mayaca fluviatilis</i>	12	<i>Morella cerifera</i>
<i>Lechea torreyi</i>	35	<i>Ludwigia erecta</i>	51	<i>Mecardonia acuminata</i>	61	<i>Muhlenbergia capillaris</i>
<i>Lechea torreyi</i> var. <i>congesta</i>	35	<i>Ludwigia lanceolata</i>	51	<i>Mecardonia acuminata</i>	61	<i>Muhlenbergia filipes</i>
<i>Lemna valdiviana</i>	4	<i>Ludwigia leptocarpa</i>	52	<i>Mecardonia acuminata</i>	61	<i>Muscadinia munsoniana</i>
<i>Lepidium virginicum</i>	32	<i>Ludwigia linearis</i>	52	<i>Mecardonia acuminata</i>	61	<i>Muscadinia rotundifolia</i>
<i>Leptilon pusillum</i>	27	<i>Ludwigia maritima</i>	52	subsp. <i>peninsularis</i>	61	<i>Myrica cerifera</i>
<i>Leptoglossis angustisiliqua</i>	43	<i>Ludwigia microcarpa</i>	52	<i>Mecardonia acuminata</i> var. <i>peninsularis</i>	61	<i>Myrica cerifera</i> var. <i>pumila</i>
<i>Leptoglossis chapmanii</i>	43	<i>Ludwigia octovalvis</i>	52	<i>Meibomia cana</i>	42	<i>Myrica pusilla</i>
<i>Leptoglossis floridana</i>	44	<i>Ludwigia palustris</i>	52	<i>Meibomia purpurea</i>	42	<i>Myriophyllum laxum</i>
<i>Leptoglossis microphylla</i>	43	<i>Ludwigia peruviana</i>	52	<i>Meibomia rhombifolia</i>	42	<i>Myriophyllum pinnatum</i>
<i>Liatris chapmanii</i>	29	<i>Ludwigia repens</i>	52	<i>Meibomia viridiflora</i>	42	<i>Myrsine floridana</i>
<i>Liatris laevigata</i>	29	<i>Ludwigia sphaerocarpa</i>	52	<i>Melaleuca quinquenervia</i>	50	<i>Myrsine guianensis</i>
<i>Liatris ohlingerae</i>	29	<i>Ludwigia suffruticosa</i>	52	<i>Melia azedarach</i>	49	<i>Nephrolepis exaltata</i>
<i>Liatris tenuifolia</i> var. <i>laevigata</i>	29	<i>Lupinus cumulicola</i>	43	<i>Melothria crassifolia</i>	37	<i>Nolina brittoniana</i>
<i>Liatris tenuifolia</i> var. <i>quadriflora</i>	29	<i>Lupinus diffuses</i>	43	<i>Melothria nashii</i>	37	<i>Nuphar advena</i> subsp. <i>advena</i>
<i>Liatris tenuifolia</i> var. <i>tenuifolia</i>	29	<i>Lycopodiella alopecuroides</i>	1	<i>Melothria pendula</i>	37	<i>Nuphar lutea</i> subsp. <i>advena</i>
<i>Licania michauxii</i>	34	<i>Lycopodiella appressa</i>	1	<i>Melothria pendula</i> var. <i>aspera</i>	37	<i>Nuphar lutea</i> subsp. <i>macrophyllum</i>
		<i>Lycopodiella caroliniana</i>	1			<i>Nuttallanthus floridanus</i>
		<i>Lycopodium alopecuroides</i>	1			
		<i>Lycopodium appressum</i>	1			

<i>Nyachia pulvinata</i>	34	<i>Oxalis corniculata</i>	53	<i>Panicum rhizomatum</i>	17	<i>Paspalum setaceum</i> var.
<i>Nymphaea chartacea</i>	51	<i>Oxalis dillenii</i>	53	<i>Panicum roanokense</i>	15	<i>rigidifolium</i>
<i>Nymphaea fluviatilis</i>	51	<i>Oxalis florida</i> subsp.		<i>Panicum sphagnicola</i>	15	<i>Paspalum setaceum</i> var.
<i>Nymphaea macrophylla</i>	51	<i>prostrata</i>	53	<i>Panicum tenerum</i>	18	<i>stramineum</i>
<i>Nymphoides aquatica</i>	49	<i>Oxalis stricta</i>	53	<i>Panicum verrucosum</i>	18	<i>Paspalum setaceum</i> var.
<i>Nyssa biflora</i>	37	<i>Oxypolis filiformis</i> subsp.		<i>Panicum virgatum</i>	18	<i>supinum</i>
<i>Nyssa sylvatica</i> var. <i>biflora</i>	37	<i>filiformis</i>	24	<i>Panicum webberianum</i>	16	<i>Paspalum setaceum</i> var.
<i>Nyssa ursina</i>	37	<i>Oxypteryx curtissii</i>	24	<i>Parietaria floridana</i>	60	<i>villosum</i>
<i>Oclemena reticulata</i>	29	<i>Palafoxia feayi</i>	29	<i>Parietaria nummularia</i>	60	<i>Paspalum supinum</i>
<i>Oenothera laciniata</i>	52	<i>Palafoxia integrifolia</i>	29	<i>Paronychia Americana</i>	34	<i>Paspalum urvillei</i>
<i>Oldenlandia corymbosa</i>	57	<i>Panicum abscissum</i>	17	<i>Paronychia americana</i> subsp.		<i>Passiflora pallida</i>
<i>Oldenlandia fasciculata</i>	57	<i>Panicum aciculare</i>	15	<i>pauciflora</i>	34	<i>Passiflora suberosa</i>
<i>Oldenlandia uniflora</i>	57	<i>Panicum anceps</i>	17	<i>Paronychia chartacea</i> subsp.		<i>Pectis linearifolia</i>
<i>Operculina dissecta</i>	37	<i>Panicum anceps</i> var.		<i>chartacea</i>	34	<i>Peltandra virginica</i>
<i>Opuntia ammophila</i>	33	<i>rhizomatum</i>	17	<i>Paronychia herniarioides</i>	34	<i>Persea borbonia</i> var.
<i>Opuntia australis</i>	33	<i>Panicum angustifolium</i>	15	<i>Parsonsia balsamona</i>	48	<i>borbonia</i>
<i>Opuntia compressa</i>	33	<i>Panicum arenicoloides</i>	15	<i>Parthenocissus quinquefolia</i>	62	<i>Persea borbonia</i> var. <i>humilis</i>
<i>Opuntia compressa</i> var.		<i>Panicum caerulescens</i>	15	<i>Parthenocissus quinquefolia</i>		<i>Persea borbonia</i> var.
<i>ammophila</i>	33	<i>Panicum dichotomiflorum</i>	17	<i>fma. hirsuta</i>	62	<i>pubescens</i>
<i>Opuntia compressa</i> var.		<i>Panicum dichotomum</i>	15	<i>Paspalum ciliatifolium</i>	19	<i>Persea humilis</i>
<i>austrina</i>	33	<i>Panicum erectifolium</i>	16	<i>Paspalum conjugatum</i>	18	<i>Persea palustris</i>
<i>Opuntia cumulicola</i>	33	<i>Panicum fusiforme</i>	15	<i>Paspalum debile</i>	19	<i>Persesia littoralis</i>
<i>Opuntia eburnispina</i>	33	<i>Panicum hemitomon</i>	17	<i>Paspalum longipedunculatum</i>	19	<i>Persicaria hirsuta</i>
<i>Opuntia humifusa</i>	33	<i>Panicum hians</i>	18	<i>Paspalum notatum</i>	18	<i>Persicaria hirsuta</i> var.
<i>Opuntia impedata</i>	33	<i>Panicum lancearium</i>	16	<i>Paspalum propinquum</i>	19	<i>glabrescens</i>
<i>Opuntia lata</i>	33	<i>Panicum lucidum</i>	15	<i>Paspalum pubescens</i>	19	<i>Persicaria hydropiperoides</i>
<i>Opuntia pisciformis</i>	33	<i>Panicum maximum</i>	18	<i>Paspalum rigidifolium</i>	19	<i>Persicaria opelousanum</i>
<i>Opuntia pollardii</i>	33	<i>Panicum microcarpon</i>	15	<i>Paspalum setaceum</i>	19	<i>Petalostemon feayi</i>
<i>Opuntia polycarpa</i>	33	<i>Panicum neuranthum</i>	15	<i>Paspalum setaceum</i> var.		<i>Phaethusa laciniata</i>
<i>Opuntia turbinata</i>	33	<i>Panicum nitidum</i>	15	<i>ciliatifolium</i>	19	<i>Phaethusa virginica</i>
<i>Opuntia turgida</i>	33	<i>Panicum patentifolium</i>	16	<i>Paspalum setaceum</i> var.		<i>Pharbitis cathartica</i>
<i>Osmanthus americanus</i>	51	<i>Panicum patulum</i>	16	<i>longipedunculatum</i>	19	<i>Phenianthus sempervirens</i>
<i>Osmanthus megacarpus</i>	51	<i>Panicum pinetorum</i>	15	<i>Paspalum setaceum</i> var.		<i>Phlebodium aureum</i>
<i>Osmunda cinnamomea</i>	1	<i>Panicum portoricense</i>	16	<i>muhlenbergii</i>	19	<i>Phoebanthus grandiflorus</i>
<i>Osmunda regalis</i>	2	<i>Panicum repens</i>	18			<i>Phoradendron eatonii</i>

<i>Phoradendron flavescens</i>	61	<i>Pinus clausa</i>	3	<i>Poinsettia heterophylla</i>	40	<i>Polypterus integrifolia</i>	29
<i>Phoradendron leucarpum</i>	61	<i>Pinus clausa</i> var. <i>immuginata</i>	3	<i>Polanisia tenuifolia</i>	33	<i>Pontederia cordata</i>	21
<i>Phoradendron macrotomum</i>	61	<i>Pinus elliottii</i> var. <i>densa</i>	3	<i>Polygala aborigina</i>	54	<i>Pontederia cordata</i> var.	
<i>Phoradendron serotinum</i>	61	<i>Pinus heterophylla</i>	3	<i>Polygala cruciata</i>	54	<i>lanceolata</i>	21
<i>Phoradendron serotinum</i>		<i>Pinus palustris</i>	3	<i>Polygala cymosa</i>	54	<i>Pontederia cordata</i> var.	
subsp. <i>macrotomum</i>	61	<i>Piriqueta caroliniana</i>	59	<i>Polygala grandiflora</i>	54	<i>lancifolia</i>	21
<i>Photinia pyrifolia</i>	56	<i>Piriqueta caroliniana</i> var.		<i>Polygala grandiflora</i> var.		<i>Pontederia lanceolata</i>	21
<i>Phyla nodiflora</i>	60	<i>glabra</i>	59	<i>angustifolia</i>	54	<i>Portulaca pilosa</i>	55
<i>Phyllanthus lathyroides</i>	40	<i>Piriqueta caroliniana</i> var.		<i>Polygala grandiflora</i> var.		<i>Prunus geniculata</i>	56
<i>Phyllanthus tenellus</i>	40	<i>tomentosa</i>	59	<i>leiodes</i>	54	<i>Prunus umbellata</i>	56
<i>Physalis arenicola</i>	59	<i>Piriqueta cistoides</i> subsp.		<i>Polygala incarnate</i>	54	<i>Pseudognaphalium</i>	
<i>Physalis arenicola</i> var. <i>ciliosa</i>	59	<i>caroliniana</i>	59	<i>Polygala krugii</i>	54	<i>obtusifolium</i>	30
<i>Physalis ciliosa</i>	59	<i>Piriqueta glabrescens</i>	59	<i>Polygala nana</i>	54	<i>Pseudolycopodiella</i>	
<i>Physalis elliottii</i>	59	<i>Piriqueta tomentosa</i>	59	<i>Polygala polygama</i>	54	<i>caroliniana</i>	1
<i>Physalis maritime</i>	59	<i>Piriqueta virdis</i>	59	<i>Polygala ramosior</i>	54	<i>Psychotria bahamensis</i>	57
<i>Physalis viscosa</i> subsp.		<i>Pityopsis graminifolia</i>	30	<i>Polygala rugelii</i>	54	<i>Psychotria ligustrifolia</i>	57
<i>maritima</i>	59	<i>Pityopsis graminifolia</i> var.		<i>Polygala setacea</i>	54	<i>Psychotria nervosa</i>	57
<i>Physalis viscosa</i> var. <i>elliottii</i>	59	<i>latifolia</i>	30	<i>Polygonella basiramia</i>	55	<i>Psychotria nervosa</i> var.	
<i>Physalis viscosa</i> var.		<i>Pityopsis graminifolia</i> var.		<i>Polygonella ciliata</i> var.		<i>lanceolata</i>	57
<i>maritima</i>	59	<i>microcephala</i>	30	<i>basiramia</i>	55	<i>Psychotria undata</i>	57
<i>Physalis walteri</i>	59	<i>Pityopsis microcephala</i>	30	<i>Polygonella fimbriata</i> var.		<i>Pteridium aquilinum</i>	1
<i>Phytolacca americana</i>	53	<i>Pityopsis tracyi</i>	30	<i>robusta</i>	55	<i>Pteris caudata</i>	1
<i>Phytolacca americana</i> var.		<i>Pityothamnus obovata</i>	24	<i>Polygonella gracilis</i>	55	<i>Pteris latiuscula</i>	1
<i>rigida</i>	53	<i>Pityothamnus reticulatus</i>	24	<i>Polygonella myriophylla</i>	55	<i>Pterocaulon pycnostachyum</i>	30
<i>Phytolacca rigida</i>	53	<i>Platanthera ciliaris</i>	13	<i>Polygonella polygama</i>	55	<i>Pterocaulon undulatum</i>	30
<i>Pilea microphylla</i>	60	<i>Platypus altus</i>	13	<i>Polygonella robusta</i>	55	<i>Pterocaulon virgatum</i>	30
<i>Piloblepharis rigida</i>	47	<i>Pleopeltis polypodioides</i> var.		<i>Polygonum hirsutum</i>	55	<i>Pteroglossaspis ecristata</i>	13
<i>Pilstaxis cymosa</i>	54	<i>michaixiana</i>	2	<i>Polygonum hydropiperoides</i>	55	<i>Ptilimnium capillaceum</i>	24
<i>Pilstaxis nana</i>	54	<i>Pluchea foetida</i>	30	<i>Polygonum hydropiperoides</i>		<i>Pycnothymus rigidus</i>	47
<i>Pilstaxis rugelii</i>	54	<i>Pluchea imbricate</i>	30	var. <i>opelousanum</i>	55	<i>Pyrus arbutifolia</i>	56
<i>Pinguicula caerulea</i>	47	<i>Pluchea longifolia</i>	30	<i>Polygonum opelousana</i>	55	<i>Quercus chapmanii</i>	44
<i>Pinguicula lutea</i>	48	<i>Pluchea rosea</i>	30	<i>Polypodium aureum</i>	2	<i>Quercus cinerea</i>	44
<i>Pinguicula pumila</i>	48	<i>Pluchea tenuifolia</i>	30	<i>Polypodium polypodioides</i>		<i>Quercus geminata</i>	44
<i>Pinus australis</i>	3	<i>Podostigma pedicellata</i>	24	subsp. <i>michaixianum</i>	2	<i>Quercus hemisphaerica</i>	45
<i>Pinus caribaea</i>	3	<i>Poinsettia geniculata</i>	40	<i>Polypremum procumbens</i>	59	<i>Quercus incana</i>	44

<i>Quercus inopina</i>	44	<i>Rhynchospora cephalantha</i>		<i>Rubus mirus</i>	56	<i>Sagittaria cycloptera</i>	4
<i>Quercus laevis</i>	45	var. <i>pleiocephala</i>	9	<i>Rubus okeechobeus</i>	56	<i>Sagittaria graminea</i>	4
<i>Quercus laurifolia</i>	45	<i>Rhynchospora distans</i>	9	<i>Rubus persistens</i>	56	<i>Sagittaria isoetiformis</i>	4
<i>Quercus minima</i>	45	<i>Rhynchospora dodecandra</i>	9	<i>Rubus rhodophyllus</i>	56	<i>Sagittaria lancifolia</i> subsp.	
<i>Quercus myrtifolia</i>	45	<i>Rhynchospora edisoniana</i>	9	<i>Rubus tallahasseeanus</i>	56	<i>lancifolia</i>	4
<i>Quercus obtusa</i>	45	<i>Rhynchospora fascicularis</i>	9	<i>Rubus trivialis</i>	56	<i>Sagotia triflora</i>	42
<i>Quercus virginiana</i> var. <i>geminata</i>	44	<i>Rhynchospora fascicularis</i> subsp. <i>distans</i>	9	<i>Rubus ucetanus</i>	56	<i>Salix amphibian</i>	58
<i>Quercus virginiana</i> .	45	<i>Rhynchospora fernaldi</i>	9	<i>Rudbeckia divergens</i>	31	<i>Salix caroliniana</i>	58
<i>Raimannia laciniata</i>	52	<i>Rhynchospora filifolia</i>	9	<i>Rudbeckia hirta</i>	31	<i>Salix longipes</i>	58
<i>Rapanea guianensis</i>	50	<i>Rhynchospora fuscooides</i>	9	<i>Rudbeckia hirta</i> var. <i>angustifolia</i>	31	<i>Salvia coccinea</i>	47
<i>Rapanea punctata</i>	50	<i>Rhynchospora intermedia</i>	9	<i>Rudbeckia hirta</i> var. <i>pulcherrima</i>	31	<i>Salvia lyrata</i>	47
<i>Raphanus raphanistrum</i>	33	<i>Rhynchospora intermixta</i>	9	<i>Rudbeckia hirta</i> var. <i>Ruellia brittoniana</i>	22	<i>Salvia occidentalis</i>	47
<i>Rhexia cubensis</i>	49	<i>Rhynchospora inundata</i>	9	<i>Ruellia tweediana</i>	22	<i>Salvinia auriculata</i>	2
<i>Rhexia lanceolata</i>	49	<i>Rhynchospora megalocarpa</i>	9	<i>Rufacer carolinianum</i>	58	<i>Salvinia minima</i>	2
<i>Rhexia mariana</i>	49	<i>Rhynchospora microcarpa</i>	9	<i>Rufacer drummondii</i>	58	<i>Salvinia rotundifolia</i>	2
<i>Rhexia mariana</i> var. <i>exalbida</i>	49	<i>Rhynchospora microcephala</i>	9	<i>Rufacer rubrum</i>	58	<i>Sambucus canadensis</i>	23
<i>Rhexia nuttallii</i>	49	<i>Rhynchospora pusilla</i>	9	<i>Rumex hastatus</i>	55	<i>Sambucus nigra</i> subsp. <i>canadensis</i>	23
<i>Rhodomryrtus tomentosa</i>	50	<i>Rhynchospora tracyi</i>	10	<i>Solanum aculeatissimum</i>	59	<i>Sambucus simpsonii</i>	23
<i>Rhus copallinum</i>	23	<i>Rhynchospora wrightiana</i>	10	<i>Solanum ciliatum</i>	59	<i>Sanidophyllum cumulicola</i>	35
<i>Rhus copallinum</i> var. <i>leucantha</i>	23	<i>Richardia brasiliensis</i>	57	<i>Sabal etonia</i>	4	<i>Sarcostemma clausum</i>	25
<i>Rhus leucantha</i>	23	<i>Richardia scabra</i>	58	<i>Sabal jamesoniana</i>	4	<i>Sarothra gentianoides</i>	35
<i>Rhus obtusifolia</i>	23	<i>Ricinus communis</i>	40	<i>Sabal palmetto</i>	4	<i>Satureja rigida</i>	47
<i>Rhus radicans</i>	24	<i>Rivina humilis</i>	53	<i>Sabatia brevifolia</i>	45	<i>Schinus terebinthifolius</i>	23
<i>Rhynchelytrum repens</i>	19	<i>Rottboellia cochinchinensis</i>	19	<i>Sabatia difformis</i>	45	<i>Schizachyrium hirtiflorum</i>	20
<i>Rhynchelytrum roseum</i>	19	<i>Rottboellia exaltata</i>	19	<i>Sabatia elliottii</i>	45	<i>Schizachyrium maritimum</i>	20
<i>Rhynchosia cinerea</i>	44	<i>Rubus argutus</i>	56	<i>Sabatia grandiflora</i>	45	<i>Schizachyrium niveum</i>	20
<i>Rhynchosia minima</i>	44	<i>Rubus betulifolius</i>	56	<i>Sabatia paniculata</i>	45	<i>Schizachyrium rhizomatum</i>	20
<i>Rhynchospora axillaris</i>	9	<i>Rubus continentalis</i>	56	<i>Sabatia stellaris</i>	45	<i>Schizachyrium sanguineum</i>	20
<i>Rhynchospora brachychaeta</i>	10	<i>Rubus enslenii</i>	56	<i>Saccharum giganteum</i>	19	<i>Schizachyrium scoparium</i>	20
<i>Rhynchospora careyana</i>	9	<i>Rubus flagellaris</i>	56	<i>Sacciolepis striata</i>	20	<i>Schizachyrium semiberbe</i>	20
<i>Rhynchospora cephalantha</i>	9	<i>Rubus floridus</i>	56	<i>Sageretia minutiflora</i>	56	<i>Schizachyrium stoloniferum</i>	20
var. <i>microcephala</i>	9	<i>Rubus ictus</i>	56	<i>Sagittaria chapmanii</i>	4	<i>Schoenocaulon dubium</i>	12
		<i>Rubus lucidus</i>	56			<i>Schranksia microphylla</i>	43

<i>Schrankia microphylla</i> var.		<i>Sida acuta</i>	49	<i>Sorbus arbutifolia</i>	56	<i>Syphyotrichum</i>	
<i>floridana</i>	44	<i>Sida cordifolia</i>	49	<i>Sorghastrum secundum</i>	20	<i>carolinianum</i>	31
<i>Schrankia uncinata</i>	43	<i>Sideroxylon reclinatum</i>		<i>Sorghum halepense</i>	20	<i>Syphyotrichum dumosum</i>	32
<i>Schrankia uncinata</i>	44	subsp. <i>reclinatum</i>	58	<i>Spartina bakeri</i>	20	<i>Syphyotrichum subulatum</i>	32
<i>Scirpus cubensis</i>	10	<i>Sideroxylon reclinatum</i> subsp.		<i>Specularia biflora</i>	33	<i>Syngonanthus flavidulus</i>	11
<i>Scleria brittonii</i>	10	<i>rufotomentosum</i>	58	<i>Spermacoce assurgens</i>	58	<i>Syntherisma filiforme</i>	16
<i>Scleria ciliata</i> subsp. <i>elliottii</i>	10	<i>Sideroxylon rufohirtum</i>	58	<i>Spermacoce prostrate</i>	58	<i>Syntherisma sanguinale</i>	16
<i>Scleria ciliata</i> subsp. <i>glabra</i>	10	<i>Sideroxylon tenax</i>	58	<i>Spermolepis echinata</i>	24	<i>Syntherisma villosum</i>	16
<i>Scleria ciliata</i> var. <i>ciliata</i>	10	<i>Siphonychia americana</i>	34	<i>Sphagneticola trilobata</i>	31	<i>Talinum paniculatum</i>	55
<i>Scleria ciliata</i> var. <i>pauciflora</i>	10	<i>Siphonychia pauciflora</i>	34	<i>Spiranthes praecox</i>	13	<i>Tamala borbonia</i>	47
<i>Scleria elliotii</i>	10	<i>Sisyrinchium arenicola</i>	11	<i>Sporobolus berteroanus</i>	21	<i>Tamala humilis</i>	47
<i>Scleria muhlenbergii</i>	10	<i>Sisyrinchium fibrosum</i>	11	<i>Sporobolus indicus</i>	21	<i>Tamala littoralis</i>	47
<i>Scleria pauciflora</i>	10	<i>Sisyrinchium floridanum</i>	11	<i>Sporobolus poiretii</i>	21	<i>Tamala pubescens</i>	47
<i>Scleria pauciflora</i> var.		<i>Sisyrinchium fuscatum</i>	11	<i>Stachys floridana</i>	47	<i>Tephrosia chrysophylla</i>	44
<i>caroliniana</i>	10	<i>Sisyrinchium nashii</i>	11	<i>Steinchisma hians</i>	18	<i>Thelypteris goggilodus</i>	3
<i>Scleria reticularis</i>	10	<i>Sisyrinchium solstitiale</i>	12	<i>Stenanthium densum</i>	12	<i>Thelypteris interrupta</i>	3
<i>Scleria reticularis</i> subsp.		<i>Sisyrinchium xerophyllum</i>	12	<i>Stenophylloides barbatus</i>	6	<i>Thelypteris kunthii</i>	3
<i>pubescens</i>	10	<i>Smilax auriculata</i>	21	<i>Stenophylloides carteri</i>	6	<i>Thelypteris macrorhizoma</i>	3
<i>Scleria setacea</i>	10	<i>Smilax bona-nox</i>	21	<i>Stenophylloides ciliatifolius</i>	6	<i>Thelypteris normalis</i>	3
<i>Scleria triglomerata</i>	10	<i>Smilax laurifolia</i>	21	<i>Stenophylloides coarctatus</i>	6	<i>Thelypteris saxatilis</i>	3
<i>Scoparia dulcis</i>	61	<i>Solanum americanum</i>	59	<i>Stenophylloides stenophyllus</i>	6	<i>Thelypteris totta</i>	3
<i>Selaginella acanthonota</i>	2	<i>Solanum capsicoides</i>	59	<i>Stenophylloides warei</i>	6	<i>Thelypteris unca</i>	3
<i>Selaginella arenicola</i>	2	<i>Solanum nigrum</i>	59	<i>Stillingia angustifolia</i>	40	<i>Thysanella robusta</i>	55
<i>Selaginella arenicola</i> subsp.		<i>Solidago chapmanii</i>	31	<i>Stillingia spathulata</i>	40	<i>Tillandsia balbisiana</i>	5
<i>acanthonota</i>	2	<i>Solidago fistulosa</i>	31	<i>Stillingia sylvatica</i>	40	<i>Tillandsia fasciculata</i> var.	
<i>Serenoa repens</i>	5	<i>Solidago gigantea</i>	31	<i>Stillingia sylvatica</i> subsp.		<i>densispica</i>	5
<i>Sericocarpus acutisquamatus</i>	31	<i>Solidago gigantea</i> var.		<i>tenuis</i>	40	<i>Tillandsia recurvata</i>	5
<i>Sericocarpus bifoliatus</i>	31	serotina	31	<i>Stillingia tenuis</i>	40	<i>Tillandsia setacea</i>	5
<i>Sericocarpus tortifolius</i>	31	<i>Solidago levanworthii</i>	31	<i>Stipulicida filiformis</i>	34	<i>Tillandsia tenuifolia</i>	5
<i>Setaria corrugata</i>	20	<i>Solidago microcephala</i>	28	<i>Stipulicida setacea</i>	34	<i>Tillandsia usneoides</i>	5
<i>Setaria geniculata</i>	20	<i>Solidago odora</i> var.		<i>Stomosisia cornuta</i>	48	<i>Tillandsia utriculata</i>	5
<i>Setaria parviflora</i>	20	<i>chapmanii</i>	31	<i>Styliuma abdita</i>	37	<i>Tithymalopsis polyphylla</i>	40
<i>Setiscapella cleistogama</i>	48	<i>Solidago serotina</i>	31	<i>Styliuma villosa</i>	37	<i>Torulinium confertum</i>	7
<i>Setiscapella subulata</i>	48	<i>Sonchus asper</i>	31	<i>Syphyotrichum adnatum</i>	31	<i>Toxicodendron radicans</i>	24
<i>Seymeria pectinata</i>	53	<i>Sonchus oleraceus</i>	31			<i>Tracyanthus angustifolius</i>	12

<i>Tradescantia longifolia</i>	6	<i>Vaccinium ellottii</i>	39	<i>Vittaria lineata</i>	3	<i>Zephyranthes simpsonii</i>	4
<i>Tradescantia roseolens</i>	6	<i>Vaccinium fuscatum</i>	39	<i>Warea carteri</i>	33	<i>Zeuxine strateumatica.</i>	14
<i>Tragia linearifolia</i>	40	<i>Vaccinium myrsinoides</i>	39	<i>Websteria confervoides</i>	10	<i>Zigadenus densus</i>	12
<i>Tragia urens</i>	40	<i>Vaccinium virgatum</i>	39	<i>Websteria submersa</i>	10	<i>Zigadenus leimanthoides</i>	12
<i>Triadenum virginicum</i>	36	<i>Verbena scabra</i>	60	<i>Wedelia trilobata</i>	31		
<i>Tricholaena repens</i>	19	<i>Verbesina alba</i>	27	<i>Woodwardia virginica</i>	1		
<i>Tricholaena rosea</i>	19	<i>Verbesina virginica</i>	32	<i>Xanthoxalis corniculata</i>	53		
<i>Trichostema dichotomum</i>	47	<i>Verbesina virginica</i> var. <i>laciniate</i>	32	<i>Xanthoxalis cymosa</i>	53		
<i>Trichostema suffrutescens</i>	47		32	<i>Xanthoxalis langloisii</i>	53		
<i>Trilisa paniculatus</i>	26	<i>Vernonia altissima</i>	32	<i>Xanthoxalis stricta</i>	53		
<i>Triodanis biflora</i>	33	<i>Vernonia gigantea</i>	32	<i>Ximenia americana</i>	51		
<i>Triodanis perfoliata</i> var. <i>biflora</i>	33	<i>Vernonia gigantea</i> subsp. <i>ovalifolia</i>	32	<i>Xolisma ferruginea</i>	38		
<i>Triorchis ecristatus</i>	13	<i>Vernonia ovalifolia</i>	32	<i>Xolisma fruticosa</i>	38		
<i>Triplasis intermedia</i>	21	<i>Vesiculina purpurea</i>	48	<i>Xyris ambigua</i>	22		
<i>Triplasis purpurea</i>	21	<i>Viburnum cassinooides</i>	23	<i>Xyris brevifolia</i>	22		
<i>Typha</i> sp.	21	<i>Viburnum corymbosum</i>	23	<i>Xyris caroliniana</i>	22		
<i>Urena lobata</i>	49	<i>Viburnum nashii</i>	23	<i>Xyris communis</i>	22		
<i>Urochloa distachya</i>	21	<i>Viburnum nudum</i>	23	<i>Xyris elata</i>	22		
<i>Urochloa subquadripala</i>	21	<i>Viburnum obovatum</i>	23	<i>Xyris elliottii</i>	22		
<i>Utricularia biflora</i>	48	<i>Vicia acutifolia</i>	44	<i>Xyris fimbriata</i>	22		
<i>Utricularia cornuta</i>	48	<i>Vigna luteola</i>	44	<i>Xyris flabelliformis</i>	22		
<i>Utricularia fibrosa</i>	48	<i>Vigna marina</i>	44	<i>Xyris flexuosa</i>	22		
<i>Utricularia floridana</i>	48	<i>Vigna repens</i>	44	<i>Xyris jupicai</i>	22		
<i>Utricularia gibba</i>	48	<i>Vinca rosea</i>	25	<i>Youngia japonica</i>	32		
<i>Utricularia olivacea</i>	48	<i>Viola lanceolata</i>	61	<i>Yucca filamentosa</i>	4		
<i>Utricularia pumila</i>	48	<i>Viola lanceolata</i> subsp. <i>vittata</i>		<i>Yucca filamentosa</i> var. <i>smalliana</i>	4		
<i>Utricularia purpurea</i>	48		61	<i>Yucca flaccida</i>	4		
<i>Utricularia subulata</i>	48	<i>Viola vittata</i>	61				
<i>Vaccinium amoenum</i>	39	<i>Vitis coriacea</i>	62	<i>Zamia angustifolia</i>	3		
<i>Vaccinium arkansanum</i>	39	<i>Vitis munsoniana</i>	62	<i>Zamia floridana</i>	3		
<i>Vaccinium ashei</i>	39	<i>Vitis rotundifolia</i>	62	<i>Zamia integrifolia</i>	3		
<i>Vaccinium australe</i>	39	<i>Vitis rotundifolia</i> var. <i>munsoniana</i>	62	<i>Zamia pumila</i>	3		
<i>Vaccinium corymbosum</i>	39		62	<i>Zamia silvicola</i>	3		
<i>Vaccinium darroviae</i>	39	<i>Vitis shuttleworthii</i>	62	<i>Zamia umbrosa</i>	3		

Note: Valid species names are in bold; synonyms are in regular type.

COMMON NAME				
Adam's Needle	4	Big Carpetgrass	15	Button Bush
Air-potato	10	Big Floatingheart	49	Buttonweed
Algal Nutrush	10	Bitter Mint	46	Cabbage Palm
American Black Nightshade	59	Bitter-cress	32	Caesarweed
American Cupscale	20	Black Gum	37	Calusa Grape
American Nailwort	34	Blackberry	56	Camphortree
Anglestem Primrose Willow	52	Black-eyed Susan	31	Camphor-weed
Apalachicola Toadflax	61	Blackroot	30	Canada Spike Rush
Arrowhead	4	Blood Root	11	Capillary Hairsedge
Artillery Plant	60	Bloodleaf	23	Carimson bluestem
Ashe's Savory	46	Blue Maindencane	14	Carolina Fimbry
Asian Marshweed	60	Blue-eyed Grass	11	Carolina Indigo
Axil Flower	61	Blueflower Butterwort	47	Carolina Jessamine
Axil Flower	61	Bluehearts	53	Carolina Redroot
Bachelor's Buttons	11	Bluejack Oak	44	Carolina Willow
Bahama Wild Coffee	57	Bluejoint Panicum	18	Carolina Yellow-eyed Grass
Bahia Grass	18	Bog White Violet	61	Carpet Weed Frogbit
Baldwin's Flatsedge	7	Bog-moss	12	Carter's Mustard
Ball-moss	5	Boston Fern	1	Castorbean
Bamboo-vine	21	Bottlebrush Bluestem	14	Catbriar
Bantam-buttons	11	Bottlebrush Threeawn	15	Catbriar
Barnyard Grass	16	Bracken fern	1	Catesby's Lily
Bartonia	45	Brazilian Jasmine	51	Cattail
Bastard Indigo	41	Brazilian Pepper	23	Centipede Grass
Bayberry	50	Bristly Scaleseed	24	Chalky Bluestem
Beaked Panicum	17	Broadwing Sedge	6	Chapman's Blazing Star
Beak-rush	9	Broomweed	49	Chapman's Goldenrod
Bearded Grass-pink	12	Brownhair Snoutbean	44	Chapman's Oak
Beargrass	21	Buckthorn	56	Cherokee Bean
Beauty Berry	46	Bunched Beaksedge	9	Chinaberrytree
Bedstraw	57	Burmannia	5	Chinese Violet
Beggar Ticks	26	Bushy Bluestem	14	Cinnamon Fern
Beggarweed	42	Bushy Bluestem	14	Citron
Bermudagrass	15	Butterfly Orchid	13	Climbing Aster
		Butterfly Weed	25	Climbing Ferm
			57	Climbing Hempweed
			57	Clustered Mille Graines
			4	Clustered Wild Pine
			49	Coast Sandspur
			62	Coastal Arrowhead
			47	Coastal Foxtail
			28	Coastal Lovegrass
			8	Coastal Plain St. John's-Wort
			6	Coastal Plain Wailwort
			20	Coastalplain Yellow-eyed Grass
			8	Coinwort
			43	Columbian waxweed
			45	Common Day-flower
			11	Common Pigweed
			58	Common Ragweed
			22	Common Sow Thistle
			60	Common Tick-trefoil
			33	Coontie
			40	Coralbean
			21	Corkscrew Threawn
			21	Corn Cockle
			12	Costal Plain Milkwort
			21	Costalplain Staggerbush
			17	Cottonweed
			14	Crab's Eye
			29	Creeping Cucumber
			31	Creeping Oxeye
			44	Creeping Rush
			43	Cross-leaved Milkwort
			49	Crowfootgrass
			22	Crow-poison
			1	Cuban Bulrush
			37	Cud Weed
			31	Cupid's Shaving Brush Tassel
			2	Flower

Curtiss' Milkweed	24	False Nettle	60	Forked Bluecurls	47	Groundsel Bush	26
Cutleaf Watermilfoil	46	False Pimpernel	61	Four-O'Clock	51	Guinea Grass	18
Cutthroatgrass	17	Fascicled Beaksedge	9	Foxtail Clubmoss	1	Hairgrass	17
Cuttlefish	5	Feather Lovegrass	17	Fragrant Eryngium	24	Hairlike Spike Rush	8
Cypress Vine	37	Feather-shank	12	Fragrant Flatsedge	7	Hairy Dawnflower	37
Cypress Witchgrass	15	Feay's Milkweed	24	Fringed Nutrush	10	Hairy Pipewort	11
Dahoon Holly	25	Feay's Prairieclover	42	Fringed Yellow-eyed Grass	22	Hairy Spurge	39
Dangleberry	38	Fennel	28	Frost Weed	32	Hairy Wireweed	55
Darrow's Blueberry	39	Fetterbush	38	Funny Face Orchid	13	Hairypob Cowpea	44
Day-flower	6	Fewflower Nutrush	10	Gallberry	25	Harsh Verbena	60
Deer Tongue	26	Fingergrass	17	Gaping Panicum	18	Haspan Flatsedge	7
Deyrup's Dilemma	34	Fire Weed	27	Garberia	28	Hastate-leaf Dock	55
Dog Fennel	28	Five-angled Dodder	36	Gerardia	53	Hat Pins	11
Dollar Leaf	44	Flag Pawpaw	24	Giant Air Plant	5	Hawkweed	29
Dropseed	21	Flakelet Fern	1	Giant Arrowhead	4	Hedge Hyssop	60
Drysand Pinweed	35	Flattop Mille Graines	57	Giant Goldenrod	31	Hemlock Wiregrass	16
Duckweed	4	Flat-topped Goldenrod	28	Glades Lobelia	33	Highbush Blueberry	39
Dwarf Horseteed	27	Flaxleaf False Foxglove	53	Globe Amaranth	23	Highland's Goldenaster	26
Dwarf Huckleberry	38	Fleabane	30	Globe Rush	12	Hog Plum	51
Dwarf Live Oak	45	Florida Alicia	41	Globe-fruit Seedbox	52	Hog Plum	56
Dwarf St. John's-wort	36	Florida Arrowroot	3	Gold Coast Jasmine	51	Horned Bladderwort	48
Early Whitetop Fleabane	28	Florida Beggarweed	42	Golden Polypody	2	Hyssopleaf Sandmat	39
Eastern Milkpea	43	Florida Bluestem	14	Goose Grass	16	Indian Chickweed	49
Eastern Purple Bladderwort	48	Florida Bully	58	Gopher Apple	34	Indianpipe	38
Edison's Hypericum	35	Florida Cinchweed	29	Gopher-berry Pawpaw	24	Innocence	57
Elliott Lovegrass	17	Florida False Sunflower	30	Gophertail Lovegrass	17	Iron Weed	32
Elliott's Milkpea	43	Florida Hartwrightia	28	Grass-leaf Rush	12	Itchgrass	19
Elliott's Yellow-eyed Grass	22	Florida Hedgenettle	47	Grass-leaved Golden Aster	30	Jaragua	17
Erect Spiderling	50	Florida Keys Hempvine	29	Grass-leaved Ladies'-tresses	13	Johnsongrass	20
Erectleaf	16	Florida Paintbrush	26	Grass-pink	13	Jointweed	55
Evening Primrose	52	Florida Rosemary	38	Green Arum	4	Knotroot Foxtail	20
Fairy Beaksedge	9	Florida Scrub Frostweed	35	Green Parrot's-feather	46	Lake Placid Scrub Mint	46
Fall Panicum	17	Florida Sensitive Briar	44	Greenbriar	21	Lance-leaf Primrose Willow	51
False Daisy	27	Florida Yellow Bladderwort	48	Ground Cherry	59	Lanceleaf Rattlebox	42
False Foxglove	53	Florida's Elephant's Foot	27	Groundnut	41	Large Cyperus	7

Large-flowered Marsh-pink	45	Michaux's Croton	40	Paraguay Bur	26	Prickly-pear Cactus	33
Large-headed Rush	12	Mild Waterpepper	55	Partridge Pea	41	Primrose-willow	52
Large-seeded Beaksedge	9	Mild Waterpepper	55	Passionflower	53	Procession Flower	54
Laurel Oak	45	Mile-a-Minute Vine	36	Pedicillate Milkweed	24	Prostrate False Button weed	58
Lawn orchid	14	Milk Buckthorn	58	Pellitory	60	Punk Tree	50
Least Snoutbean	44	Milk With	25	Pepper Vine	62	Purple Bushbean	43
Leatherwood	37	Mist Flower	27	Peppergrass	32	Purple Cud Weed	28
Leavenworth's Goldenrod	31	Mistletoe	61	Persimmon	38	Purple Sandgrass	21
Leconte's Flatsedge	7	Mock Bishop's-weed	24	Pickerel-weed	21	Purple Thistle	27
Licorice Weed	61	Moon Flower	36	Piedmont Blacksenna	53	Queen's Delight	40
Little Bluestem	20	Morning Glory	37	Piedmont Bladderwort	48	Rabbit Tobacco	30
Littlehead Beaksedge	9	Multi-flowered Grass-pink	13	Piedmont Pinweed	35	Rain-lily	4
Live Oak	45	Muscadine Grape	62	Pigeonwings	42	Rattan Vine	56
Loblolly Bay	59	Musky Mint	46	Pigweed	23	Rattlebox	42
Longleaf Pine	3	Myrsine	50	Pine Barren Beaksedge	9	Red Bay	47
Long's Sedge	6	Myrtle Oak	45	Pine Lily	12	Red Chokeberry	56
Lopsided Indiangrass	20	Narrow Fruit Horned Beaksedge	9	Pinebarren Flatsedge	8	Red Maple	58
Love Vine	36	Narrow-leaf Primrose Willow	52	Pinebarren Frostweed	34	Red Spiderling	50
Love Vine	47	Natal Grass	19	Pineland Butterfly-pea	41	Redroot Flatsedge	7
Lyreleaf Sage	47	Needle-leaf Witchgrass	15	Pineland Pinweed	35	Reemed Milkwort	54
Madagascar Periwinkle	25	Nodding Nixie	5	Pineweed	35	Resurrection Fern	2
Maidencane	17	Nodding Pinweed	35	Pink Baby's-Breath	55	Rice Button Aster	32
Maleberry	38	Northern Dewberry	56	Pink Butterwort	48	Richard's Yellow-eyed Grass	22
Manatee Mudflower	61	Noyau Vine	37	Pink Lace	29	Riparian Autumngrass	20
Marsh Fleabane	30	Nut-grass	8	Pink Purslane	55	Roadgrass	8
Marsh Pennywort	25	Nuttall's Meadowbeauty	49	Pink Sundew	37	Robust Blue-eyed Grass	12
Marsh Seedbox	52	Oceanblue Morning Glory	36	Pipewort	11	Rosary pea	40
Marsh St. John's-wort	36	Oriental Hawksbeard	32	Piriqueta	59	Rose Myrtle	50
Marsh-pinks	45	Painted Leaf	40	Poison Ivy	24	Roseling	5
Mascarene Island Leafflower	40	Palafoxia	29	Pokeweed	53	Rose-of-Plymouth	45
McCartney Rose	56	Pale Grass-pink	13	Pony-foot Sheep Grass	36	Roserush	29
Mexican Bluebell	22	Pale Meadowbeauty	49	Poor-Joe	57	Rouge Plant	53
Mexican Clover	58	Panicled Cyperus	7	Poorland Flatsedge	6	Roundpod St. John's-Wort	35
Mexican Primrosewillow	52	Papaya	34	Possum Haw	23	Royal Fern	2
Mexican Tea	23	Papery Whitlow-wort	34	Prairie Fleabane	27	Rush Pink	29

Rustweed	59	Shaggy Crabgrass	16	Southern Bog-button	11	Tall Nutrush	10
Rusty Lyonia	38	Shield Fern	3	Southern Burmannia	5	Tall Pinebarren Milkwort	54
Salt Bush	26	Shiny Blueberry	39	Southern Clubmoss	1	Tall Threeawn	14
Sand Cordgrass	20	Shoestring Fern	3	Southern Crabgrass	16	Tallowood	51
Sand Ground Cherry	59	Shortleaf Gayfeather	29	Southern Dewberry	56	Tanglehead	17
Sand Holly	25	Shortleaf Yellow-eyed Grass	22	Southern Elderberry	23	Tarflower	38
Sand Hypericum	36	Shortspike Bluestem	14	Southern Fleabane	27	Thin Paspalum	19
Sand Live Oak	44	Showy Dawnflower	37	Southern Gaura	51	Thistle	27
Sand Pine	3	Showy Milkwort	54	Southern Needle Leaf	5	Thoroughwort	28
Sand Spike Moss	2	Showy Rattlebox	42	Southern Sandspur	15	Threadleaf Beaksedge	9
Sand Vetch	44	Shrub Verbena	60	Southern Shield Fern	3	Threelobe False Mallow	49
Sandhill Wireweed	55	Shrubby Primrosewillow	52	Spanish Moss	5	Tickclover	42
Sandweed	35	Sida	49	Spatterdock	51	Tievine	36
Sandy Field Hairsedge	6	Silk Bay	47	Spiderwort	6	Tiny Bladderwort	48
Savannah Yellow-eyed Grass	22	Simpson's Croton	40	Spiny-leaved Sow Thistle	31	Toothcups	48
Saw Palmetto	5	Skyblue Lupine	43	Splitbeard Bluestem	14	Torpedograss	18
Sawgrass	6	Slender Amaranth	23	Spotted Spurge	39	Tough Buckthorn	58
Scale-leaved Aster	31	Slender Blazing Star	29	Spurge	39	Tracy's Beaksedge	10
Scarlet Milkweed	24	Slender Clubmoss	1	St. Andrew's-cross	36	Tracy's Bluestem	14
Scrub Balm	46	Slender Threeseed Mercury	39	St. Peter's-wort	36	Tread Softly	39
Scrub Blazing Star	29	Slenderleaf Clammyweed	33	Stiff Marsh Bedstraw	57	tropical Flatsedge	8
Scrub Buckwheat	54	Slim Aster	32	Stinking Fleabane	30	Tropical Mexican Clover	57
Scrub Hickory	46	Slim Spike Rush	8	Strangler Fig	50	Tropical Sage	47
Scrub Holly	25	Smal Fruit Spike Rush	8	String-lily	4	Tropical Signal Grass	21
Scrub Hypericum	35	Small Spike Rush	8	Sugarcane Plumegrass	19	Trumpet creeper	32
Scrub Oak	44	Smallfruit Beggar Ticks	26	Surinam cherry	50	Trumpet Honeysuckle	33
Scrub Olive	51	Small-fruit Primrosewillow	52	Swamp bay	47	Turkey Oak	45
Scrub Palmetto	4	Small-fruited Beaksedge	9	Swamp Fern	1	Twinflower	22
Scrub Pawpaw	24	Smooth Rattlebox	42	Swamp Flatsedge	7	Two-flowered Bladderwort	48
Scrub plum	56	Smutgrass	21	Swamp Titi	37	Umbrella-sedge	9
Scrub Spurge	40	Soda-apple	59	Swamp tupelo	37	Uncrested Eulophia	13
Scurf Hoarypea	44	Soft Rush	12	Sweet Broom	61	Vanilla Plant	26
Seaside Primrosewillow	52	Sour Paspalum	18	Sweetbay	48	Vaseygrass	19
Sensitive Briar	43	South Florida Slash Pine	3	Switchgrass	18	Velvet-leaf Milkweed	24
Sessile-spiked Nutrush	10	Southern Acer	58	Tall Jointweed	55	Velvetleaf Ticktreoil	42

Venus Looking-glass	33	Wild Lettuce	29
Virginia Chain Fern	1	Wild Olive	51
Virginia Creeper	62	Wild Pennyroyal	47
Virginia Willow	46	Wild Potato Vine	36
Viviparous Spike Rush	8	Wild Radish	33
Walter's Viburnum	23	Wild Sensitive Plant	41
Ware's Hairsedge	6	Winged Sumac	23
Warty Panicum	18	Wiregrass	14
Water Dropwort	24	Wireweed	34
Water Horn Fern	2	Wiry Flatsedge	7
Water Hyssop	60	Woodland False Buttonweed	58
Water Pennywort	25	Woody Pinweed	35
Water Primrose	52	Woody Wireweed	55
Water Spangles	2	Wright's Beaksedge	10
Water Spider Orchid	13	Yellow Bachelor's Button	54
Water Willow	22	Yellow Butterwort	48
Watergrass	6	Yellow Buttons	26
Wavyleaf Noseburn	40	Yellow Fringed Orchid	13
Wax Begonia	32	Yellow Wood Sorrel	53
Wax Myrtle	50	Yellow-star Grass	11
Wedge-leaf Button Snakeroot	24	Yerba de Jicotea	51
West Indian Chickweed	34		
West Indian Meadowbeauty	49		
West Indian Sage	47		
White Sabatia	45		
White-flowered Spurge	40		
Whitehead Bog-button	11		
White-top Aster	29		
White-topped Aster	31		
White-vine	25		
Whorled Pennywort	25		
Wild Bachelor's Button	54		
Wild Balsam Apple	37		
Wild Coco	13		
Wild Coffee	57		

FAMILY		CORNACEAE	37	MENYANTHACEAE	49	SCHIZAEACEAE	2
ACANTHACEAE	22	CUCURBITACEAE	37	MOLLUGINACEAE	49	SELAGINELLACEAE	2
[ACERACEAE]	58	CYPERACEAE	6	[MONOTROPACEAE]	38	SMILACACEAE	21
[ADIANTACEAE]	2	CYRILLACEAE	37	MORACEAE	50	SOLANACEAE	59
ADOXACEAE	23	DENNSTAEDTIACEAE	1	MYRICACEAE	50	[SPARGANIACEAE]	21
AGAVACEAE	4	DIOSCOREACEAE	10	MYRSINACEAE	50	[STERCULIACEAE]	49
ALISMATACEAE	4	DROSERACEAE	37	MYRTACEAE	50	TETRACHONDRAEAE	59
AMARANTHACEAE	23	EBENACEAE	38	NEPHROLEPIDACEAE	1	THEACEAE	59
AMARYLLIDACEAE	4	[EMPETRACEAE]	38	NYCTAGINACEAE	50	THELYPTERIDACEAE	3
ANACARDIACEAE	23	ERICACEAE	38	NYMPHAEACEAE	51	[TILIACEAE]	49
ANNONACEAE	24	ERIOCAULACEAE	11	[NYSSACEAE]	37	TURNERACEAE	59
APIACEAE	24	EUPHORBIACEAE	39	OLACACEAE	51	TYPHACEAE	21
APOCYNACEAE	24	FABACEAE	40	OLEACEAE	51	URTICACEAE	60
AQUIFOLIACEAE	25	FAGACEAE	44	ONAGRACEAE	51	[VALERIANACEAE]	33
ARACEAE	4	GELSEMIACEAE	45	ORCHIDACEAE	12	VERBENACEAE	60
ARALIACEAE	25	GENTIANACEAE	45	OROBANCHACEAE	53	VERONICACEAE	60
ARECACEAE	4	[GUTTIFERAEE]	35	OSMUNDACEAE	1	VIOLACEAE	61
[ASCLEPIADACEAE]	24	HAEMODORACEAE	11	OXALIDACEAE	53	VISCACEAE	61
ASTERACEAE	26	HALORAGACEAE	46	[PARKERIACEAE]	2	VITACEAE	62
BEGONIACEAE	32	[HIPPOCASTANACEAE]	58	PASSIFLORACEAE	53	VITTARIACEAE	3
BIGNONIACEAE	32	[HYPERICACEAE]	35	PETIVERIACEAE	53	XYRIDACEAE	22
BLECHNACEAE	1	HYPONIDACEAE	11	PHYTOLACCACEAE	53	ZAMIACEAE	3
BRASSICACEAE	32	IRIDACEAE	11	PINACEAE	3		
BROMELIACEAE	5	ITEACEAE	46	POACEAE	14		
BURMANNIACEAE	5	JUGLANDACEAE	46	POLYGALACEAE	54		
[BYTTNERIACEAE]	49	JUNCACEAE	12	POLYGONACEAE	54		
CACTACEAE	33	LAMIACEAE	46	POLYPODIACEAE	2		
CAMPANULACEAE	33	LAURACEAE	47	PONTEDERIACEAE	21		
[CAPPARACEAE]	32	[LEMNACEAE]	4	PORTULACACEAE	55		
CAPRIFOLIACEAE	33	LENTIBULARIACEAE	47	PTERIDACEAE	2		
CARICACEAE	34	LILIACEAE	12	[PYROLACEAE]	38		
CARYOPHYLLACEAE	34	LYCOPodiACEAE	1	RHAMNACEAE	56		
[CHENOPodiACEAE]	23	LYTHRACEAE	48	ROSACEAE	56		
CHRYSOBALANACEAE	34	MAGNOLIACEAE	48	RUBIACEAE	57		
CISTACEAE	34	MALVACEAE	49	RUSCACEAE	21		
CLusiACEAE	35	MAYACACEAE	12	SALICACEAE	58		
COMMELINACEAE	5	MELANTHIACEAE	12	SALVINIACEAE	2		
CONVOLVULACEAE	36	MELASTOMATACEAE	49	SAPINDACEAE	58		
		MELIACEAE	49	SAPOTACEAE	58		

Families in square brackets
have been subsumed into other
families by Wunderlin and
Hansen (2003).